


|                                                                                                                        |                                                                                                                |                                                                       |
|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| <b>Client</b><br>CP INTERIORS<br>UNIT 28<br>RUE DES PRES TRADING ESTATE<br>ST SAVIOUR, JE2 7QN, JERSEY                 | <b>Document Title</b><br><b>House Waybill (HWB)</b>                                                            | <b>Issuing Office</b><br>PORTSMOUTH<br><b>Tally Number</b><br>J791965 |
|                                                                                                                        | <b>Your Reference</b><br>1665/20-15-1                                                                          | <b>Our Reference</b><br>3PMJE640750                                   |
| <b>Shipper</b><br>ASSOCIATED FREIGHT SERVICES<br>UNIT 3E FLACON WAY<br>OFF CENTRAL WAY<br>FELTHAM ,MIDDLESEX, TW14 0UQ | <b>Delivery T1 ref</b><br>2468133                                                                              | <b>Date</b><br>21-Sep-2020                                            |
|                                                                                                                        |                              |                                                                       |
| <b>Consignee</b><br>CP INTERIORS<br>UNIT 28<br>RUE DES PRES TRADING ESTATE<br>ST SAVIOUR, JE2 7QN, JERSEY              | Ferryspeed C.I. Limited<br>Ackworth Road<br>Hilsea<br>Portsmouth PO3 5JT<br>Tel 02392627000<br>Fax 02392627150 |                                                                       |
| <b>Container Number/Trl No.</b>                                                                                        | <b>Place of Receipt/Loading</b><br>PORTSMOUTH                                                                  |                                                                       |
| <b>Vessel</b>                                                                                                          | <b>Port of Departure</b>                                                                                       |                                                                       |
| <b>Port of Discharge</b>                                                                                               | <b>Place of Delivery</b><br>ST SAVIOUR                                                                         |                                                                       |
| <b>Date of Shipment/Arrival</b><br>21-Sep-2020                                                                         | <b>Terms</b><br>CFR                                                                                            |                                                                       |

| Marks & Numbers | Number & Kind of Packages | Description of Goods | Weight(Kgs) | Volume(M3) |
|-----------------|---------------------------|----------------------|-------------|------------|
| ADDRESSED:-     | 3 BLINDS<br>3 CARTONS     |                      | 68.00       | 0.800      |

Consignee Ref(s) : J791965  
 Shipper Ref(s) : 1665/20-15-1, 202467844  
 Value 0.00

RECEIVED

02 OCT 2020

SCANNED

CONTACT AT THE

S09999

HAZZARD

\*\*\* WAYBILL \*\*\*

**DANGEROUS GOODS: GOODS HAVING CORROSIVE, EXPLOSIVE, FLAMMABLE POISONOUS OR OTHER HAZARDOUS CHARACTERISTICS MUST BE ACCOMPANIED BY "SHIPPERS CERTIFICATION FOR DANGEROUS GOODS" COMPLETED IN DUPLICATE**

ALL GOODS CARRIED IN THE ACCORDANCE TO R.H.A. CONDITIONS OF CARRIAGE CORRECT AT THE DATE OF THIS HOUSE WAYBILL

30 Box

Arrived 2-10-20

**FREIGHT INTAKE CHECK SHEET**


J 791965

Carrier's Name: .....

OT

Date: .....

2/19

|                                                                                                |  |                                                      |  |
|------------------------------------------------------------------------------------------------|--|------------------------------------------------------|--|
| From:<br>ASSOCIATED FREIGHT<br>SUS LN                                                          |  | To:<br>CP SUNBELTS                                   |  |
| No. of Cartons 3                                                                               |  | No. of Pallets                                       |  |
| Wgt 68                                                                                         |  | Cube 0.8                                             |  |
| Goods Damaged / Short on Receipt<br>Blinds                                                     |  |                                                      |  |
| Signature  |  |                                                      |  |
| Goods Damaged / Short Shipped on Loading                                                       |  |                                                      |  |
| Signature .....                                                                                |  |                                                      |  |
| FULL                                                                                           |  |                                                      |  |
| 1/2                                                                                            |  |                                                      |  |
| PART                                                                                           |  |                                                      |  |
| Bay No. 3                                                                                      |  | Time 1456                                            |  |
|                                                                                                |  |                                                      |  |
|                                                                                                |  | Hazardous Yes/No <input checked="" type="checkbox"/> |  |

# ASSOCIATED FREIGHT SERVICES LTD **AS**

I N T E R N A T I O N A L F R E I G H T F O R W A R D E R S

**DELIVERY ADDRESS**

CP SUNBLINDS  
C/O FERRYSPEED LIMITED  
PORTSMOUTH VENTURE PARK  
ACKWORTH ROAD, HILSEA, PORTSMOUTH  
PO3 5JT, United Kingdom

Our reference 1665/20-15-1  
Your reference 202467844  
Date 14/09/2020

Tel: 01534 768141

**DELIVERY NOTE**

**SHIPPER:**

WEINOR GMBH  
MATHIAS-BRUGGEN-STRASSE 110  
50829 KOLN  
Germany

Special Instructions:

Terms of Shipment:

Number of Packages: 3 CARTON 489x30x20cm

Gross Weight: 68.000

Description of Goods: AWNING/PARTS  
202467844

**RECIEVED:**

DATE: .....

SIGNED: .....

PRINT: .....

**PALLETS/CARTONS RECIEVED IN GOOD CONDITION**

Subject to our terms and conditions, no claims for damages or shortages will be accepted unless made in writing within 7 days of delivery.

Unit 3E, Falcon Way off Central Way, Feltham, Middlesex TW14 0UQ

Tel: 020 8890 1066 - Fax: 020 8890 3398 - Email: info@afs-lon.co.uk - www.associatedfreight.co.uk

Registered office: Plaza Building, Lee High Road, London SE13 5PT - Registered in England No 2685525 - VAT No 584 4555 09



BRITISH INTERNATIONAL  
FREIGHT ASSOCIATION



weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

**C P Interiors****Rue Des Pres Trading Estate****GB-JE2 7QN St Saviour Jersey**

202467844

phone number: 0044-1534-768141  
 customer: 165708  
 representat.: 654 Chris Spickett  
 tel (representat.): 0044 (0) 7894443907

**delivery note****222813042**

Date of Print:

09.09.2020

**delivery address**

Ferryspeed  
 FAO CP Sunblinds  
 Venture Park/ Ackworth Road  
 GB-PO3 5JT Portsmouth/ Hampshire  
 0044/1329234351  
 England

sales order no.: 202467844  
 order date: 22.06.2020  
 reference: Hazzard  
 Your order no.:

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

|   |   |      |                                      |
|---|---|------|--------------------------------------|
| 3 | 1 | 2070 | VertiTex II Zip 112<br>Front / right |
|---|---|------|--------------------------------------|

Anticipated delivery : 21.09.2020  
 Number of packages : 1  
 weight : 64 kg  
 External dimensions : 4586X2291,5

|   |   |      |         |
|---|---|------|---------|
| 4 | 2 | 1950 | Tempura |
|---|---|------|---------|

Execution : Tempura 1,5 KW  
 Anticipated delivery : 21.09.2020  
 Number of packages : 2  
 weight : 2 kg  
 External dimensions : 50

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

estimated delivery JSY: 21/09

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

**C P Interiors****Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey****confirmation of shipment date**

sales order no.: 202467844  
 customer: 165708  
 order date: 22.06.2020  
 reference: Hazzard  
 contact person: Chris Nicholson  
 E-Mail: CNicholson@weinor.de  
 phone number: +49-221-59709-452  
 representat.: 654 Chris Spickett  
 tel (representat.): 0044 ( 0 ) 7894443907

Dear Sir or Madam,

Many thanks for sending your release notice.

We have cleared your order for manufacturing and confirm expected delivery by the end of the week mentioned below.

The day before delivery you will get a dispatch note by fax or e-mail.

|             |               |                         |                         |       |
|-------------|---------------|-------------------------|-------------------------|-------|
| Position: 1 | Product: 2740 | Terrazza Pure           | calender week 36 / 2020 | 31/08 |
| Position: 2 | Product: 2829 | GE W50-C                | calender week 36 / 2020 | "     |
| Position: 3 | Product: 2070 | VertiTex II Zip 112     | calender week 39 / 2020 | 21/09 |
| Position: 4 | Product: 1950 | Tempura                 | calender week 39 / 2020 | "     |
| Position: 5 | Product: 2557 | BiConnect               | calender week 36 / 2020 | 31/08 |
| Position: 6 | Product: 2235 | Sottezza II OptiStretch | calender week 36 / 2020 | "     |

With best regards

i.A. Chris Nicholson

received on 7/09/20

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

**C P Interiors**

**Rue Des Pres Trading Estate**

**GB-JE2 7QN St Saviour Jersey**

**pro forma invoice**

invoice no. 202467844P  
 customer: 165708  
 sales order no.: 202467844  
 order date: 22.06.2020  
 reference: Hazzard **SO 9999**  
 contact person: Chris Nicholson  
 E-Mail: CNicholson@weinor.de  
 phone number: +49-221-59709-452  
 representat. 654 Chris Spickett  
 VAT ID-no

Delivery to UK = 24/09  
14

| pos | quantity | article code | amount |
|-----|----------|--------------|--------|
|-----|----------|--------------|--------|

Dear customer,

please find your order confirmation including your required dimensions.

NEW : You can now release your order in E-Shop on your own and can see immediately your release date !

You can also stop your order faster directly online.

If ok please fax back the first page with an ok and release sign.

Then the product will be manufactured and we will give you a delivery date.

Please fax to : 0049/(0)221-5 97 09 898 or email: freigabe@weinor.de

Thank you very much.

YOUR RELEASE : .....  
 ( sign ) ( date )

|   |      |      |               |  |
|---|------|------|---------------|--|
| 1 | 1,00 | 2740 | Terrazza Pure |  |
|---|------|------|---------------|--|

Product use : private house  
 Permissible snow-bearing load : 750 N/m²

**basic data**

External dimensions : 5600mm x 4000mm  
 Bottom edge gutter (mm) : 2210,5  
 Depth: wall up to INSIDE edge of post mm 6.536,00

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

custom 165708 invoice no. 202467844

Page 2 of 8

| pos                                                                     | quantity | article code                                        |                                         |                                            |                       |
|-------------------------------------------------------------------------|----------|-----------------------------------------------------|-----------------------------------------|--------------------------------------------|-----------------------|
|                                                                         |          | Bottom edge connection to wall (mm)                 | : 2305                                  | mm                                         |                       |
|                                                                         |          | Top edge connection to wall (mm)                    | : 2533                                  | mm                                         |                       |
|                                                                         |          | Basic colour                                        | : WT029/71289 Approx. RAL 7016 Metallic |                                            |                       |
|                                                                         |          | Covering                                            | : 10mm                                  |                                            | prepared for 10mm LSG |
|                                                                         |          | Seals                                               | : silicone-containing seals             |                                            |                       |
|                                                                         |          | Connection to wall left?                            | : No wall connection on left            |                                            |                       |
|                                                                         |          | Connection to wall right?                           | : No wall connection on right           |                                            |                       |
| <b>roof girder</b>                                                      |          |                                                     |                                         |                                            |                       |
|                                                                         |          | Number of roof rafter                               | : 7                                     | Piece                                      |                       |
|                                                                         |          | rafter 205 open                                     | : 3                                     | Piece                                      |                       |
|                                                                         |          | rafter 205 closed                                   | : 2                                     | Piece                                      |                       |
|                                                                         |          | Colour LED strip in roof supports                   | : 3                                     | Piece                                      |                       |
|                                                                         |          | Axial dimension rafter                              | : 922,5                                 | mm                                         | 1.430,00              |
| <b>Transom</b>                                                          |          |                                                     |                                         |                                            |                       |
|                                                                         |          | Sum of transoms                                     | : 0                                     | Piece                                      |                       |
| <b>gutter</b>                                                           |          |                                                     |                                         |                                            |                       |
|                                                                         |          | Steel reinforcement for roof gutter                 | : 1                                     | * Galvanised flat steel                    | 395,00                |
|                                                                         |          | Maximum spacing for posts when gutter has 1 x steel | : 4770                                  | mm for 1 x steel in gutter                 |                       |
|                                                                         |          | Weight for roof gutter with steel                   | : 96,4                                  | kg                                         |                       |
| <b>Pillar(s)</b>                                                        |          |                                                     |                                         |                                            |                       |
|                                                                         |          | Number of posts                                     | : 3                                     |                                            |                       |
|                                                                         |          | Post type left                                      | : Post outside                          |                                            |                       |
|                                                                         |          | Post position on the left                           | : 57,5                                  | mm                                         |                       |
|                                                                         |          | Post type right                                     | : Post outside                          |                                            |                       |
|                                                                         |          | Post position on the right                          | : 57,5                                  | mm                                         |                       |
|                                                                         |          | position of centre post from left                   | : 955                                   | 1st centre post from outer left-hand edge! |                       |
|                                                                         |          | Length of post                                      | : 2600                                  | mm                                         |                       |
| <b>Please note that the standard length for square posts is 2600mm!</b> |          |                                                     |                                         |                                            |                       |
|                                                                         |          | Drain on right side?                                | : Drain through the right post          |                                            |                       |

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

custom 165708 invoice no. 202467844

Page 3 of 8

| pos | quantity | article code                                      |                                                     |                                      |
|-----|----------|---------------------------------------------------|-----------------------------------------------------|--------------------------------------|
|     |          | Number of post base plates 116x196                | : 1                                                 | Piece 42,00                          |
|     |          | Number of post base plates 196x196                | : 2                                                 | Piece 96,00                          |
|     |          | Number of caps for post plate                     | : 2                                                 | Piece 62,00                          |
|     |          | Number of caps for post plate                     | : 1                                                 | Piece 31,00                          |
|     |          | No. Complete drainage through square outside post | : 1                                                 | incl. downspout and 87° elbow 115,00 |
|     |          |                                                   | : Please note! You have not selected enough drains! |                                      |

**alignment products**

|                                          |   |                                              |       |
|------------------------------------------|---|----------------------------------------------|-------|
| Sottezza-Type                            | : | Sottezza stretch/optistretch (alle variants) |       |
| Projection Sottezza [mm]                 | : | 3910                                         | mm    |
| mounting plates Sottezza II left rafter  | : | Standard 66.5 DTS mounting plate             | 81,00 |
| mounting plates Sottezza II right rafter | : | Standard 66.5 DTS mounting plate             | 81,00 |
| Distance from Sottezza to the wall       | : | 20                                           | mm    |
| Distance from Sottezza to the gutter     | : | 20                                           | mm    |
| projection of WGM TOP                    | : | 0                                            | mm    |

**accessorie**

|                                                             |   |                                        |  |
|-------------------------------------------------------------|---|----------------------------------------|--|
| Side mains connection (230 V) with remote control BiConnect | : | right                                  |  |
|                                                             | : | Yes! Please remind the separate order! |  |
|                                                             | : |                                        |  |

**miscellaneous**

|                 |   |                                          |                |
|-----------------|---|------------------------------------------|----------------|
| Glasfläche [m2] | : | 20,22                                    | m <sup>2</sup> |
| Note glass area | : | The glass surface concern only the roof. |                |

| value of goods | discount amount / % | net      |
|----------------|---------------------|----------|
| 8.869,00       | 3.547,60 / 40,00    | 5.321,40 |

weinor GmbH & Co. KG  
Mathias-Brüggem-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungsgesellschaft  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

custom 165708 invoice no. 202467844

Page 4 of 8

pos quantity article code

2 1,00 2829 GE W50-C  
Front/ left

|                                 |                                         |        |
|---------------------------------|-----------------------------------------|--------|
| geometrical shape               | : rectangle                             |        |
| Frame profile                   | : blind frame section 59 w50-c          |        |
| Width of element [mm]           | : 840 X 2210,5                          | 457,00 |
| Number of vertical glass panels | : one-piece                             |        |
| Basic colour                    | : WT029/71289 Approx. RAL 7016 Metallic |        |
| Cardboard container             | : edges reinforcement                   |        |

| value of goods | discount amount / % | net    |
|----------------|---------------------|--------|
| 457,00         | 182,80 / 40,00      | 274,20 |

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 40620130266480

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

custom 165708 invoice no. 202467844

Page 5 of 8

pos quantity article code

3 1,00 2070 VertiTex II Zip 112  
Front / right

|                                       |                                         |                       |          |
|---------------------------------------|-----------------------------------------|-----------------------|----------|
| Product use                           | : private house                         |                       |          |
| Execution                             | : square cassette                       |                       |          |
| size of cassette                      | : cassette 112                          |                       |          |
| width (mm)                            | : 4586                                  | mm                    |          |
| height [mm]                           | : 2291,5                                | mm                    |          |
| Base price                            | :                                       |                       | 2.060,00 |
| Basic colour                          | : WT029/71289 Approx. RAL 7016 Metallic |                       |          |
| Casing fixing                         | : wall bracket Vertitex universal       |                       |          |
| Number of housing brackets            | : 3                                     | Piece                 |          |
| type of control                       | : Motor (Becker)                        |                       |          |
| Side of control (seen from the front) | : right                                 |                       |          |
| electrical engine connection          | : Hirschmann plug not assembled         |                       | 12,00    |
| Collection                            | : screens by weinor                     |                       |          |
| real-design                           | : WE7-203                               | grey-white-pearl grey |          |
| cloth type                            | : made without seams                    |                       |          |
| Cardboard container                   | : edges reinforcement                   |                       |          |
| weight                                | : 48                                    | kg                    |          |

|                |                     |          |
|----------------|---------------------|----------|
| value of goods | discount amount / % | net      |
| 2.072,00       | 828,80 / 40,00      | 1.243,20 |

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Tilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 406201302664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

custom 165708 invoice no. 202467844

Page 6 of 8

pos quantity article code

4 2,00 1950 Tempura

Execution : Tempura 1,5 KW  
 Product use : private house  
 Utilisation : universal  
 width : 50 cm  
 operation : Standard 460,00  
 access : Hirschmann plug (standard)  
 Basic colour : WT029/71289 Approx. RAL 7016 Metallic  
 :

| value of goods | discount amount / % | net    |
|----------------|---------------------|--------|
| 920,00         | 368,00 / 40,00      | 552,00 |

5 1,00 2557 BiConnect

receiver for motor : 2 BiRec MA, basic 182,00  
 receiver for RGB : 1 weinor BiConnect BiRec 429,00  
 RGB-48V  
 control : weinor BiConnect BiEasy 15M Go! black 146,00

| value of goods | discount amount / % | net    |
|----------------|---------------------|--------|
| 757,00         | 302,80 / 40,00      | 454,20 |

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

custom 165708 invoice no. 202467844

Page 7 of 8

pos quantity article code

6 1,00 2235 Sottezza II OptiStretch

Product use : private house  
 Sales order Terrazza : 202467844  
 Posn. of the sales order for Terrazza : 1  
 Number of panels : 1 Field System  
 width Terrazza [mm] : 5600 mm  
 Distance centre to centre : 5378 mm  
 Width of cassette total [mm] : 5414 mm  
 Projection [mm] : 3910 mm 2.826,00  
 Basic colour : WT029/71289 Approx. RAL 7016 Metallic  
 Cable clips along the back of the cassette : without cable clips along the back of the cassette  
 type of control : Motor (Becker)  
 Side of control (seen from the front) : right  
 with remote control BiConnect : Yes! Please remind the separate order!  
 Information on BiConnect : The BiConnect has been done in 202467844 position 5!  
 :  
 Hirschmann plug tight? : Hirschmann plug not assembled 12,00  
 Type of engine : Motor R20-17-E12-V1+ ohne Zubehör  
 Side channel bracket : 4 Piece  
 brackets top plate : 2 Piece  
 real-design : WE3-876 my collections  
 colour of thread Saba : RAL 7001 Silver grey  
 Cardboard container : edges reinforcement  
 weight : 86 kg

| value of goods | discount amount / % | net      |
|----------------|---------------------|----------|
| 2.838,00       | 1.135,20 / 40,00    | 1.702,80 |

| value of goods | discount amount | net      | VAT (0 %) | Total GBP |
|----------------|-----------------|----------|-----------|-----------|
| 15.913,00      | 6.365,20        | 9.547,80 | 0,00      | 9.547,80  |

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 406201302664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

custom 165708 invoice no. 202467844  
pos quantity article code

Page 8 of 8

n.b. this delivery is tax free within the EU

delivery exw Cologne  
payment: Vorkasse - 4% Skonto

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRS 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80



*Roof due deys. 24/8/2020  
W174 vertiles to follow  
14/9*

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

**C P Interiors**

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

**delivery address**

Ferryspeed  
FAO CP Sunblinds  
Venture Park/ Ackworth Road  
GB-PO3 5JT Portsmouth/ Hampshire

**ORDER CONFIRMATION (release 1)**

sales order no.: 202467844 of 22.06.2020  
customer: 165708  
reference: Hazzard  
Your order no.:  
contact person: Chris Nicholson  
E-Mail: CNicholson@weinor.de  
phone number: +49-221-59709-452  
representat. 654 Chris Spickett  
tel (representat.): 0044 ( 0 ) 7894443907

**pos quantity article code**

Dear customer,

please find your order confirmation including your required dimensions.

**NEW :** You can now release your order in E-Shop on your own and can see immediately your release date !  
You can also stop your order faster directly online.

If ok please fax back the first page with an ok and release sign.

Then the product will be manufactured and we will give you a delivery date.

Please fax to : 0049/(0)221-5 97 09 898 or email: freigabe@weinor.de

Thank you very much.

**YOUR RELEASE:** .....  
( sign ) ( date )

1 1,00 2740 Terrazza Pure

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 40620130 2664 80

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

. : **ATTENTION! Element is supplied without glass!**  
 Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.  
 Product use : private house  
 Permissible snow-bearing load : 750 N/m<sup>2</sup>

**basic data**

|                                     |                                         |                                       |          |
|-------------------------------------|-----------------------------------------|---------------------------------------|----------|
| External dimensions                 | : 5600mm x 4000mm                       | Depth: wall up to INSIDE edge of post | 6.536,00 |
| Bottom edge gutter (mm)             | : 2210,5                                | mm                                    |          |
| Bottom edge connection to wall (mm) | : 2305                                  | mm                                    |          |
| Top edge connection to wall (mm)    | : 2533                                  | mm                                    |          |
| Basic colour                        | : WT029/71289 Approx. RAL 7016 Metallic |                                       |          |
| Covering                            | : 10mm                                  | prepared for 10mm LSG                 |          |
| Seals                               | : silicone-containing seals             |                                       |          |
| Connection to wall left?            | : No wall connection on left            |                                       |          |
| Connection to wall right?           | : No wall connection on right           |                                       |          |

**roof girder**

|                                   |         |       |          |
|-----------------------------------|---------|-------|----------|
| Number of roof rafter             | : 7     | Piece |          |
| rafter 205 open                   | : 3     | Piece |          |
| rafter 205 closed                 | : 2     | Piece |          |
| Colour LED strip in roof supports | : 3     | Piece | 1.430,00 |
| Axial dimension rafter            | : 922,5 | mm    |          |

**Transom**

|                 |     |       |  |
|-----------------|-----|-------|--|
| Sum of transoms | : 0 | Piece |  |
|-----------------|-----|-------|--|

**gutter**

|                                                     |        |                            |        |
|-----------------------------------------------------|--------|----------------------------|--------|
| Steel reinforcement for roof gutter                 | : 1    | * Galvanised flat steel    | 395,00 |
| Maximum spacing for posts when gutter has 1 x steel | : 4770 | mm for 1 x steel in gutter |        |
| Weight for roof gutter with steel                   | : 96,4 | kg                         |        |

**Pillar(s)**

|                 |     |
|-----------------|-----|
| Number of posts | : 3 |
|-----------------|-----|

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202467844

Page 3 of 15

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

|                                                                         |   |                                                   |                                            |
|-------------------------------------------------------------------------|---|---------------------------------------------------|--------------------------------------------|
| Post type left                                                          | : | Post outside                                      |                                            |
| Post position on the left                                               | : | 57,5                                              | mm                                         |
| Post type right                                                         | : | Post outside                                      |                                            |
| Post position on the right                                              | : | 57,5                                              | mm                                         |
| position of centre post from left                                       | : | 955                                               | 1st centre post from outer left-hand edge! |
| Length of post                                                          | : | 2600                                              | mm                                         |
| <b>Please note that the standard length for square posts is 2600mm!</b> |   |                                                   |                                            |
| Drain on right side?                                                    | : | Drain through the right post                      |                                            |
| Number of post base plates 116x196                                      | : | 1                                                 | Piece 42,00                                |
| Number of post base plates 196x196                                      | : | 2                                                 | Piece 96,00                                |
| Number of caps for post plate                                           | : | 2                                                 | Piece 62,00                                |
| Number of caps for post plate                                           | : | 1                                                 | Piece 31,00                                |
| No. Complete drainage through square outside post                       | : | 1                                                 | incl. downspout and 87° elbow 115,00       |
| .                                                                       | : | Please note! You have not selected enough drains! |                                            |

**alignment products**

|                                          |   |                                              |       |
|------------------------------------------|---|----------------------------------------------|-------|
| Sottezza-Type                            | : | Sottezza stretch/optistretch (alle variants) |       |
| Projection Sottezza [mm]                 | : | 3910                                         | mm    |
| mounting plates Sottezza II left rafter  | : | Standard 66.5 DTS mounting plate             | 81,00 |
| mounting plates Sottezza II right rafter | : | Standard 66.5 DTS mounting plate             | 81,00 |
| Distance from Sottezza to the wall       | : | 20                                           | mm    |
| Distance from Sottezza to the gutter     | : | 20                                           | mm    |
| projection of WGM TOP                    | : | 0                                            | mm    |

**accessorie**

|                                                             |   |                                                      |  |
|-------------------------------------------------------------|---|------------------------------------------------------|--|
| Side mains connection (230 V) with remote control BiConnect | : | right                                                |  |
| Information on BiConnect                                    | : | Yes! Please remind the separate order!               |  |
|                                                             | : | The BiConnect has been done in 202467844 position 5! |  |
|                                                             | : |                                                      |  |

**miscellaneous**

|                 |   |       |                |
|-----------------|---|-------|----------------|
| Glasfläche [m2] | : | 20,22 | m <sup>2</sup> |
|-----------------|---|-------|----------------|

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202467844

Page 4 of 15

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

Note glass area : The glass surface concern only the roof.

**The company weinor GmbH & Co. KG manufactures the construction product corresponding to DIN 1090 EXC1, production tolerances for welding corresponding to DIN EN 13920 B/B/F, welding seam types corresponding to DIN EN ISO 5817- C, for aluminium corresponding to DIN EN ISO 10042 -C.**

Weight [kg] : 240 kg

| value of goods | discount amount / % | net      |
|----------------|---------------------|----------|
| 8.869,00       | 3.547,60 / 40,00    | 5.321,40 |

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
TaxID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 40620130 2664 80



weinor GmbH & Co. KG PO box 3014 73 D-50784 Köln

customer: 165708 sales order 202467844

| pos | quantity | article code |                         |
|-----|----------|--------------|-------------------------|
| 2   | 1,00     | 2829         | GE W50-C<br>Front/ left |

**Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.**

|                                 |                                                                                                                                              |        |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------|
| Scheduling delivery             | : <b>ATTENTION! Element is supplied without glass!</b><br>: Please contact your person in charge for planning the expected date of delivery. |        |
| geometrical shape               | : rectangle                                                                                                                                  |        |
| Frame profile                   | : blind frame section 59 w50-c                                                                                                               |        |
| Width of element [mm]           | : 840 X 2210,5                                                                                                                               | 457,00 |
| Number of vertical glass panels | : one-piece                                                                                                                                  |        |
| Prepared for                    | : prepared for 8mm (for cold use)                                                                                                            |        |
| Basic colour                    | : WT029/71289 Approx. RAL 7016 Metallic                                                                                                      |        |
| Cardboard container             | : edges reinforcement                                                                                                                        |        |

| value of goods | discount amount / % | net    |
|----------------|---------------------|--------|
| 457,00         | 182,80 / 40,00      | 274,20 |

Position 2 - interior view (images similar)

front view



weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202467844

Page 6 of 15

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

|   |      |      |                                      |
|---|------|------|--------------------------------------|
| 3 | 1,00 | 2070 | VertiTex II Zip 112<br>Front / right |
|---|------|------|--------------------------------------|

|                                                    |                                                                                    |          |
|----------------------------------------------------|------------------------------------------------------------------------------------|----------|
| Scheduling delivery                                | : Please contact your person in charge for planning the expected date of delivery. |          |
| Product use                                        | : private house                                                                    |          |
| Execution                                          | : square cassette                                                                  |          |
| size of cassette                                   | : cassette 112                                                                     |          |
| width (mm)                                         | : 4586                                                                             | mm       |
| height [mm]                                        | : 2291,5                                                                           | mm       |
| Base price                                         | :                                                                                  | 2.060,00 |
| Basic colour                                       | : WT029/71289 Approx. RAL 7016 Metallic                                            |          |
| Casing fixing                                      | : wall bracket Vertitex universal                                                  |          |
| Number of housing brackets                         | : 3                                                                                | Piece    |
| type of control                                    | : Motor (Becker)                                                                   |          |
| Side of control (seen from the front)              | : right                                                                            |          |
| with remote control BiConnect (external BiRec MA)? | : Yes! Please remind the separate order!                                           |          |
| Information on BiConnect                           | : The BiConnect has been done in 202467844 position 5!                             |          |
| electrical engine connection                       | : Hirschmann plug not assembled                                                    | 12,00    |
| Type of engine                                     | : Motor R20-17-E12-V3+ ohne Zubehör                                                |          |

**Note:**

**Please take care to ensure that the motor is taugth in according to the current information from the installation instructions.**

|             |                                 |
|-------------|---------------------------------|
| Collection  | : screens by weinor             |
| real-design | : WE7-203 grey-white-pearl grey |

**The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.**

|                      |                |                                         |
|----------------------|----------------|-----------------------------------------|
| Front side of fabric | : Konfektion 1 | Front side of fabric outside (standard) |
|----------------------|----------------|-----------------------------------------|

|            |                      |
|------------|----------------------|
| cloth type | : made without seams |
|------------|----------------------|

|                     |                       |
|---------------------|-----------------------|
| Cardboard container | : edges reinforcement |
|---------------------|-----------------------|

|        |      |    |
|--------|------|----|
| weight | : 48 | kg |
|--------|------|----|

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 40620130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202467844

Page 7 of 15

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

**Small folds and / or cross marks can appear on the fabric during manufacture, transport or on the construction site.**

**You can carefully remove these with an industrial hot air dryer.**

**To do this, set the hot air dryer to max. 250 ° C. Keep a distance of at least 100 - 150 mm from the awning cover and swivel the hot air dryer.**

**This prevents the fabric from overheating or being damaged.**

**We use the Steinel HG 2120 E hot air dryer at a medium level and can recommend it.**

| value of goods | discount amount / % | net      |
|----------------|---------------------|----------|
| 2.072,00       | 828,80 / 40,00      | 1.243,20 |

|   |      |      |         |
|---|------|------|---------|
| 4 | 2,00 | 1950 | Tempura |
|---|------|------|---------|

Execution : Tempura 1,5 KW

Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.

Product use : private house

Utilisation : universal

width : 50 cm 460,00

operation : Standard

access : Hirschmann plug (standard)

Basic colour : WT029/71289 Approx. RAL 7016 Metallic

weight : 2 kg

| value of goods | discount amount / % | net    |
|----------------|---------------------|--------|
| 920,00         | 368,00 / 40,00      | 552,00 |

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no.: 30266480  
IBAN: GB24.COBA.4062.0130.2664.80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202467844

Page 8 of 15

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

|   |      |      |           |
|---|------|------|-----------|
| 5 | 1,00 | 2557 | BiConnect |
|---|------|------|-----------|

|                             |   |                                                                                                         |                                                             |
|-----------------------------|---|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| Scheduling delivery         | : | Please contact your person in charge for planning the expected date of delivery.                        |                                                             |
| deliver BiConnect separate? | : | No; supply receiver and handheld remote control with awning                                             |                                                             |
| shipment info               | : | The pre set receivers (except LED) and the handset will be packed with contract number 202467844 pos 1! |                                                             |
| receiver for motor          | : | 2                                                                                                       | BiRec MA, basic 182,00                                      |
| receiver for RGB            | : | 1                                                                                                       | weinor BiConnect BiRec RGB-48V 429,00                       |
| control                     | : | weinor BiConnect BiEasy 15M Go! black                                                                   | 146,00                                                      |
| learned on channel 1        | : | weinor BiConnect BiRec MA with black cable                                                              | for order 202467844/3: VertiTex II Zip 112 engine right     |
| learned on channel 2        | : | BiRec MA-K, basic                                                                                       | for order 202467844/6: Sottezza II OptiStretch engine right |
| learned on channel 3        | : | BiConnect BiRec RGB-48V                                                                                 | for order 202467844/1: Terrazza Pure                        |

| value of goods | discount amount / % | net    |
|----------------|---------------------|--------|
| 757,00         | 302,80 / 40,00      | 454,20 |

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80


weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202467844

Page 9 of 15

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

|   |      |      |                         |
|---|------|------|-------------------------|
| 6 | 1,00 | 2235 | Sottezza II OptiStretch |
|---|------|------|-------------------------|

|                                            |   |                                                                                     |                |
|--------------------------------------------|---|-------------------------------------------------------------------------------------|----------------|
| Scheduling delivery                        | : | Please contact your person in charge for planning the expected date of delivery.    |                |
| Product use                                | : | private house                                                                       |                |
| Sales order Terrazza                       | : | 202467844                                                                           |                |
| Posn. of the sales order for Terrazza      | : | 1                                                                                   |                |
| Number of panels                           | : | 1 Field System                                                                      |                |
| width Terrazza [mm]                        | : | 5600                                                                                | mm             |
| Distance centre to centre                  | : | 5378                                                                                | mm             |
| Width of cassette total [mm]               | : | 5414                                                                                | mm             |
| Projection [mm]                            | : | 3910                                                                                | mm             |
|                                            |   |                                                                                     | 2.826,00       |
| Basic colour                               | : | WT029/71289 Approx. RAL 7016 Metallic                                               |                |
| Cable clips along the back of the cassette | : | without cable clips along the back of the cassette                                  |                |
| type of control                            | : | Motor (Becker)                                                                      |                |
| Side of control (seen from the front)      | : | right                                                                               |                |
| with remote control BiConnect              | : | Yes! Please remind the separate order!                                              |                |
| Information on BiConnect                   | : | The BiConnect has been done in 202467844 position 5!                                |                |
|                                            | : | :                                                                                   |                |
| Hirschmann plug tight?                     | : | Hirschmann plug not assembled                                                       | 12,00          |
| Type of engine                             | : | Motor R20-17-E12-V1+ ohne Zubehör                                                   |                |
| Side channel bracket                       | : | 4                                                                                   | Piece          |
| brackets top plate                         | : | 2                                                                                   | Piece          |
| real-design                                | : | WE3-876                                                                             | my collections |
|                                            | : |  |                |
| colour of thread Saba                      | : | RAL 7001 Silver grey                                                                |                |
| Cardboard container                        | : | edges reinforcement                                                                 |                |
| weight                                     | : | 86                                                                                  | kg             |

| value of goods | discount amount / % | net      |
|----------------|---------------------|----------|
| 2.838,00       | 1.135,20 / 40,00    | 1.702,80 |

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HR8 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202467844

Page 10 of 15

pos quantity article code

| value of goods | discount amount | net      | VAT (0 %) | Total GBP |
|----------------|-----------------|----------|-----------|-----------|
| 15.913,00      | 6.365,20        | 9.547,80 | 0,00      | 9.547,80  |

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 40620130 2664 80

Dear Sir or Madam,

due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne  
payment: Vorkasse - 4% Skonto  
mode of dispatch UK export


weinor GmbH & Co. KG PO box 3014 73 D-50784 Köln

customer: 165708 sales order 202467844


Page 12 of 15

Position 1 - exterior view (images similar)

isometric view



top view



weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80


weinor GmbH & Co. KG PO box 3014 73 D-50784 Köln

customer: 165708 sales order 202467844

Page 13 of 15

Position 1 - exterior view (images similar)

front view



side view left



side view right



weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661


Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80



weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202467844

Page 14 of 15



weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

## Leistungserklärung

Siehe Auftragsnummer!!!

weinor Terrassendach Terrazza

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsschutz sein.

weinor GmbH & Co. KG  
Mathias-Brüggen-Str. 110  
50829 Köln, Deutschland



System 2+

EN 1090-1: 2009 + A1: 2011

Name: TÜV Rheinland  
Am Grauen Stein, Köln  
Nr.: Nobo 0035

Der Hersteller bestätigt auf Grundlage der Zertifikate über die werkseigene Produktionskontrolle Zert-Nr.: 0035-CPR-1090-1.00604.TÜVRh.2015.002 folgende Leistungsmerkmale in Bezug auf die Bauteilspezifikation:

| Leistungsmerkmal                                            | Erklärte Leistung                                     | harm. Technische Spezifikation |
|-------------------------------------------------------------|-------------------------------------------------------|--------------------------------|
| <b>Grundlegende geometrische Toleranzen</b>                 | DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation | EN 1090-1: 2009 + A1: 2011     |
| <b>Schweißbeignung</b>                                      | Für Aluminium EN AW-6060 nach EN 573-1 und -3         |                                |
| <b>Bruchzähigkeit</b>                                       |                                                       |                                |
| <b>Brandverhalten</b>                                       | Klasse A1                                             |                                |
| <b>Freisetzung von Cadmium</b>                              | No performance determined (NPD)                       |                                |
| <b>Freisetzung von radioaktiver Strahlung</b>               | No performance determined (NPD)                       |                                |
| <b>Dauerhaftigkeit</b>                                      | Für Aluminium nicht erforderlich                      |                                |
| <b>Tragfähigkeitsmerkmale:</b>                              |                                                       |                                |
| <b>Tragfähigkeit:</b>                                       | Bemessung nach Eurocode 0, 1 und 9                    | EN 1090-1: 2009 + A1: 2011     |
| <b>Verformung im Grenzzustand der Gebrauchstauglichkeit</b> | Siehe Typenstatik weinor Systembaukasten Terrazza     |                                |
| <b>Ermüdungsfestigkeit</b>                                  | Eurocode 0, 1 und 9                                   |                                |
| <b>Feuerwiderstand</b>                                      | No performance determined (NPD)                       |                                |

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.

Unterzeichnet für den Hersteller und im Namen des Herstellers von:

Ort, Datum

Unterschrift

Köln, 28.06.2017

*Lauri Maas*



NOBO Nr. 0035

Weinor GmbH & Co. KG  
Mathias-Brüggen-Str. 110  
50829 Köln, Deutschland

2017

Siehe Auftragsnummer!!!

EN 1090-1: 2009 + A1: 2011

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

| Leistungsmerkmal                                            | Erklärte Leistung                                     | harm. Technische Spezifikation |
|-------------------------------------------------------------|-------------------------------------------------------|--------------------------------|
| <b>Grundlegende geometrische Toleranzen</b>                 | DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation | EN 1090-1: 2009 + A1: 2011     |
| <b>Schweißbeignung</b>                                      | Für Aluminium EN AW-6060 nach EN 573-1 und -3         |                                |
| <b>Bruchzähigkeit</b>                                       |                                                       |                                |
| <b>Brandverhalten</b>                                       | Klasse A1                                             |                                |
| <b>Freisetzung von Cadmium</b>                              | No performance determined (NPD)                       |                                |
| <b>Freisetzung von radioaktiver Strahlung</b>               | No performance determined (NPD)                       |                                |
| <b>Dauerhaftigkeit</b>                                      | Für Aluminium nicht erforderlich                      |                                |
| <b>Tragfähigkeitsmerkmale:</b>                              |                                                       |                                |
| <b>Tragfähigkeit:</b>                                       | Bemessung nach Eurocode 0, 1 und 9                    | EN 1090-1: 2009 + A1: 2011     |
| <b>Verformung im Grenzzustand der Gebrauchstauglichkeit</b> | Siehe Typenstatik weinor Systembaukasten Terrazza     |                                |
| <b>Ermüdungsfestigkeit</b>                                  | Eurocode 0, 1 und 9                                   |                                |
| <b>Feuerwiderstand</b>                                      | No performance determined (NPD)                       |                                |