

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

### C P Interiors

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

reference: SO10057 Roberts  
Your order no.:  
weinor customernumber: 165708  
creation Date: 14.07.2020  
weinor pers. in charge: Chris Nicholson  
phone / fax number: +49-221-59709-452  
representat.: Chris Spickett  
tel (representat.): 0044 ( 0) 7894443907

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 2 of 23

pos	quantity	article	price
-----	----------	---------	-------

pos	quantity	article	price
-----	----------	---------	-------

2.order confirmation

Important Note:

- Since VertiTex's cloth color is W7-207, maximum height of VertiTex Weitop can be 160cm.
- W17 on the left side and right side have different width. (left side has VertiTex, so it has to be 90mm shorter, 3x 30x70 rectangularare pipe is added).

Extra price calculation:

- Additional roof section = 284 £
- Drainage = 122 £
- Steel-reinforced guttering = 592 £
- Sottezza preparation = 348 £

Total: 1346 £

Dear customer,

please find your order confirmation including your required dimensions.

NEW : You can now release your order in E-Shop on your own and can see immediately your release date !  
You can also stop your order faster directly online.

If ok please fax back the first page with an ok and release sign.

Then the product will be manufactured and we will give you a delivery date.

Please fax to : 0049/(0)221-5 97 09 898 or email: freigabe@weinor.de

Thank you very much.

YOUR RELEASE : .....  
( sign ) ( date )

1	1	<b>weinor Terrazza by Inventor</b>	<b>8.611,80</b>
---	---	------------------------------------	-----------------

: ATTENTION! Element is supplied without glass!

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 3 of 23

pos	quantity	article	price
		extra charge free : 1346	1.346,00
		explanation of extra charge : Price correction	
		Permissible snow-bearing load : 750 N/m <sup>2</sup>	
		Roofsystem : Terrazza L Originale	
		basic element : Pent roof	
		Top element left : head element type A	
		Top element right : head element type A	
		version post : square post	
		External dimensions : 7540mm x 3140mm Depth: wall up to INSIDE edge of post	6.882,00
		Bottom edge gutter (mm) : 2100 mm	
		Bottom edge connection to wall (mm) : 2448,45 mm	
		Top edge connection to wall (mm) : 2639,9 mm	
		Pitch of roof [°] : 3,81 °	
		info : Please note: The leak tightness of this Terrazza is limited due to the roof pitch being under 5°. The components in the wall gap sealing bracket must be sealed on-site in such a way so as to ensure no water can enter via the wall gap sealing bracket.	
		Basic colour : RAL 7015 Slate grey	
		Covering : prepared for 10mm LSG	
		Information about roofing : Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!	
		Seals : silicone-containing seals	
		113388 Leaf guard, 2m, circumference: 235mm, black : 4 Piece	50,80
		100409 Pipe, 53-2.5m, Terrazza : 2 Piece	71,00
		118370 Pipe bend, 87°, 130mm : 2 Piece	31,00
		120259 Post plate, 196x196x10 : 2 Piece	98,20
		120327 Post plate, 116x196 : 1 Piece	42,80
		117966 Cover cap for post plate, complete, : 2 Piece	60,00
		117968 Cover cap for post plate, complete, : 1 Piece	30,00
value of goods			net
8.611,80			3.444,72 / 40,00 5.167,08

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 4 of 23

pos	quantity	article	price
-----	----------	---------	-------

2	1	<b>weinor Sottezza II OptiStretch</b>	<b>2.097,00</b>
---	---	---------------------------------------	-----------------

Left side Sottezza

Product use	: private house	
Anticipated delivery	: 12.10.2020	
<b>Anticipated delivery</b>	: 05.10.2020	
Number of panels	: 1 Field System	
Distance centre to centre	: 3218 mm	
Width of cassette total [mm]	: 3254 mm	
Projection [mm]	: 3084 mm	2.019,00
Basic colour	: RAL 7015 Slate grey	
Cable clips along the back of the cassette	: with cable clips along the back of the cassette	
type of control	: motor (Becker)	
Side of control (seen from the front)	: left	
with remote control BiConnect	: <b>Yes! Please remind the separate order!</b>	
Information on BiConnect	: The BiConnect has been done in 202476179 position 14!	
Hirschmann plug tight?	: Hirschmann plug not assembled	12,00
Type of engine	: 121060-0000	
Side channel bracket	: 4 Piece	
brackets top plate	: 2 Piece	
real-design	: WE3-869 my collections	
colour of thread Saba	: RAL 7001 Silver grey	
100 x 30 x 35 mm rectangular pipes with Screwset	: 6 Piece	66,00
Cardboard container	: edges reinforcement	
weight	: 61 kg	

value of goods	discount amount / %	net
2.097,00	838,80 / 40,00	1.258,20

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 5 of 23

pos	quantity	article	price
-----	----------	---------	-------

<b>3</b>	<b>1</b>	<b>weinor Sottezza II OptiStretch</b>	<b>2.388,00</b>
----------	----------	---------------------------------------	-----------------

Right side Sottezza

Product use	: private house	
Anticipated delivery	: 12.10.2020	
<b>Anticipated delivery</b>	: 05.10.2020	
Number of panels	: 1 Field System	
Distance centre to centre	: 4138 mm	
Width of cassette total [mm]	: 4174 mm	
Projection [mm]	: 3084 mm	2.310,00
Basic colour	: RAL 7015 Slate grey	
Cable clips along the back of the cassette	: without cable clips along the back of the cassette	
type of control	: motor (Becker)	
Side of control (seen from the front)	: left	
with remote control BiConnect	: <b>Yes! Please remind the separate order!</b>	
Information on BiConnect	: The BiConnect has been done in 202476179 position 14!	
Hirschmann plug tight?	: Hirschmann plug not assembled	12,00
Type of engine	: 121060-0000	
Side channel bracket	: 4 Piece	
brackets top plate	: 2 Piece	
real-design	: WE3-869 my collections	
colour of thread Saba	: RAL 7001 Silver grey	
100 x 30 x 35 mm rectangular pipes with Screwset	: 6 Piece	66,00
Cardboard container	: edges reinforcement	
weight	: 73 kg	

value of goods	discount amount / %	net
2.388,00	955,20 / 40,00	1.432,80

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 6 of 23

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor LED Design light bar 3Spot	865,00
---	---	-----------------------------------	--------

Product use : private house  
 Type of use : LED Design attachement Vivienda/Terrazza  
**Execution** : round profile  
 Sales order Terrazza : 202482088 vom 30.07.2020 00:00:00 / Kommission  
 Lighting controls : wireless dimmer BiConnect  
 No. of light bars : three light bars  
 width [cm] : 283,4 cm 865,00  
 number of lamps : 3 Piece  
 Light bars coupled? : yes, connection leads between strips  
 light receiver : with light receiver  
 with remote control BiConnect : **Yes! Please remind the separate order!**  
 Information on BiConnect : The BiConnect has been done in 202476179 position 14!  
 Basic colour : RAL 7015 Slate grey  
 weight : 9 kg

value of goods	discount amount / %	net
865,00	346,00 / 40,00	519,00

5	2	weinor Tempura Quadra	998,00
---	---	-----------------------	--------

Product use : private house  
 Utilisation : universal  
 width [mm] : 400 mm 499,00  
 Basic colour : RAL 7015 Slate grey  
 operation : Birec remote receiver, dimmable  
 Please remember separate entry of data  
 Information on BiConnect : The BiConnect has been done in 202476179 position 14!  
 access : Hirschmann plug (standard)  
 weight : 4,4 kg

value of goods	discount amount / %	net
998,00	399,20 / 40,00	598,80

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 7 of 23

pos	quantity	article	price
-----	----------	---------	-------

8	1	<b>weinor Side element LITE w50-c</b>	<b>1.073,00</b>
---	---	---------------------------------------	-----------------

Right side Lite

.	: ATTENTION! Element is supplied without glass!	
Product use	: private house	
Frame profile	: blind frame section 105 w50-c bottom blind frame section 35 w50-c top	
Width of element [mm]	: 3100 mm	
Height of element on left (mm), as seen from the inside	: 367,6 mm	
Height of element on right (mm), as seen from the inside	: 161 mm	
Incline	: 3,81 Degree(s)	920,00
Installation side (as seen from inside)	: left	
Number of vertical glass panels	: three-part	
Prepared for	: prepared for 6mm (for cold use)	
Wind load bracket	: yes, with wind load profile	
Basic colour	: RAL 7015 Slate grey	
gap seal	: Gap seals for 6 mm glass, length 2000 mm	24,00
wall connection profile	: Tube rectangular 70 x 30 x 3 & 50 x 30 x 2	
Length of wall connection profile on top	: 540 mm	
Length of wall connection profile bottom	: 2500 mm	
Length of wall connection profile vertical	: 3040	129,00
Cardboard container	: edges reinforcement	

value of goods	discount amount / %	net
1.073,00	429,20 / 40,00	643,80

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708

reference: SO10057 Roberts


Page 8 of 23

**pos** **quantity**

**article**

**price**

Position 8 - interior view (images similar)  
front view



## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 9 of 23

pos	quantity	article	price
-----	----------	---------	-------

9	1	weinor Side element LITE w50-c	1.073,00
---	---	--------------------------------	----------

Left side Lite

.	: ATTENTION! Element is supplied without glass!	
Product use	: private house	
Frame profile	: blind frame section 105 w50-c bottom blind frame section 35 w50-c top	
Width of element [mm]	: 3100 mm	
Height of element on left (mm), as seen from the inside	: 161 mm	
Height of element on right (mm), as seen from the inside	: 367,6 mm	
Incline	: 3,81 Degree(s)	920,00
Installation side (as seen from inside)	: right	
Number of vertical glass panels	: three-part	
Prepared for	: prepared for 6mm (for cold use)	
Wind load bracket	: yes, with wind load profile	
Basic colour	: RAL 7015 Slate grey	
gap seal	: Gap seals for 6 mm glass, length 2000 mm	24,00
wall connection profile	: Tube rectangular 70 x 30 x 3 & 50 x 30 x 2	
Length of wall connection profile on top	: 540 mm	
Length of wall connection profile bottom	: 2500 mm	
Length of wall connection profile vertical	: 3040	129,00
Cardboard container	: edges reinforcement	

value of goods	discount amount / %	net
1.073,00	429,20 / 40,00	643,80

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln


customer: 165708

reference: SO10057 Roberts

Page 10 of 23

pos	quantity	article	price
-----	----------	---------	-------

Position 9 - interior view (images similar)  
front view



10	1	weinor LED Design light bar 3Spot	409,00
----	---	-----------------------------------	--------

Product use	: private house	
Type of use	: LED Design attachement Vivienda/Terrazza	
<b>Execution</b>	: round profile	
Sales order Terrazza	: 202482088 vom 30.07.2020 00:00:00 / Kommission	
Lighting controls	: wireless dimmer BiConnect	
width [cm]	: 283,4 cm	409,00
number of lamps	: 3 Piece	
light receiver	: with light receiver	
with remote control BiConnect	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 202476179 position 14!	
Basic colour	: RAL 7015 Slate grey	
weight	: 9 kg	

value of goods	discount amount / %	net
409,00	163,60 / 40,00	245,40

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 11 of 23

pos	quantity	article	price
-----	----------	---------	-------

11	1	<b>weinor VertiTex weitop</b>	<b>1.327,56</b>
----	---	-------------------------------	-----------------

Front left VertiTex

version post	: square post	
Which section of the gutter the Vertitex is to be mounted:	: left as seen from the outside / front	
total width of cassette	: 330 cm	
height [cm]	: 160 cm	1.173,00
Basic colour	: RAL 7015 Slate grey	
Rope length	: 250er Seil	
Rope attachment left	: wire bracket 38x20x20 complete	
Rope attachment right	: wire bracket 38x20x32 complete	
Side cap left	: Vertitex cover for Vivienda/Terrazza left	
Side cap right	: Vertitex cover for Vivienda/Terrazza right	
type of control	: motor (Becker)	
Side of control (seen from the front)	: left	
with remote control BiConnect (external BiRec MA)?	: <b>Yes! Please remind the separate order!</b>	
Information on BiConnect	: The BiConnect has been done in 202476179 position 14!	
electrical engine connection	: <b>Hirschmann plug not assembled</b>	12,00
Type of engine	: 125262-0000	
real-design	: WE7-207	142,56
Front side of fabric	: Konfektion 1 Front side of fabric outside (standard)	
cloth type	: made without seams	
Cardboard container	: edges reinforcement	
weight	: 21 kg	

value of goods	discount amount / %	net
1.327,56	531,02 / 40,00	796,54

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 12 of 23

pos	quantity	article	price
-----	----------	---------	-------

12	1	<b>weinor VertiTex weitop</b>	<b>1.761,30</b>
----	---	-------------------------------	-----------------

Front right VertiTex

version post	: square post	
Which section of the gutter the Vertitex is to be mounted:	: right as seen from the outside / front	
total width of cassette	: 422 cm	
height [cm]	: 160 cm	1.567,00
Basic colour	: RAL 7015 Slate grey	
Rope length	: 250er Seil	
Rope attachment left	: wire bracket 38x20x32 complete	
Rope attachment right	: wire bracket 38x20x20 complete	
Side cap left	: Vertitex cover for Vivienda/Terrazza left	
Side cap right	: Vertitex cover for Vivienda/Terrazza right	
type of control	: motor (Becker)	
Side of control (seen from the front)	: left	
with remote control BiConnect (external BiRec MA)?	: <b>Yes! Please remind the separate order!</b>	
Information on BiConnect	: The BiConnect has been done in 202476179 position 14!	
electrical engine connection	: <b>Hirschmann plug not assembled</b>	12,00
Type of engine	: 125262-0000	
real-design	: WE7-207	182,30
Front side of fabric	: Konfektion 1 Front side of fabric outside (standard)	
cloth type	: made without seams	
Cardboard container	: edges reinforcement	
weight	: 26 kg	

value of goods	discount amount / %	net
1.761,30	704,52 / 40,00	1.056,78

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 13 of 23

pos	quantity	article	price
-----	----------	---------	-------

13	1	weinor VertiTex II Zip 112	1.745,00
----	---	----------------------------	----------

Left side VertiTex

Product use	: private house	
Execution	: round cassette	
size of cassette	: cassette 112	
width (mm)	: 3125 mm	
height [mm]	: 2181 mm	
Base price	: 1733	1.733,00
Basic colour	: RAL 7015 Slate grey	
Casing fixing	: wall bracket Vertitex universal	
Number of housing brackets	: 3 Piece	
type of control	: motor (Becker)	
Side of control (seen from the front)	: left	

with remote control BiConnect (external BiRec MA)?	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 202476179 position 14!	
electrical engine connection	: Hirschmann plug not assembled	12,00
Type of engine	: 125308-0000	
Collection	: screens by weinor	
real-design	: WE7-207	
Front side of fabric	: Konfektion 1 Front side of fabric outside (standard)	
<b>cloth type</b>	: made without seams	
Cardboard container	: edges reinforcement	
weight	: 33 kg	

value of goods	discount amount / %	net
1.745,00	698,00 / 40,00	1.047,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 14 of 23

pos	quantity	article	price
-----	----------	---------	-------

14	1	weinor BiConnect	1.491,00
----	---	------------------	----------

deliver BiConnect separate?	: No; supply receiver and handheld remote control with awning	
shipment info	: The pre set receivers (except LED) and the handset will be packed with contract number 202476179 pos 2!	
receiver for motor	: 5 BiRec MA, basic	455,00
receiver for light	: 2 BiRec LED, basic	554,00
receiver for tempura control	: 2 BiRec HD, basic	336,00
	: weinor BiConnect BiEasy 15M Go! black	146,00
learned on channel 1	: BiRec MA-K, basic for order 202476179/2: Sottezza II OptiStretch engine left	
learned on channel 2	: BiRec MA-K, basic for order 202476179/3: Sottezza II OptiStretch engine left	
learned on channel 3	: weinor BiConnect BiRec MA with black cable for order 202476179/11: VertiTex WeiTop engine left	
learned on channel 4	: weinor BiConnect BiRec MA with black cable for order 202476179/12: VertiTex WeiTop engine left	
learned on channel 5	: weinor BiConnect BiRec MA with black cable for order 202476179/13: VertiTex II Zip 112 engine left	
learned on channel 6	: BiRec LED, basic for order 202476179/4: Lichtleiste 3Spot	
learned on channel 7	: BiRec LED, basic for order 202476179/10: Lichtleiste 3Spot	
learned on channel 8	: BiRec HD, basic for order 202476179/5	
learned on channel 9	: BiRec HD, basic for order 202476179/5	

	value of goods	discount amount / %	net
	1.491,00	596,40 / 40,00	894,60

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 15 of 23

pos	quantity	article	price
-----	----------	---------	-------

15	1	<b>weinor w17 easy - the full glass sliding door</b>	<b>2.421,00</b>
----	---	--	-----------------

Right side W17

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 3100 X 2100	1.813,00
type of floor rail	: standard floor rail without CleanCase with drainage holes	97,00
CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	
Selection of leaves + tracks	: 3-track with 3 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: cup pull handle with A4 stainless steel attachment	73,00
leaf actuator	: leaf actuator opening and closing in sliding direction	15,00
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1100 mm	
Basic colour	: RAL 7015 Slate grey	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm	62,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 1 x wooden pallet	153,00
30 x 2 mm flat aluminium	: 4 Piece	
Length of 30 x 2 mm flat aluminium	: 3200 mm	112,00
weight	: 178,2 kg	

value of goods	discount amount / %	net
2.421,00	968,40 / 40,00	1.452,60

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708

reference: SO10057 Roberts


Page 16 of 23

**pos** **quantity**

**article**

**price**

Position 15 - interior view (images similar)  
front view



## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 17 of 23

pos	quantity	article	price
-----	----------	---------	-------

16	1	<b>weinor w17 easy - the full glass sliding door</b>	<b>2.212,00</b>
----	---	--	-----------------

Front left W17

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 3134 X 2100	1.813,00
type of floor rail	: standard floor rail without CleanCase with drainage holes	97,00
CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	
Selection of leaves + tracks	: 3-track with 3 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: cup pull handle with A4 stainless steel attachment	73,00
leaf actuator	: leaf actuator opening and closing in sliding direction	15,00
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1100 mm	
Basic colour	: RAL 7015 Slate grey	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm	62,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
30 x 2 mm flat aluminium	: 2 Piece	
Length of 30 x 2 mm flat aluminium	: 3400 mm	56,00
weight	: 180,2 kg	

value of goods	discount amount / %	net
2.212,00	884,80 / 40,00	1.327,20

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708

reference: SO10057 Roberts


Page 18 of 23

**pos** **quantity**

**article**

**price**

Position 16 - interior view (images similar)  
front view



## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 19 of 23

pos	quantity	article	price
-----	----------	---------	-------

17	1	<b>weinor w17 easy - the full glass sliding door</b>	<b>2.526,00</b>
----	---	--	-----------------

Front right W17

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 4054 X 2100	2.113,00
type of floor rail	: standard floor rail without CleanCase with drainage holes	97,00
CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	
Selection of leaves + tracks	: 3-track with 3 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: cup pull handle with A4 stainless steel attachment	73,00
leaf actuator	: leaf actuator opening and closing in sliding direction	15,00
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1100 mm	
Basic colour	: RAL 7015 Slate grey	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm	62,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
30 x 2 mm flat aluminium	: 2 Piece	
Length of 30 x 2 mm flat aluminium	: 4230 mm	70,00
weight	: 233,1 kg	

value of goods	discount amount / %	net
2.526,00	1.010,40 / 40,00	1.515,60

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708

reference: SO10057 Roberts


Page 20 of 23

**pos** **quantity**

**article**

**price**

Position 17 - interior view (images similar)  
front view



## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 21 of 23

pos	quantity	article	price
-----	----------	---------	-------

18	1	<b>weinor w17 easy - the full glass sliding door</b>	<b>2.808,00</b>
----	---	--	-----------------

Left side W17

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 3010 X 2100	1.813,00
type of floor rail	: flat floor rail with drainage holes (for outside)	97,00
CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	
Selection of leaves + tracks	: 3-track with 3 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: lock case and hung bolt	173,00
side of the handling	: handling on both sides	
Operation lockcase	: doorknob inside and outside	
type of knob	: Standard-knob; same-coloured as the construction	
leaf actuator	: leaf actuator opening and closing in sliding direction	
Version of profile cylinder?	: Standard by price list (With different key)	
Height of lock from bottom edge of guide track	: 1100 up to centre of profile cylinder (in mm)	
Basic colour	: RAL 7015 Slate grey	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm	62,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 1 x wooden pallet	153,00
70 x 30 x 3 mm rectangular pipes	: 3 Piece	
Length of 70 x 30 x 3 mm rectangular pipe	: 2100 mm	414,00
weight	: 173,1 kg	


## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts Page 22 of 23

pos	quantity	article			price
			value of goods	discount amount / %	net
			2.808,00	1.123,20 / 40,00	1.684,80

Position 18 - interior view (images similar)  
front view



value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP
33.806,66	13.522,66	20.284,00	0,00	20.284,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO10057 Roberts

Page 23 of 23

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 14.9.2020.

### Glass Dimensions

Position	8	Side element LITE w50-c	prepared for 6mm (for cold use)		
quantity	form		Width	Height left	Height right
1	trapezium left		1027	258	190
1	trapezium left		1027	189	121
1	trapezium left		1027	121	52
Position	9	Side element LITE w50-c	prepared for 6mm (for cold use)		
quantity	form		Width	Height left	Height right
1	trapezium right		1027	52	121
1	trapezium right		1027	121	189
1	trapezium right		1027	190	258

