

Order confirmation

Order confirmation	11.12.2020	CP Interiors
Order number	474	St. Saviour
Customer number	1001334	28 Rue des Pres. Tr. Est.
Your VAT number		JE2 7QN JERSEY
Currency	GBP	JERSEY
Project reference	Whitney with glass sides rev2	
Order reference	1585006	
Latest delivery date	09.03.2021	

Incoterms	DAP Jersey	Delivery address
Total net weight	1.011,8 KG	CP Interiors
Total gross weight	1.042,2 KG	St. Saviour
		28 Rue des Pres. Tr. Est.
		JE2 7QN JERSEY
		JERSEY

Overview

Material	Quantity	Net amount	VAT %
001000 CAM2 CAMARGUE	1,00 PC	19.259,08	
002000 CAM2 CAMARGUE	1,00 PC	10.341,49	
Total before VAT		29.600,57	
VAT		0,00	
Total incl. VAT		29.600,57	

For questions or remarks regarding this document, please send an email to anastasiia.nikolaeva@renson.be

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

Order confirmation

474

11.12.2020

Detail

Item	Material	Unit price	Quantity	Gross amount	Discount %	Net amount
001000	CAM2 CAMARGUE	19.259,08 GBP / 1 PC	1,00 PC	19.259,08		19.259,08
	Commodity code	94069090	Prefabricated buildings, whether or not complete or already assembled (excl. mobile homes a			
	Configuration					
	Structure					
	Type					
	Structure		2-parts coupled at pivot side			
	Strength requirements					
	Location		Normal wind loads (standard)			
	Structure strength		Standard			
	Construction					
	Type					
	Roof part		Roof part 1			
	Dimensions					
	Span		3.110 mm			
	Pivot		5.000 mm			
	Passage height		2.550 mm			
	Construction					
	Span 1		Freestanding			
	Span 2		Full wall			
	Pivot 1		Freestanding			
	Pivot 2		Connection beam			
	Columns					
	Column type 2A		Corner column			
	Column type 2B		Corner column			
	Side infills					
	Span 1 (S1)					
	Infill S1		Glass sliding panels			
	Opening direction S1		Opening left to right			
	Height glass sliding panels S1		Passage height			
	Pivot 1 (P1)					
	Infill P1		Glass sliding panels			
	Opening direction P1		Sliding open from the middle			
	Height glass sliding panels P1		Passage height			
	General specifications					
	Glass included		Yes			
	Sealing for glass panels		Yes			
	Comfort					
	Lighting					
	Number of Lineo LED		3			
	Color Lineo LED		Warm white			
	Position UpDown led		Span 1 + 2			
	Color led 'UP'		RGB			
	Comfort & Design					
	Beam Heat & Sound on side P1		2 Heats			
	Somfy Heating Receiver		RTS receiver			
	Automation					
	Motor control		Somfy RTS			
	Transmitter		Telis 16 RTS Pure white			

Order confirmation

474

11.12.2020

Voltage motor	230V
Electrical certification	CE (Standard)
Styling	
Colors	
Color type frame	Textured
Color code frame	029/71289-TIGER RAL7016 FINE TEXTURE
Color blades	Textured
Color blades	029/10797-TIGER BIANCO 02 BEL9010 FINE TEXTURE
Technical specs	
General	
Motor position	Pivot 2 (P2)
Blade rotation	Sunprotection
Columns	
Mounting base 2A	Invis. reinf. mounting base
Mounting holes in the col. 2A	Yes
Water drainage direction 2A	Span
Height water drainage 2A	66 mm
Mounting base 2B	Invis. reinf. mounting base
Mounting holes in the col. 2B	Yes
Water drainage direction 2B	Span
Height water drainage 2B	66 mm

002000 CAM2 10.341,49 GBP / 1 PC 1,00 PC 10.341,49 10.341,49

CAMARGUE

Commodity code 94069090 Prefabricated buildings, whether or not complete or already assembled (excl. mobile homes a

Configuration

Structure

Type

Structure

2-parts coupled at pivot side

Strength requirements

Location

Normal wind loads (standard)

Structure strength

Standard

Construction

Type

Roof part

Roof part 2

Dimensions

Span

2.960 mm

Pivot

5.000 mm

Passage height

2.550 mm

Construction

Span 1

Freestanding

Span 2

Full wall

Pivot 1

Coupled to connection beam

Pivot 2

Freestanding

Columns

Column type 2B

Corner column

Side infills

Span 1 (S1)

Infill S1

Glass sliding panels

Opening direction S1

Opening right to left

Height glass sliding panels S1

Passage height

Pivot 2 (P2)

Infill P2

Glass sliding panels

Opening direction P2

Sliding open from the middle

Order confirmation

474

11.12.2020

Height glass sliding panels P2	Passage height
General specifications	
Glass included	Yes
Sealing for glass panels	Yes
Comfort	
Lighting	
Number of Lineo LED	3
Color Lineo LED	Warm white
Position UpDown led	Span 1 + 2
Color led 'UP'	RGB
Comfort & Design	
Beam Heat & Sound on side P1	2 Heats
Beam Heat & Sound on side P2	2 Heats
Automation	
Motor control	Somfy RTS
Voltage motor	230V
Electrical certification	CE (Standard)
Styling	
Colors	
Color type frame	Textured
Color code frame	029/71289-TIGER RAL7016 FINE TEXTURE
Color blades	Textured
Color blades	029/10797-TIGER BIANCO 02 BEL9010 FINE TEXTURE
Technical specs	
General	
Blade rotation	Sunprotection
Columns	
Mounting base 2B	Invis. reinf. mounting base
Mounting holes in the col. 2B	Yes
Water drainage direction 2B	Span
Height water drainage 2B	66 mm
