



NOTES
 Figured dimensions only are to be taken from this drawing. All dimensions are to be checked on site before any work is put in hand. If in doubt, seek confirmation.
 This drawing must be read in conjunction with all other architects detail drawings, schedules and specifications.
 All drawings are to be read in conjunction with relevant drawings from other consultants. In the case of inconsistencies, seek confirmation.
 This drawing must not be copied in whole or in part without the prior written permission of Axis Mason Ltd.
 © Copyright Axis Mason Ltd

Rev	Description	Dwn	Ckd	Date
B1	Building Control Application	jc	JHG	13/08/2020
B2	Building Control App - Rev. as clouded	jc	JHG	15/09/2020
B3	Building Control App - Rev. as clouded	jc	JHG	30/09/2020
C1	Issue for Construction	lh	JHG	05/09/2020
C2	Issue for Construction - Rev as clouded.	jc	JHG	19/03/2021

SYMBOL KEY:

- 30min fire rating
- 1hr fire rating
- Structure to Achieve 45db sound reduction (where applicable for floors, impact sound to achieve 62db sound reduction)
- Airborne sound insulation to achieve R_wd of 40
- W1/G/01 Window / External Door Reference
- HD Heat Detector
- SD Smoke Detector
- FD30 SC Self closing Fire Door with 30mins Protection
- mv Mechanical Ventilation
- Walls to be reinforced with plywood between 300 and 1500mm above floor
- el Efficient lighting
- Main consumer unit
- Future track and hoist provision

AXIS MASON Summerville House, Phillip Street
St. Helier, Jersey, JE2 4SW
01534 870 137 WWW.AXISMASON.COM
 LONDON GLASGOW JERSEY GDANSK DURBAN

Client: Mayerling Ltd.

Project: Sunwin
La Rue Des Landes
St.Peter

Drawing Title: Proposed First Floor Plan

Scale @ A1: 1:100 Date: SEP 2020
 Project Co-ordinator: TB Issue Status: CONSTRUCTION

Job No:	Drawing No:	Revision:
3787	027	C2

