

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham

ORDER CONFIRMATION (release 1)

sales order no.: 202599592 of 05.08.2021
customer: 165708
reference: SO11792 Bennett
Your order no.:
contact person: William Abbott
E-Mail: WAbbott@weinor.de
phone number: +49-221-59709-472
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

Dear Weinor Partner,

with immediate effect our new bank account for the weinor Ltd. is active and can be used !

We kindly ask you to send and place all payment in the favour of weinor Ltd. to the following Bank Details.

Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
In favour of : Weinor Ltd.

Thank you very much for your support.

weinor Ltd 73 Cornhill EC3V 3QQ London

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

| | | | |
|---|------|------|---------------------|
| 4 | 1,00 | 2070 | VertiTex II Zip 112 |
|---|------|------|---------------------|

You have selected a fiberglass screen.

Fiberglass screens are in great demand at the moment.

We get our fiberglass screen from France.

Due to the daily changing situation, the specified delivery date is subject to the delivery or conditions of the upstream suppliers.

There have been delays in the delivery of individual designs so far.

We ask for your understanding.

| | | | |
|---------------------------------------|---|---|----------|
| Product use | : | private house | |
| Execution | : | square cassette | |
| size of cassette | : | cassette 112 | |
| width [mm] | : | 3090 | mm |
| height [mm] | : | 2020 | mm |
| Base price | : | | 1.653,00 |
| Basic colour | : | WT029/60740 Marrone 04 Metallic | |
| drill holes for wall profile ? | : | No press cuts in the guide rail tracks and wall attachments | |
| Casing fixing | : | wall bracket Vertitex universal | |
| Number of housing brackets | : | 3 | Piece |
| type of control | : | ioHomeControl | 113,00 |
| Side of control (seen from the front) | : | left | |
| electrical engine connection | : | Hirschmann plug not assembled | 12,00 |
| control | : | hand transmitter Situo 5 io Pure II | 109,00 |
| Type of engine | : | Motor Sfy Sunea50 io 25/17 RH ohne Zubehör | |

Note:

The drive end positions are preset at the factory to a centre position. Delete this presetting after installation. Please note the drive manufacturer's enclosed instructions.

Adjust the drive end position correctly on site!

Caution! When setting the end position, make sure that the lower end position is not exceeded, as the fabric from the roller tube can become loose and can be damaged in this way!

Collection : screens by weinor

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

| | | | |
|-------------|---|---------|-----------|
| real-design | : | WE7-215 | soft clay |
|-------------|---|---------|-----------|

The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.



| | | | |
|----------------------|---|--------------|---|
| Front side of fabric | : | Konfektion 1 | Front side of fabric outside (standard) |
|----------------------|---|--------------|---|

| | | |
|-------------------|---|---------------------------|
| cloth type | : | made without seams |
|-------------------|---|---------------------------|

| | | |
|---------------------|---|---------------------|
| Cardboard container | : | edges reinforcement |
|---------------------|---|---------------------|

| | | | |
|--------|---|----|----|
| weight | : | 33 | kg |
|--------|---|----|----|

Small folds and / or cross marks can appear on the fabric during manufacture, transport or on the construction site.

You can carefully remove these with an industrial hot air dryer.

To do this, set the hot air dryer to max. 250 ° C. Keep a distance of at least 100 - 150 mm from the awning cover and swivel the hot air dryer.

This prevents the fabric from overheating or being damaged.

We use the Steinel HG 2120 E hot air dryer at a medium level and can recommend it.

| | | | |
|-------------------------------------|---|--|--------------|
| Material cost surcharge 4,9% | : | on gross position value: 1887 £ | 92,46 |
|-------------------------------------|---|--|--------------|

| value of goods | discount amount / % | net |
|----------------|---------------------|----------|
| 1.979,46 | 791,78 / 40,00 | 1.187,68 |

| | | |
|---|------|--------------------------|
| 5 | 1,00 | 2070 VertiTex II Zip 112 |
|---|------|--------------------------|

You have selected a fiberglass screen.**Fiberglass screens are in great demand at the moment.****We get our fiberglass screen from France.****Due to the daily changing situation, the specified delivery date is subject to the delivery or conditions of the upstream suppliers.****There have been delays in the delivery of individual designs so far.****We ask for your understanding.**

| | | |
|--|---|----------|
| Product use | : private house | |
| Execution | : square cassette | |
| size of cassette | : cassette 112 | |
| width [mm] | : 3090 | mm |
| height [mm] | : 2020 | mm |
| Base price | : | 1.653,00 |
| Basic colour | : WT029/60740 Marrone 04 Metallic | |
| drill holes for wall profile ? | : No press cuts in the guide rail tracks and wall attachments | |
| Casing fixing | : wall bracket Vertitex universal | |
| Number of housing brackets | : 3 | Piece |
| type of control | : ioHomeControl | 113,00 |
| Side of control (seen from the front) | : right | |
| electrical engine connection | : Hirschmann plug not assembled | 12,00 |
| control | : without control | |
| info about radio engine without hand transmitter | : A suitable hand-held transmitter is required to operate the remote-controlled motor! The awning cannot be opened or retracted without a transmitter | |
| Type of engine | : Motor Sfy Sunea50 io 25/17 RH ohne Zubehör | |

Note:**The drive end positions are preset at the factory to a centre position. Delete this presetting after installation. Please note the drive manufacturer's enclosed instructions. Adjust the drive end position correctly on site!****Caution! When setting the end position, make sure that the lower end position is not exceeded, as the fabric from the roller tube can become loose and can be damaged in this way!**

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

Collection : screens by weinor
 real-design : WE7-215 soft clay

The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.

Front side of fabric :  Konfektion 1 Front side of fabric outside (standard)

cloth type : made without seams

Cardboard container : edges reinforcement

weight : 33 kg

Small folds and / or cross marks can appear on the fabric during manufacture, transport or on the construction site.

You can carefully remove these with an industrial hot air dryer.

To do this, set the hot air dryer to max. 250 ° C. Keep a distance of at least 100 - 150 mm from the awning cover and swivel the hot air dryer.

This prevents the fabric from overheating or being damaged.

We use the Steinel HG 2120 E hot air dryer at a medium level and can recommend it.

Material cost surcharge 4,9% : on gross position value: 1778 £ 87,12

| value of goods | discount amount / % | net |
|----------------|---------------------|----------|
| 1.865,12 | 746,05 / 40,00 | 1.119,07 |

Domestic transfers:**International transfers:**

| | | |
|---|------|--------------------------|
| 6 | 1,00 | 2070 VertiTex II Zip 112 |
|---|------|--------------------------|

You have selected a fiberglass screen.**Fiberglass screens are in great demand at the moment.****We get our fiberglass screen from France.****Due to the daily changing situation, the specified delivery date is subject to the delivery or conditions of the upstream suppliers.****There have been delays in the delivery of individual designs so far.****We ask for your understanding.**

| | | |
|--|---|----------|
| Product use | : private house | |
| Execution | : square cassette | |
| size of cassette | : cassette 112 | |
| width [mm] | : 2940 | mm |
| height [mm] | : 2020 | mm |
| Base price | : | 1.533,00 |
| Basic colour | : WT029/60740 Marrone 04 Metallic | |
| drill holes for wall profile ? | : No press cuts in the guide rail tracks and wall attachments | |
| Casing fixing | : wall bracket Vertitex universal | |
| Number of housing brackets | : 3 | Piece |
| type of control | : ioHomeControl | 113,00 |
| Side of control (seen from the front) | : left | |
| electrical engine connection | : Hirschmann plug not assembled | 12,00 |
| control | : without control | |
| info about radio engine without hand transmitter | : A suitable hand-held transmitter is required to operate the remote-controlled motor! The awning cannot be opened or retracted without a transmitter | |
| Type of engine | : Motor Sfy Sunea50 io 25/17 RH ohne Zubehör | |

Note:**The drive end positions are preset at the factory to a centre position. Delete this presetting after installation. Please note the drive manufacturer's enclosed instructions.****Adjust the drive end position correctly on site!****Caution! When setting the end position, make sure that the lower end position is not exceeded, as the fabric from the roller tube can become loose and can be damaged in this way!**

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202599592

Page 7 of 10

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

| | | |
|-------------|---------------------|-----------|
| Collection | : screens by weinor | |
| real-design | : WE7-215 | soft clay |

The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.

| | | |
|----------------------|--|---|
| Front side of fabric | :  Konfektion 1 | Front side of fabric outside (standard) |
|----------------------|--|---|

| | |
|-------------------|-----------------------------|
| cloth type | : made without seams |
|-------------------|-----------------------------|

| | |
|---------------------|-----------------------|
| Cardboard container | : edges reinforcement |
|---------------------|-----------------------|

| | | |
|--------|------|----|
| weight | : 31 | kg |
|--------|------|----|

Small folds and / or cross marks can appear on the fabric during manufacture, transport or on the construction site.

You can carefully remove these with an industrial hot air dryer.

To do this, set the hot air dryer to max. 250 ° C. Keep a distance of at least 100 - 150 mm from the awning cover and swivel the hot air dryer.

This prevents the fabric from overheating or being damaged.

We use the Steinel HG 2120 E hot air dryer at a medium level and can recommend it.

| | | |
|-------------------------------------|-----------------------------------|--------------|
| Material cost surcharge 4,9% | : on gross position value: 1658 £ | 81,24 |
|-------------------------------------|-----------------------------------|--------------|

| value of goods | discount amount / % | net |
|----------------|---------------------|----------|
| 1.739,24 | 695,70 / 40,00 | 1.043,54 |

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

| | | | |
|---|------|------|---------------------|
| 7 | 1,00 | 2070 | VertiTex II Zip 112 |
|---|------|------|---------------------|

You have selected a fiberglass screen.**Fiberglass screens are in great demand at the moment.****We get our fiberglass screen from France.****Due to the daily changing situation, the specified delivery date is subject to the delivery or conditions of the upstream suppliers.****There have been delays in the delivery of individual designs so far.****We ask for your understanding.**

| | | |
|--|---|----------|
| Product use | : private house | |
| Execution | : square cassette | |
| size of cassette | : cassette 112 | |
| width [mm] | : 2930 | mm |
| height [mm] | : 2020 | mm |
| Base price | : | 1.533,00 |
| Basic colour | : WT029/60740 Marrone 04 Metallic | |
| drill holes for wall profile ? | : No press cuts in the guide rail tracks and wall attachments | |
| Casing fixing | : wall bracket Vertitex universal | |
| Number of housing brackets | : 3 | Piece |
| type of control | : ioHomeControl | 113,00 |
| Side of control (seen from the front) | : right | |
| electrical engine connection | : Hirschmann plug not assembled | 12,00 |
| control | : without control | |
| info about radio engine without hand transmitter | : A suitable hand-held transmitter is required to operate the remote-controlled motor! The awning cannot be opened or retracted without a transmitter | |
| Type of engine | : Motor Sfy Sunea50 io 25/17 RH ohne Zubehör | |

Note:**The drive end positions are preset at the factory to a centre position. Delete this presetting after installation. Please note the drive manufacturer's enclosed instructions.****Adjust the drive end position correctly on site!****Caution! When setting the end position, make sure that the lower end position is not exceeded, as the fabric from the roller tube can become loose and can be damaged in this way!**

| pos | quantity | article code |
|-----|----------|--------------|
|-----|----------|--------------|

Collection : screens by weinor
 real-design : WE7-215 soft clay

The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.

 Front side of fabric : Konfektion 1 Front side of fabric outside (standard)

cloth type : made without seams

Cardboard container : edges reinforcement

weight : 31 kg

Small folds and / or cross marks can appear on the fabric during manufacture, transport or on the construction site.

You can carefully remove these with an industrial hot air dryer.

To do this, set the hot air dryer to max. 250 ° C. Keep a distance of at least 100 - 150 mm from the awning cover and swivel the hot air dryer.

This prevents the fabric from overheating or being damaged.

We use the Steinel HG 2120 E hot air dryer at a medium level and can recommend it.

Material cost surcharge 4,9% : on gross position value: 1658 £ 81,24

| value of goods | discount amount / % | net |
|----------------|---------------------|----------|
| 1.739,24 | 695,70 / 40,00 | 1.043,54 |

| value of goods | discount amount | net | VAT (0 %) | Total GBP |
|----------------|-----------------|----------|-----------|-----------|
| 7.323,06 | 2.929,23 | 4.393,83 | 0,00 | 4.393,83 |

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202599592

Page 10 of 10

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne
payment: 5 days 5% discount; 30 days net
mode of dispatch UK export

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X