

Staff Name Adrian

Work Diary

Order No SO11885

Customer Ref

Measurer or Fitter Measurer

Contact Address Katharine Gibb, Glenorchy House, Petite Route Des Mielles, St Brelade, 07797813260, 07797714955, katharine11@hotmail.com

Date 27-05-2021 Time 08:00

Notes : 1 x Hive 0 by 0
->Pfler Blinds
->Or Allusions
->They have sample books and colour choices

PRB

Location	Supplier	Blind Type /Description	Colour	Qty	Width	Drop	Fitting Height	Blind/Recess	Controls	Brackets	Surface	Unit Price
Gate		Hive	PX	1	575	855	Star	Palte c			40	187
Front door			71002					20mm				
Warden			Main	4	420	980	u	u				746
"			crewm	2	720	1810	u	D				625
u				2	508	775	u	D				573
chley				1	575	852	u	Palte	c		40	187
u				1	445	775	u	D			40	160
clawes				1	445	775	u	D			40	160
LN				4	420	975	c	D				689
snoddy				2	420	975	c	D				345
Bed 1				2	425	940	u	D				345
u				1	560	1070		D			20	215
u	vison 1285	Velux Proost	To watch	1	665	806	(plate	check	cont	diel	core	214
enote	X328	Star	Hive	1	u	-	-				19	174
Daria	mon 1285	Smart Pleated	u	1	-	-	-				19	184
lavelly	1285	u Pleated	not	1	c	-	-				19	184
			D/O									15

u 500 pairs? *

Direct
noisy
groit

Comments:

Order Date

Customer Signature

X I have checked and agree with the above choices

Target Fitting Date

19 = firm

419

345

Bed 2 218 Hue Brown 425 x 940 L D puber

" 118 " - 560 x 1070 D " 215 + 20

ensite ~~later~~ better to wash blue color FKob
55+ Venetian ~~Velux~~ color GSU (check out client
40 for fixing

Blue Marshall white color ~~strut~~ spring of / movement
2180mm L x 2450 drop

include of side channels and
TOP Box

What type?

Subtotal : £ 7,074.00
 GST : £ 353.70
 Total : £ 7,427.70

As with all our custom orders, we will require a deposit of 50%. All prices are subject to GST.

Our Price Promise to you, we will beat any written quotation by 5% (on equivalent specification).

Thank you for your enquiry and we hope you will find this quotation acceptable. Should you require any further information,

please contact us
 Yours sincerely
 Fiona

To accept the above quotation, please indicate which option is required, sign below and return this letter together with your deposit. Please note extract of our terms and conditions below.

SIGNATURE

DATE

Please note: This quotation is only valid for acceptance for 60 days. Our estimate does not include any electrical work or additional carpentry work to install the above unless otherwise specified. Please note there is a handling charge on customer own fabric of £5 per metre. Due to high costs of labour, pre-arranged missed fitting appointments will be charged on a time-wasted basis. Settlement is due on completion of works and an administration charge of £25 will be added per month if unpaid Goods remain the property of CP Interiors until full settlement is received. Should payment not be received we reserve the right to attend premises during working hours to remove goods and not be required to make good. Our full terms and conditions apply and are available on request.

- Call us and pay by Card, we accept card transactions over the telephone and we will not charge you a handling fee.
- Bank details: Natwest, Sort Code 60-12-03, Account No 66577772

If you pay your deposit by BACS payment, please confirm the details of your order by returning a signed copy of this letter



CP INTERIORS

June 02, 2021

REF : SO11855

Katharine Gibb
Glenorchy House
Petite Route Des Mielles
St Brelade

Dear Katharine Gibb

As requested, we have pleasure in submitting our quotation for the following.

Price	QTY	Description
£ 227.00	1	Cottage Front Door, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 746.00	4	Kitchen, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 625.00	2	Kitchen, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 373.00	2	Kitchen, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 227.00	1	Utility, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 200.00	1	Utility, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 200.00	1	Cloakroom, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 689.00	4	Living Room, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 345.00	2	Study, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 345.00	2	Bedroom 1, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 235.00	1	Bedroom 1, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 195.00	1	Bedroom 1, To Supply and Fit ,Velux roller blind, solar powered in a B/O fabric to be chosen with brushed aluminium sides SK06
£ 195.00	1	Ensuite, To Supply and Fit ,Velux roller blind, solar powered in a B/O fabric to be chosen with brushed aluminium sides SK06
£ 195.00	1	Dressing Room, To Supply and Fit ,Velux roller blind, solar powered in a B/O fabric to be chosen with brushed aluminium sides SK06
£ 195.00	1	Landing, To Supply and Fit ,Velux roller blind, solar powered in a B/O fabric to be chosen with brushed aluminium sides SK06
£ 345.00	2	Bedroom 2, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 235.00	1	Bedroom 2, To Supply and Fit ,Intu, blind in fabric Hive Plain Cream (band E) with white hardware
£ 207.00	1	Ensuite, To Supply and Fit ,Velux roller blind, solar powered in a B/O fabric to be chosen with brushed aluminium sides FK06
£ 1,295.00	1	To Supply and Fit ,Security Shutter, vented laths, includes side guides and head box, manually operated, colour white, Model M411

Tropical Blinds Ltd

Unit 6 and 7 Five Arches Business Est
off Maidstone Road
Sidcup
Kent
DA14 5AE
Tel: 020 8269 6400 Fax: 020 8269 6401

Quotation
Customer Copy

Vat No: 324 0532 02
Cust Order No: SO11855 GIBB
Order Date: 22/06/2021
Order No: 1394222
Cust Ref:
Account Ref: GPS007
Despatch Method: DHL Carrier 2

Order To:
C/P Interiors
Rue Des Pres Trading Estate
St Saviour
Jersey
JE2 7QN

Deliver To:
C/P Interiors
Rue Des Pres Trading Estate
St Saviour
Jersey
JE2 7QN

Type	Colour	Width	Drop	Quantity	Unit Price	Disc %	Net
------	--------	-------	------	----------	------------	--------	-----

Intu Pleated	Hive Plain Cream P/F (E)	575	855	1	82.93	10	74.64
Intu Head Rail - White, No Unpleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							
Type C - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, In B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels							
Measurement: Glass Size							
Location: COTTAGE FRONT DOOR Fitting Ins:							

Intu Pleated	Hive Plain Cream P/F (E)	420	980	4	76.56	10	275.62
Intu Head Rail - White, No Unpleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							
Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, In B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels							
Measurement: Glass Size							
Location: KITCHEN Fitting Ins:							

Intu Pleated	Hive Plain Cream P/F (E)	720	1810	2	138.80	10	249.84
Intu Head Rail - White, No Unpleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							
Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, In B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels							
Measurement: Glass Size							
Location: KITCHEN Fitting Ins:							

Intu Pleated	Hive Plain Cream P/F (E)	508	775	2	82.93	10	149.27
Intu Head Rail - White, No Unpleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							
Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, In B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels							
Measurement: Glass Size							
Location: KITCHEN Fitting Ins:							

Intu Pleated	Hive Plain Cream P/F (E)	575	852	1	82.93	10	74.64
Intu Head Rail - White, No Unpleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							

Type C - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels
 Measurement: Glass Size
 Location: UTILITY
 Spec. ins:
 Fitting ins:

Intu Pleated	Hive Plain Cream P/F (E)	445	775	1	71.32	10	64.19
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							
Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels							
Measurement: Glass Size	Spec. ins:						
Location: UTILITY	Fitting ins:						

Intu Pleated	Hive Plain Cream P/F (E)	445	775	1	71.32	10	64.19
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							
Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels							
Measurement: Glass Size	Spec. ins:						
Location: CLOAKROOM	Fitting ins:						

Intu Pleated	Hive Plain Cream P/F (E)	420	975	4	76.56	10	275.62
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							
Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels							
Measurement: Glass Size	Spec. ins:						
Location: LIVING ROOM	Fitting ins:						

Intu Pleated	Hive Plain Cream P/F (E)	420	975	2	76.56	10	137.81
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							
Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels							
Measurement: Glass Size	Spec. ins:						
Location: STUDY	Fitting ins:						

Intu Pleated	Hive Plain Cream P/F (E)	425	940	2	76.56	10	137.81
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							
Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels							
Measurement: Glass Size	Spec. ins:						
Location: BEDROOM 1	Fitting ins:						

Intu Pleated	Hive Plain Cream P/F (E)	560	1070	1	95.64	10	86.08
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							
Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op, Rod, Blind is safe by design and requires no additional devices or warning labels							
Measurement: Glass Size	Spec. ins:						
Location: BEDROOM 1	Fitting ins:						

22/06/2021

Order

Intu Pleated Hive Plain Cream P/F (E) 425 940

Intu Head Rail - White, No Unpleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion

Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No

Control Rod Req, No Slot Req, In B/R for Op. Rod, Blind is safe by design and requires no

additional devices or warning labels

Measurement: Glass Size Spec. Ins:

Location: BEDROOM 2 Fitting Ins:

Intu Pleated Hive Plain Cream P/F (E) 560 1070

Intu Head Rail - White, No Unpleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion

Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No

Control Rod Req, No Slot Req, In B/R for Op. Rod, Blind is safe by design and requires no

additional devices or warning labels

Measurement: Glass Size Spec. Ins:

Location: BEDROOM 2 Fitting Ins:

2

76.56

10

137.81

1

95.64

10

86.08

Net Total: 1813.60

VAT: 0.00

Total: 1813.60

Print Close

