

Approved 13/7/21

Tropical

~~Resretol~~ x 8

~~4 Beds~~ x 3

Living room x 3

4 x Boxes (sh)

(14)

Ready

SO117013

GIBB. x 10 Beds. F7

Living x 2

Living room x 3

Bed 1

Bed 2

Shed

Clearance

4 x Boxes

24

Living room

Bed 2 x 2

Bed 1 x 1

Wash. x 2

Shed

RECEIVED 14 JUL 2021

Miss

Mr pleased

SCANNED

Comp

SO117013

Mr Bony

(READY)



**Tropical Blinds Ltd**

Unit 6 and 7 Five Arches Business Est  
off Maidstone Road  
Sidcup  
Kent DA14 5AE  
T: 020 8269 6400  
F: 020 8269 6401



**Order Acknowledgement**

Cust Order No : **SO11855 GIBB**  
Order Date : 22/06/2021  
Order No : 682415  
Account Ref : CPS007  
Despatch method : DHL Carrier 2  
Delivery Date : 06/07/2021  
Carriage Type : DHL Economy Select 2

**Order to :**  
C.P Interiors  
Rue Des Pres Trading Estate  
St Saviour  
Jersey  
JE2 7QN

**Deliver to :**  
C.P Interiors  
Rue Des Pres Trading Estate  
St Saviour  
Jersey  
JE2 7QN

Type	Colour	Width	Drop	Quantity	Unit Price	Disc %	Net
Intu Pleated	Hive Plain Cream P/F (E)	575	855	1	82.93	10	74.64
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type C - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels					0.00		✓
Measurement:Glass Size Spec. Ins: Location: COTTAGE FRONT DOOR							
Intu Pleated	Hive Plain Cream P/F (E)	420	980	4	76.56	10	275.62
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels					0.00		✓
Measurement:Glass Size Spec. Ins: Location: Kitchen							
Intu Pleated	Hive Plain Cream P/F (E)	720	1810	2	138.80	10	249.84
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels					0.00		✓
Measurement:Glass Size Spec. Ins: Location: Kitchen							
Intu Pleated	Hive Plain Cream P/F (E)	508	775	2	82.93	10	149.27
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels					0.00		✓
Measurement:Glass Size Spec. Ins: Location: Kitchen							
Intu Pleated	Hive Plain Cream P/F (E)	575	852	1	82.93	10	74.64
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type C - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels					0.00		✓
Measurement:Glass Size Spec. Ins: Location: Utility							

Intu Pleated                      Hive Plain Cream P/F (E)                      445      775      1                      71.32                      10                      64.19  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels                      0.00

Measurement:Glass Size      Spec. Ins:

Location: Utility

Intu Pleated                      Hive Plain Cream P/F (E)                      445      775      1                      71.32                      10                      64.19  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels                      0.00

Measurement:Glass Size      Spec. Ins:

Location: Cloakroom

Intu Pleated                      Hive Plain Cream P/F (E)                      420      975      4                      76.56                      10                      275.62  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels                      0.00

Measurement:Glass Size      Spec. Ins:

Location: Living Room

Intu Pleated                      Hive Plain Cream P/F (E)                      420      975      2                      76.56                      10                      137.81  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels                      0.00

Measurement:Glass Size      Spec. Ins:

Location: Study

Intu Pleated                      Hive Plain Cream P/F (E)                      425      940      2                      76.56                      10                      137.81  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels                      0.00

Measurement:Glass Size      Spec. Ins:

Location: Bedroom 1

Intu Pleated                      Hive Plain Cream P/F (E)                      560      1070      1                      95.64                      10                      86.08  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels                      0.00

Measurement:Glass Size      Spec. Ins:

Location: Bedroom 1

Intu Pleated                      Hive Plain Cream P/F (E)                      425      940      2                      76.56                      10                      137.81  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels                      0.00

Measurement:Glass Size      Spec. Ins:

Location: Bedroom 2

Intu Pleated                      Hive Plain Cream P/F (E)                      560      1070      1                      95.64                      10                      86.08  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels                      0.00

Measurement:Glass Size      Spec. Ins:

Location: Bedroom 2

If a Premium carriage service is requested (Pre Noon, Pre 10.30, Saturday or Saturday Pre Noon) the relevant charge will be applied to your invoice. Goods delivered to the following areas: Cornwall, Dyfed, Powys, Anglesey, Gwynedd, Scotland, Isle of Wight, Isle of Man, Isle of Scilly, Channel Isles, Northern Ireland and Republic of Ireland will be subject to a carriage charge as detailed on Page 2 of our trade price list. These carriage charges will not appear on your order acknowledgement but will be applied to your invoice

Net Price :	£1813.60
VAT :	£0.00
Total :	£1813.60

**Tropical Blinds Ltd**

Unit 6 and 7 Five Arches Business Est  
off Maidstone Road  
Sidcup  
Kent  
DA14 5AE  
Tel: 020 8269 6400 Fax: 020 8269 6401

**Quotation**  
Customer Copy

Vat No: 324 0532 02  
Cust Order No: SO11855 GIBB  
Order Date: 22/06/2021  
Order No: 1394222  
Cust Ref:  
Account Ref: CPS007  
Despatch Method: DHL Carrier 2

**Order To:**  
C.P Interiors  
Rue Des Pres Trading Estate  
St Saviour  
Jersey  
JEZ 7QN

**Deliver To:**  
C.P Interiors  
Rue Des Pres Trading Estate  
St Saviour  
Jersey  
JEZ 7QN

Type	Colour	Width	Drop	Quantity	Unit Price	Disc %	Net
Intu Pleated	Hive Plain Cream P/F (E)	575	855	1	82.93	10	74.64
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type C - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels Measurement: Glass Size ✓ Spec. ins: Location: COTTAGE FRONT DOOR Fitting ins: ✓							
Intu Pleated	Hive Plain Cream P/F (E)	420	980	4	76.56	10	275.62
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels Measurement: Glass Size ✓ Spec. ins: Location: KITCHEN ✓ Fitting ins: ✓							
Intu Pleated	Hive Plain Cream P/F (E)	720	1810	2	138.80	10	249.84
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels Measurement: Glass Size ✓ Spec. ins: Location: KITCHEN ✓ Fitting ins: ✓							
Intu Pleated	Hive Plain Cream P/F (E)	508	775	2	82.93	10	149.27
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels Measurement: Glass Size ✓ Spec. ins: Location: KITCHEN ✓ Fitting ins: ✓							
Intu Pleated	Hive Plain Cream P/F (E)	575	852	1	82.93	10	74.64
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion							

✓ Type C - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Glass Size Spec. ins:  
 Location: UTILITY Fitting ins:

Intu Pleated ✓  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion ✓  
 Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Glass Size Spec. ins:  
 Location: UTILITY Fitting ins:

Intu Pleated	445	775	1	71.32	10	64.19
--------------	-----	-----	---	-------	----	-------

Intu Pleated ✓  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion ✓  
 Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Glass Size Spec. ins:  
 Location: CLOAKROOM Fitting ins:

Intu Pleated	445	775	1	71.32	10	64.19
--------------	-----	-----	---	-------	----	-------

Intu Pleated ✓  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion ✓  
 Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Glass Size Spec. ins:  
 Location: LIVING ROOM Fitting ins:

Intu Pleated	420	975	4	76.56	10	275.62
--------------	-----	-----	---	-------	----	--------

Intu Pleated ✓  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion ✓  
 Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Glass Size Spec. ins:  
 Location: STUDY Fitting ins:

Intu Pleated	420	975	2	76.56	10	137.81
--------------	-----	-----	---	-------	----	--------

Intu Pleated ✓  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion ✓  
 Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Glass Size Spec. ins:  
 Location: BEDROOM 1 Fitting ins:

Intu Pleated	425	940	2	76.56	10	137.81
--------------	-----	-----	---	-------	----	--------

Intu Pleated ✓  
 Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Sandy, Intu Side Extrusion ✓  
 Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No Control Rod Req, No Slot Req, in B/R for Op. Rod, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Glass Size Spec. ins:  
 Location: BEDROOM 1 Fitting ins:

Intu Pleated	560	1070	1	95.64	10	86.08
--------------	-----	------	---	-------	----	-------

Intu Pleated  
 Intu Head Rail - White, No Uniplex Required, 0.8mm Cord - Sandy, Intu Side Extrusion  
 Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No  
 Control Rod Req., No Slot Req. in B/R for Op. Rod, Blind is safe by design and requires no  
 additional devices or warning labels  
 Measurement: Glass Size Spec. ins:  
 Location: BEDROOM 2 Fitting ins:

76.56

10

137.81

Intu Pleated  
 Intu Head Rail - White, No Uniplex Required, 0.8mm Cord - Sandy, Intu Side Extrusion  
 Type D - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), No  
 Control Rod Req., No Slot Req. in B/R for Op. Rod, Blind is safe by design and requires no  
 additional devices or warning labels  
 Measurement: Glass Size Spec. ins:  
 Location: BEDROOM 2 Fitting ins:

95.64

10

86.08

Net Total: 1813.60

VAT: 0.00

Total: 1813.60

[Print](#) [Close](#)

