

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham

ORDER CONFIRMATION (release 1)

sales order no.:	202639180 of 12.01.2022
customer:	165708
reference:	BOYCE
Your order no.:	SO12072
contact person:	William Abbott
E-Mail	WAbbott@weinor.de
phone number:	+49-221-59709-472
representat.	654 Chris Spickett
tel (representat.):	0044 (0) 7894443907

Dear Weinor Partner,

with immediate effect our new bank account for the weinor Ltd. is active and can be used !

We kindly ask you to send and place all payment in the favour of weinor Ltd. to the following Bank Details.

Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
In favour of : Weinor Ltd.

Thank you very much for your support.

weinor Ltd 73 Cornhill EC3V 3QQ London

pos	quantity	article code
-----	----------	--------------

1	1,00	2740	Terrazza Pure
---	------	------	---------------

. : **ATTENTION! Element is supplied without glass!**

Anticipated delivery : 21.03.2022

Lastannahmen zur Dachauslegung Quick & Easy

Lastsystem nach Typenstatik : Terrazza Typ 1

Lastfall Norddeutsche Tiefebene : no

Windzone : 1 und 2 Binnenland

Gebäudehöhe : < 10m

Product use : private house

Permissible snow-bearing load : 750 N/m²

abrutschende Schneelast : no

Schneeanwehung : no

basic data

External dimensions : 3400mm x 3885mm Depth: wall connection profile up to INSIDE edge of post 4.926,00

Bottom edge gutter (mm) : 2137,5 mm

Bottom edge connection to wall (mm) : 2232 mm

Top edge connection to wall (mm) : 2460 mm

Basic colour : WT029/71289 Approx. RAL 7016 Metallic

Covering : 10mm prepared for 10mm LSG

Seals : silicone-containing seals

Connection to wall left? : No wall connection on left

Connection to wall right? : No wall connection on right

roof girder

Number of roof rafter : 5 Piece

rafter 205 closed : 3 Piece

Axial dimension rafter : 833,8 mm

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

Transom

Sum of transoms	: 0	Piece
-----------------	-----	-------

gutter

Execution	: Version 2021
-----------	----------------

Max. distance between posts	: 3790	mm with no steel in gutter
-----------------------------	--------	----------------------------

Pillar(s)

Number of posts	: 2
-----------------	-----

Post type left	: Post outside
----------------	----------------

Post position on the left	: 57,5	mm
---------------------------	--------	----

Dachrinne für rechten Pfosten vorbereiten?	: Right post to be delivered loosely
--	--------------------------------------

Post type right	: Post outside
-----------------	----------------

.	: To be able to use the type statics, the gutter must be supported in accordance with the post positions.
---	---

Depending on your choice Delivery without post/loose post:

In order to ensure the stability in accordance with our structural standards, the gutter must be equipped with a support at the recommended position of the post. Otherwise, proof of stability must be provided on site.

Length of post	: 2600	mm
----------------	--------	----

Please note that the standard length for square posts is 2600mm!

Drain on left side?	: Drain through the left post
---------------------	-------------------------------

Number of post base plates 196x196	: 2	Piece
------------------------------------	-----	-------

Number of caps for post plate	: 2	Piece	64,00
-------------------------------	-----	-------	-------

No. Complete drainage through square outside post	: 1	incl. downspout and 87° elbow
---	-----	-------------------------------

Anz. Abfluss durch Pfosten variable VertiPlus	: 0	incl. downspout and 87° elbow
---	-----	-------------------------------

alignment products

Projection Sottezza [mm]	: 3795	mm
--------------------------	--------	----

projection of WGM TOP	: 0	mm
-----------------------	-----	----

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202639180

Page 4 of 9

pos	quantity	article code
-----	----------	--------------

accessorie

with remote control BiConnect : no
:

miscellaneous

Glasfläche [m2] : 11,73 m²
 Note glass area : The glass surface concern only the roof.
 Weight [kg] : 182,125 kg

The company weinor GmbH & Co. KG manufactures the construction product corresponding to DIN 1090 EXC1, production tolerances for welding corresponding to DIN EN 13920 B/B/F, welding seam types corresponding to DIN EN ISO 5817- C, for aluminium corresponding to DIN EN ISO 10042 –C.

Material cost surcharge 4,9% : on gross position value: 4990 £ 244,51

value of goods	discount amount / %	net
5.234,51	2.093,80 / 40,00	3.140,71

value of goods	discount amount	net	VAT (0 %)	Total GBP
5.234,51	2.093,80	3.140,71	0,00	3.140,71

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Dear Sir or Madam,

due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne
 payment: 5 days 5% discount; 30 days net
 mode of dispatch UK export




weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202639180


Page 6 of 9

Position 1 - exterior view (images similar)

isometric view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X




weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202639180


Page 7 of 9

Position 1 - exterior view (images similar)

front view



side view left



side view right



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London


customer: 165708 sales order 202639180

Page 8 of 9

Wall connection on left




left post



Wall connection on right




Right post




**Location of doubling profile
(view of roof from above)**

roof girder



gutter cross-section



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202639180

Page 9 of 9

Glass dimensions

Position 1	Terrazza Pure	prepared for 10mm LSG	
quantity	form	width	height
4	rectangle	763,8	3839

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Leistungserklärung

Siehe Auftragsnummer!!!

weinor Terrassendach Terrazza

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

weinor GmbH & Co. KG
Mathias-Brüggen-Str. 110
50829 Köln, Deutschland



System 2+

EN 1090-1: 2009 + A1: 2011

Name: TÜV Rheinland
Am Grauen Stein, Köln
Nr.: Nobo 0035

Der Hersteller bestätigt auf Grundlage der Zertifikate über die werkseigene Produktionskontrolle Zert-Nr.: 0035-CPR-1090-1.00604.TÜVRh.2015.002 folgende Leistungsmerkmale in Bezug auf die Bauteilspezifikation:

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißbeignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.


Unterzeichnet für den Hersteller und im Namen des Herstellers von:

Ort, Datum

Unterschrift

Köln, 28.06.2017





NOBO Nr. 0035

Weinor GmbH & Co. KG
 Mathias-Brüggen-Str. 110
 50829 Köln, Deutschland

2017

Siehe Auftragsnummer!!!

EN 1090-1: 2009 + A1: 2011

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißseignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	