

weinor Ltd 73 Cornhill EC3V 3QQ London

## C P Interiors

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

### delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate  
GB-PO15 5TX Hampshire, Fareham

## ORDER CONFIRMATION (release 1)

sales order no.:	202625107 of 02.11.2021
customer:	165708
reference:	TRAVERT SO12155
Your order no.:	SO12155
contact person:	William Abbott
E-Mail	WAbbott@weinor.de
phone number:	+49-221-59709-472
representat.	654 Chris Spickett
tel (representat.):	0044 ( 0) 7894443907

Dear Weinor Partner,

with immediate effect our new bank account for the weinor Ltd. is active and can be used !

We kindly ask you to send and place all payment in the favour of weinor Ltd. to the following Bank Details.

Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10  
In favour of : Weinor Ltd.

Thank you very much for your support.

weinor Ltd 73 Cornhill EC3V 3QQ London

pos	quantity	article code
-----	----------	--------------

1	1,00	2709	Terrazza
---	------	------	----------

<b>Roofsystem</b>	: <b>Terrazza L Originale</b>		
.	: ATTENTION! Element is supplied without glass!		
Permissible snow-bearing load	: 750 N/m <sup>2</sup>		
External dimensions	: 3945mm x 3800mm	Depth: wall connection profile up to INSIDE edge of post	4.159,00
Bottom edge gutter (mm)	: 2000	mm	
Bottom edge connection to wall (mm)	: 2500	mm	
Top edge connection to wall (mm)	: 2692	mm	
Pitch of roof [°]	: 5,44	°	
Basic colour	: WT029/10797 Approx. RAL 9010		
Covering	: 10mm	prepared for 10mm LSG	
Information about roofing	: Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!		
basic element	: 101	Type A pent roof	
Seals	: silicone-containing seals		
Connection to wall left?	: No wall connection on left		
Connection to wall right?	: No wall connection on right		
Roof support type, inner roof supports	: 150 roof girder without steel		
Roof support type, outer roof supports left	: 150 roof girder without steel		
Roof support type, outer roof supports right	: 150 roof girder without steel		
Transom over all roof panels	: yes		
Further transoms across all roof sections	: no		
Axial dimension rafter	: 964,8	mm	
Indent left-hand post	: Position of post entered manually		
Number of posts	: 2	Piece	

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code		
		Post position on the left	: 225	mm
		Post position on the right	: 53	mm
		Maximum spacing for posts when gutter has 1 x steel	: 4800	mm for 1 x steel in gutter
		Length of post	: 3000	mm
		Steel reinforcement for roof gutter	: 1	* Galvanised flat steel 308,00
		Weight for roof gutter with steel	: 67,9	kg
		Post attachment left	: Affix using standard post plates	
		Post attachment right	: Affix using standard post plates	
		Number of caps for standard post plate	: 2	Piece 68,00
		Drain on right side?	: Drain through the right post, incl. downspout with 87° bend; undrilled post	
		Leaf protection screen (no extra cost)	: Leaf guard same width as roof	
		Provision for fitting Sottezza.	: 6	Piece 174,00
		Sottezza-Type	: Sottezza stretch/optistretch (alle variants)	
		Substructure elements available (from outside)	: UBB	glazing elements on both sides
		Projection Sottezza [mm]	: 3742,7	mm
		The specified length does account for 40 mm spacing from the wall or 20 mm from the guttering.		
		Distance from Sottezza to the wall	: 40	mm
		Distance from Sottezza to the gutter	: 20	mm
		Projection of WGM	: 3886	mm
		The specified length does account for 20 mm and an overhang on the end of rafter 30 mm from the guttering.		
		:		
		Glasfläche [m2]	: 13,98	m <sup>2</sup>
		Note glass area	: The glass surface concern only the roof.	
		:		
		:		
		Weight [kg]	: 193,625	kg

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202625107

Page 4 of 12

pos	quantity	article code
-----	----------	--------------

**The company weinor GmbH & Co. KG manufactures the construction product corresponding to DIN 1090 EXC1, production tolerances for welding corresponding to DIN EN 13920 B/B/F, welding seam types corresponding to DIN EN ISO 5817- C, for aluminium corresponding to DIN EN ISO 10042 –C.**

**Material cost surcharge 4,9% : on gross position value: 4709 £ 230,74**

value of goods	discount amount / %	net
4.939,74	1.975,90 / 40,00	2.963,84

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

5	1,00	2245	Sottezza II OptiStretch LED	
Product use		: private house		
Sales order Terrazza		: 202625107		
Posn. of the sales order for Terrazza		: 1		
LED Design light bar below roof support?		: yes		
Number of units		: single unit		
width Terrazza [mm]		: 3945	mm	
Distance centre to centre field		: 3797	mm	
Width of cassette total [mm]		: 3833	mm	
Projection [mm]		: 3742,7	mm	2.738,00
Basic colour		: WT029/10797 Approx. RAL 9010		
Number of shiner		: 6	Piece	
Note on distance bar:		: The distance profile has to be mounted when you are fixing the light bar Lux-Design.		
Cable clips along the back of the cassette		: without cable clips along the back of the cassette		
type of control		: Motor (Becker)		
Side of control (seen from the front)		: right		
with remote control BiConnect		: Yes! Please remind the separate order!		
Information on BiConnect		: The BiConnect has been done in 202625107 position 6!		
light receiver		: with light receiver		
Lighting receiver type		: BiConnect BiRec MLED		
Type of engine		: 121060-0000	Motor R20-17-E12-V1+ ohne Zubehör	
Side channel bracket		: 4	Piece	
brackets top plate		: 2	Piece	
real-design		: WE4-784	my collections	

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202625107

Page 6 of 12

pos	quantity	article code
-----	----------	--------------

**Attention:**

**For optimal tension and smooth running of the fabric, the diagonal measurements must be correct.**

**The cloth must also be correctly centered.**

colour of thread Saba	: dark grey		
100 x 30 x 35 mm rectangular pipes with Screwset	: 6	Piece	66,00
	:		
Cardboard container	: edges reinforcement		
weight	: 67	kg	
<b>Material cost surcharge 4,9%</b>	<b>: on gross position value: 2804 £</b>		<b>137,40</b>

value of goods	discount amount / %	net
2.941,40	1.176,56 / 40,00	1.764,84

6	1,00	2557	BiConnect
---	------	------	-----------

deliver BiConnect separate?	: No; supply receiver and handheld remote control with awning		
shipment info	: The pre set receivers (except LED) and the handset will be packed with contract number 202625107 pos 5!		
Receiver for motor/light control	: 1	BiRec MLED, basic	354,00
learned on channel 1	: BiConnect BiEasy 5M (silver version)		111,00
	: BiRec MLED, basic	for order 202625107/5: Sottezza II OptiStretch LED engine right	
learned on channel 2	: BiRec MLED, basic	for order 202625107/5: Sottezza II OptiStretch LED	
<b>Material cost surcharge 4,9%</b>	<b>: on gross position value: 465 £</b>		<b>22,78</b>

value of goods	discount amount / %	net
487,78	195,11 / 40,00	292,67

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202625107

Page 7 of 12

pos	quantity	article code
-----	----------	--------------

value of goods	discount amount	net	VAT (0 %)	Total GBP
8.368,92	3.347,57	5.021,35	0,00	5.021,35

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

Dear Sir or Madam,

due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne  
 payment: 5 days 5% discount; 30 days net  
 mode of dispatch UK export




weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202625107


Page 9 of 12

Position 1 - exterior view (images similar)

isometric view



top view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X




weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202625107

Page 10 of 12

Position 1 - exterior view (images similar)

front view



side view left



side view right



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10


**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202625107

Page 11 of 12



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202625107

Page 12 of 12

## Glass dimensions

Position 1		Terrazza		prepared for 10mm LSG	
quantity	form	width	height		
8	rectangle	920	1900		

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

# Leistungserklärung

Siehe Auftragsnummer!!!

weinor Terrassendach Terrazza

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

weinor GmbH & Co. KG  
Mathias-Brüggen-Str. 110  
50829 Köln, Deutschland



System 2+

EN 1090-1: 2009 + A1: 2011

Name: TÜV Rheinland  
Am Grauen Stein, Köln  
Nr.: Nobo 0035

Der Hersteller bestätigt auf Grundlage der Zertifikate über die werkseigene Produktionskontrolle Zert-Nr.: 0035-CPR-1090-1.00604.TÜVRh.2015.002 folgende Leistungsmerkmale in Bezug auf die Bauteilspezifikation:

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
<b>Grundlegende geometrische Toleranzen</b>	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
<b>Schweißbeignung</b>	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
<b>Bruchzähigkeit</b>		
<b>Brandverhalten</b>	Klasse A1	
<b>Freisetzung von Cadmium</b>	No performance determined (NPD)	
<b>Freisetzung von radioaktiver Strahlung</b>	No performance determined (NPD)	
<b>Dauerhaftigkeit</b>	Für Aluminium nicht erforderlich	
<b>Tragfähigkeitsmerkmale:</b>		
<b>Tragfähigkeit:</b>	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
<b>Verformung im Grenzzustand der Gebrauchstauglichkeit</b>	Siehe Typenstatik weinor Systembaukasten Terrazza	
<b>Ermüdungsfestigkeit</b>	Eurocode 0, 1 und 9	
<b>Feuerwiderstand</b>	No performance determined (NPD)	

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.


Unterzeichnet für den Hersteller und im Namen des Herstellers von:

Ort, Datum

Unterschrift

Köln, 28.06.2017





NOBO Nr. 0035

Weinor GmbH & Co. KG  
Mathias-Brüggen-Str. 110  
50829 Köln, Deutschland

2017

Siehe Auftragsnummer!!!

EN 1090-1: 2009 + A1: 2011

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
<b>Grundlegende geometrische Toleranzen</b>	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
<b>Schweißseignung</b>	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
<b>Bruchzähigkeit</b>		
<b>Brandverhalten</b>	Klasse A1	
<b>Freisetzung von Cadmium</b>	No performance determined (NPD)	
<b>Freisetzung von radioaktiver Strahlung</b>	No performance determined (NPD)	
<b>Dauerhaftigkeit</b>	Für Aluminium nicht erforderlich	
<b>Tragfähigkeitsmerkmale:</b>		
<b>Tragfähigkeit:</b>	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
<b>Verformung im Grenzzustand der Gebrauchstauglichkeit</b>	Siehe Typenstatik weinor Systembaukasten Terrazza	
<b>Ermüdungsfestigkeit</b>	Eurocode 0, 1 und 9	
<b>Feuerwiderstand</b>	No performance determined (NPD)	