

Quotation

Quotation date	23.03.2022	CP Interiors
Quotation number	20035630	St. Saviour
Customer number	1001334	28 Rue des Pres. Tr. Est.
Your VAT number		JE2 7QN JERSEY
Currency	GBP	JERSEY
Project reference	Villa Cambray - correct drains	
Order reference	original order number 13772 25/1/22	
Validity from-to	23.03.2022 - 22.04.2022	

Incoterms	DAP Jersey	Delivery address CP Interiors St. Saviour 28 Rue des Pres. Tr. Est. JE2 7QN JERSEY JERSEY
------------------	---------------	---

Overview

Material	Quantity	Net amount	VAT %
001000 AERO AERO	1,00 PC	4.184,46	
904000 1000009 Special product configuration fee	1,00 PC	223,20	

Total before VAT	4.407,66
VAT	0,00
Total incl. VAT	4.407,66

Free of VAT, export

PAYMENT INFORMATION

Payment term 30 days end of month

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>



Creating healthy spaces

NV Renson® Sunprotection-Screens SA

Quotation

20035630

23.03.2022

For questions or remarks regarding this document, please send an email to george.bishar@renson.be

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

NV Renson® Sunprotection-Screens SA • IZ 1 Flanders Fields • Kalkhoevestraat 45 • B-8790 Waregem
+3256627111 • info@renson.eu • www.renson.eu

VAT BE 0432.549.526 • RPR Gent, afdeling Kortrijk • ING BELGIË IBAN BE08 3850 3006 5013 - BIC BBRUBEBB

Quotation

20035630

23.03.2022

Detail

Item	Material	Unit price	Quantity	Gross amount	Discount %	Net amount
001000	AERO		1,00 PC	8.554,35		4.184,46
	AERO					
	Commodity code	76169990				
	Aero	8.491,35 GBP /	1 PC x 1,00	8.491,35		
				8.491,35	40	5.094,81
	Situo 1 RTS Pure - 1-channel transmitter	63,00 GBP /	1 PC x 1,00	63,00		
				63,00	40	37,80
				63,00		37,80
	Extra disc - net	-948,15 GBP /	1 PC			-948,15
	Configuration					
	Structure					
	Type					
	Central beam			Single		
	Roof type: roof part 1			Rotating blades		
	Location					
	Country of installation			United Kingdom		
	Construction					
	Dimensions					
	Span			4.500 mm		
	Pivot			2.615 mm		
	Construction method					
	Span 1			Integration		
	Span 2			Integration		
	Pivot 1			Integration		
	Pivot 2			Integration		
	Comfort					
	Automation					
	Voltage motor			230V		
	Motor control			Somfy RTS		
	Electrical certification			CE (Standard)		
	Transmitter			Situo 1 RTS Pure II		
	Styling					
	Colors					
	Color code frame and columns			029/71716-TIGER RAL7039 FINE TEXTURE		
	Color blades			029/71716-TIGER RAL7039 FINE TEXTURE		
	Technical specs					
	General					
	Motor position			Pivot 1 (P1)		
	Drainage blade			Motor side		
	Blade rotation			Sunprotection		
	Visibility					
	Visibility surface A			Yes		
	Visibility surface B			Yes		
	Visibility surface C			Yes		
	Columns					
	Direction of water drainage 1A			Drainage through gutter in S2		
	Direction of water drainage 2A			Drainage through gutter in P1		
	Position drainage corner 1A			250 mm		



Creating healthy spaces

NV RENSON® Sunprotection-Screens SA

Quotation

20035630

23.03.2022

Position drainage corner 2A

250 mm

904000	1000009	223,20	GBP	/	1	PC	1,00	PC	223,20	223,20
Special product configuration fee										
Gross discount to reduce the pivot to 1600mm = -£1580.25										
Gross surcharge for the extra drainage: +£370										