

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
Hampshire, Fareham

offer (release 2)

sale offer 151166996
customer: 165708
offer date 12.11.2021
reference: LE MAISTRE SO12595
contact person: William Abbott
E-Mail WAbbott@weinor.de
phone number: +49-221-59709-472
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

quantity	article code
----------	--------------

- Please note:

Pergotex with the depth more than 4400mm always requires a post under trapezium Lite for static reasons. That is why we were not able to make 1 W17 easy under trapezium, instead we made 2x W17 easy (3-3).

Dear sir or madam,

we are pleased to send you this offer.

Thank you for your query. We would like to offer following items, according to our general conditions of delivery and payment and subject to a concrete assessment of the technical feasibility.

Please be advised that this quote is based on a rough planning.

For the final order an exact site measuring with a detailed planning will be necessary.

Therefore dimensions and prices may vary slightly.

We hope we have been of help with this offer and are pleased to issue the order.

Please feel free to contact us at the telephone number below if you have any question.

Kind regards

i.A. William Abbott

1	1,00	2724	weinor PergoTex II
---	------	------	--------------------

basic data

Product use : private house

Permissible snow-bearing load : 750 N/m²

width [mm] : 9000

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code		
		Depth up to inner edge of post [mm]	: 5950 mm	Caution: measured up to inside edge of post !
		Bottom edge gutter (mm)	: 2100	mm
		Bottom edge connection to wall (mm)	: 3150	mm
		Top edge connection to wall (mm)	: 3307	mm
		Projection [mm]	: 6123	mm
		Pitch of roof [°]	: 8,3	°
		Width of section 1 [mm]	: 4500	mm
		width of second piece	: 4500	mm
			:	
		Basic colour	: WT029/70786	Sparkling Iron Effect
Dessin				
		customised design	: PE140	Pergona weiss
operation				
		Side of control (seen from the front)	: Double-sided	
		with remote control BiConnect	: Yes! Please remind the separate order!	
		BiConnect receiver	:	
		Information on BiConnect	: The BiConnect has been done in 151166996 position 10!	
		type of engine 1	: Motor R40-17-E12-V1+ f. 60er We 8-kt	
		Motor type 2	: Motor R40-17-E12-V1+ f. 60er We 8-kt	
		electrical engine connection	: 117601-0000 Kabel 4G0,75 L500 STAS3/C-Plug und 118822-0000 Kabel 3G1 L3200 OE/STAK3	
Transom				
		Number of transom 80x60	: 2	
		Number of transom 45x60	: 8	
		required additional cross beam	: No additional transom	
		Colour Transom	: WT029/70786	Sparkling Iron Effect
		Fabric folding height	: 409 mm	distance from lower area of first loop of the fabric to lower area of wall alignment profile.
		Fabric folding depth	: 890 mm	distance between the front edge of the first transom and the wall

pos	quantity	article code		
		weight of fabric package array 1	: 78,7	kg
		weight of fabric package array 2	: 78,7	kg
		weight	: 678	kg
Cloth canopy				
		Number of hood 190	: 1	
		Number of hood 255	: 2	
		depth safety shield - inclined	: 987,2	mm
		depth safety shield - horizontal	: 976,9	mm
Pillar(s)				
		Number of posts	: 3	Piece
		Max. distance between posts	: 5900 mm ohne Stahl in Dachrinne	
		Length of post	: 2600	
		Post position on the left	: 57,5	mm
		Post type left	: Post outside	
		position of centre post	: 4500	1st centre post from outer left-hand edge!
		Post position on the right	: 57,5	mm
		Post type right	: Post outside	
		Position of the gutter division	: 2nd post from the left	
		Drain on left side?	: Drain through the left post	
		Drain on right side?	: Drain through the right post	
		Number of post base plates big	: 2	Piece
		Number of post base plates big	: 1	Piece
		Number of caps for big post plate	: 2	Piece 64,00
		Number of caps for big post plate	: 1	Piece 32,00

alignment products

Static adjustment of the Pergotex for glazing element to the roof gutter? : Yes, statics for GEs I/200 (w17-c)

accessorie

Material cost surcharge 4,9% : on gross position value: 17720 £

868,28

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151166996

Page 4 of 26

pos quantity article code

value of goods	discount amount / %	net
18.588,28	7.435,31 / 40,00	11.152,97

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln


VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code	
-----	----------	--------------	--

2	1,00	2851	w17 easy - the full glass sliding door Front/ Left
---	------	------	---



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

We would like to emphasize that you are obliged to inspect the individual glass elements for defects immediately upon delivery. This also includes checking whether the panes have been delivered to you in a dry condition.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

Your weinor team

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.


.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 4328 X 2100	2.889,00
type of floor rail	: standard floor rail with CleanCase	

pos	quantity	article code	
		CleanCase left (from inside)	: yes
		CleanCase right (from inside)	: yes
		Installation side (as seen from inside)	: 0
		Selection of leaves + tracks	: 5-track with 5 leaves
		Position of active leaf?	: left, as seen from inside
		Direction of opening	: sliding to the right
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Soft-Closing-System standard
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator only closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		knob inside/ on both sides for the endleaf	: 0
		Height of knob From bottom edge of guide track (mm)	: 1050 mm
		Basic colour	: WT029/70786 Sparkling Iron Effect
		wall connection profile left	: yes 51,00
		wall connection profile right	: yes 51,00
		brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm 128,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		Cardboard container	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		extra charge glass pallet	: 1 x wooden pallet 159,00
		Material cost surcharge 4,9%	: on gross position value: 3278 £ 160,62

value of goods	discount amount / %	net
3.438,62	1.375,45 / 40,00	2.063,17

pos	quantity	article code	
-----	----------	--------------	--

3	1,00	2851	w17 easy - the full glass sliding door Front/ Right
---	------	------	--



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

We would like to emphasize that you are obliged to inspect the individual glass elements for defects immediately upon delivery. This also includes checking whether the panes have been delivered to you in a dry condition.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

Your weinor team

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 4328 X 2100	2.889,00
type of floor rail	: standard floor rail with CleanCase	

pos	quantity	article code	
		CleanCase left (from inside)	: yes
		CleanCase right (from inside)	: yes
		Installation side (as seen from inside)	: 0
		Selection of leaves + tracks	: 5-track with 5 leaves
		Position of active leaf?	: right, as seen from inside
		Direction of opening	: sliding to the left
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Soft-Closing-System standard
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator only closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		knob inside/ on both sides for the endleaf	: 0
		Height of knob From bottom edge of guide track (mm)	: 1050 mm
		Basic colour	: WT029/70786 Sparkling Iron Effect
		wall connection profile left	: yes 51,00
		wall connection profile right	: yes 51,00
		brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm 128,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		Cardboard container	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		Material cost surcharge 4,9%	: on gross position value: 3119 £ 152,83
		value of goods	discount amount / % net
		3.271,83	1.308,73 / 40,00 1.963,10

pos	quantity	article code	
-----	----------	--------------	--

4	1,00	2846	Side element LITE w50-c Pergotex II LHS seen from outside
---	------	------	--

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

Steel reinforcement in crossbeam?	: with steel		
Installation side (as seen from inside)	: right		
	:		
	:		
Width of element [mm]	: 5860		
Incline	: 8,3	Degree(s)	1.146,00
Basic colour	: WT029/70786 Sparkling Iron Effect		
Number of vertical glass panels	: five parts		
Prepared for	: prepared for 6mm (for cold use)		
wall connection profile	: Tube rectangular 70 x 30 x 3		
Length of wall connection profile vertical	: 3500		134,00
Wind load bracket	: yes, with wind load profile		
	:		
Additional post under transom	: Rectangular pipe 80x50x2		159,00
Length of additional post under transom	: 3000	mm	
.	: "An additional post is required below the locking bar if the depth is 4401 mm or more. In case of asymmetric installation of the post, the mounting spacing to the post in front may not exceed 4400 mm."		
gap seal	: Gap seals for 6 mm glass, length 2000 mm		48,00
Cardboard container	: edges reinforcement		
Material cost surcharge 4,9%	: on gross position value: 1487 £		72,86

value of goods	discount amount / %	net
1.559,86	623,94 / 40,00	935,92

pos	quantity	article code	
-----	----------	--------------	--

5	1,00	2846	Side element LITE w50-c Pergotex II RHS seen from outside
---	------	------	--


Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

Steel reinforcement in crossbeam?	: with steel		
Installation side (as seen from inside)	: left		
	:		
	:		
Width of element [mm]	: 5860		
Incline	: 8,3	Degree(s)	1.146,00
Basic colour	: WT029/70786 Sparkling Iron Effect		
Number of vertical glass panels	: five parts		
Prepared for	: prepared for 6mm (for cold use)		
wall connection profile	: Tube rectangular 70 x 30 x 3		
Length of wall connection profile vertical	: 3500		134,00
Wind load bracket	: yes, with wind load profile		
	:		
Additional post under transom	: Rectangular pipe 80x50x2		159,00
Length of additional post under transom	: 3000	mm	
.	: "An additional post is required below the locking bar if the depth is 4401 mm or more. In case of asymmetric installation of the post, the mounting spacing to the post in front may not exceed 4400 mm."		
gap seal	: Gap seals for 6 mm glass, length 2000 mm		48,00
Cardboard container	: edges reinforcement		
Material cost surcharge 4,9%	: on gross position value: 1487 £		72,86

value of goods	discount amount / %	net
1.559,86	623,94 / 40,00	935,92

pos	quantity	article code	
-----	----------	--------------	--

6	1,00	2851	w17 easy - the full glass sliding door LHS seen from outside
---	------	------	---



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

We would like to emphasize that you are obliged to inspect the individual glass elements for defects immediately upon delivery. This also includes checking whether the panes have been delivered to you in a dry condition.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

Your weinor team

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 2930 X 2100	1.884,00
type of floor rail	: standard floor rail with CleanCase	

pos	quantity	article code	
		CleanCase left (from inside)	: yes
		CleanCase right (from inside)	: yes
		Selection of leaves + tracks	: 3-track with 3 leaves
		Position of active leaf?	: left, as seen from inside
		Direction of opening	: sliding to the right
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Soft-Closing-System standard
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator only closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		knob inside/ on both sides for the endleaf	: 0
		Height of knob From bottom edge of guide track (mm)	: 1050 mm
		Basic colour	: WT029/70786 Sparkling Iron Effect
		wall connection profile left	: yes 51,00
		wall connection profile right	: yes 51,00
		brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm 64,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		Cardboard container	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		extra charge glass pallet	: 1 x wooden pallet 159,00
		Material cost surcharge 4,9%	: on gross position value: 2209 £ 108,24

value of goods	discount amount / %	net
2.317,24	926,90 / 40,00	1.390,34



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151166996

Page 13 of 26

pos quantity article code

Position 6 - interior view (images similar)

front view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln


VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code	
-----	----------	--------------	--

7	1,00	2851	w17 easy - the full glass sliding door LHS seen from outside
---	------	------	---



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

We would like to emphasize that you are obliged to inspect the individual glass elements for defects immediately upon delivery. This also includes checking whether the panes have been delivered to you in a dry condition.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

Your weinor team

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 2930 X 2100	1.884,00
type of floor rail	: standard floor rail with CleanCase	

pos	quantity	article code	
		CleanCase left (from inside)	: yes
		CleanCase right (from inside)	: yes
		Selection of leaves + tracks	: 3-track with 3 leaves
		Position of active leaf?	: left, as seen from inside
		Direction of opening	: sliding to the right
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Soft-Closing-System standard
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator only closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		knob inside/ on both sides for the endleaf	: 0
		Height of knob From bottom edge of guide track (mm)	: 1050 mm
		Basic colour	: WT029/70786 Sparkling Iron Effect
		wall connection profile left	: yes 51,00
		wall connection profile right	: yes 51,00
		brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm 64,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		Cardboard container	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		Material cost surcharge 4,9%	: on gross position value: 2050 £ 100,45
		value of goods	discount amount / % net
		2.150,45	860,18 / 40,00 1.290,27



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151166996

Page 16 of 26

pos quantity article code

Position 7 - interior view (images similar)

front view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000


Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

8	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--

RHS seen from outside



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

We would like to emphasize that you are obliged to inspect the individual glass elements for defects immediately upon delivery. This also includes checking whether the panes have been delivered to you in a dry condition.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

Your weinor team

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 2930 X 2100	1.884,00
type of floor rail	: standard floor rail with CleanCase	

pos	quantity	article code	
		CleanCase left (from inside)	: yes
		CleanCase right (from inside)	: yes
		Selection of leaves + tracks	: 3-track with 3 leaves
		Position of active leaf?	: right, as seen from inside
		Direction of opening	: sliding to the left
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Soft-Closing-System standard
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator only closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		knob inside/ on both sides for the endleaf	: 0
		Height of knob From bottom edge of guide track (mm)	: 1050 mm
		Basic colour	: WT029/70786 Sparkling Iron Effect
		wall connection profile left	: yes 51,00
		wall connection profile right	: yes 51,00
		brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm 64,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		Cardboard container	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		Material cost surcharge 4,9%	: on gross position value: 2050 £ 100,45
		value of goods	discount amount / % net
		2.150,45	860,18 / 40,00 1.290,27



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151166996

Page 19 of 26

pos quantity article code

Position 8 - interior view (images similar)

front view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln


VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

9	1,00	2851	w17 easy - the full glass sliding door RHS seen from outside
---	------	------	---



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

We would like to emphasize that you are obliged to inspect the individual glass elements for defects immediately upon delivery. This also includes checking whether the panes have been delivered to you in a dry condition.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

Your weinor team

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 2930 X 2100	1.884,00
type of floor rail	: standard floor rail with CleanCase	

pos	quantity	article code	
		CleanCase left (from inside)	: yes
		CleanCase right (from inside)	: yes
		Selection of leaves + tracks	: 3-track with 3 leaves
		Position of active leaf?	: right, as seen from inside
		Direction of opening	: sliding to the left
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Soft-Closing-System standard
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator only closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		knob inside/ on both sides for the endleaf	: 0
		Height of knob From bottom edge of guide track (mm)	: 1050 mm
		Basic colour	: WT029/70786 Sparkling Iron Effect
		wall connection profile left	: yes 51,00
		wall connection profile right	: yes 51,00
		brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm 64,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		Cardboard container	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		extra charge glass pallet	: 1 x wooden pallet 159,00
		Material cost surcharge 4,9%	: on gross position value: 2209 £ 108,24

value of goods	discount amount / %	net
2.317,24	926,90 / 40,00	1.390,34



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151166996

Page 22 of 26

pos quantity article code

Position 9 - interior view (images similar)

front view



10 1,00 2557 BiConnect

Receiver for motor/ control	: 2	BiRec MA, basic	190,00
learned on channel 1	: weinor BiConnect BiEasy 15M Go! silver		155,00
learned on channel 2	: BiRec MA-K, basic	for order 151166996/1: weinor PergoTex II engine left	
	: BiRec MA-K, basic	for order 151166996/1: weinor PergoTex II engine right	
Material cost surcharge 4,9%	: on gross position value: 345 £		16,90

value of goods	discount amount / %	net
361,90	144,76 / 40,00	217,14

value of goods	discount amount	net	VAT (0 %)	Total GBP
37.715,73	15.086,29	22.629,44	0,00	22.629,44

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151166996

Page 23 of 26

pos quantity article code

This offer is valid until 31.12.2021

delivery exw Cologne

payment: 5 days 5% discount; 30 days net

mode of dispatch UK export

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151166996

Page 24 of 26


pos quantity article code

Glass dimensions

Position 4		Side element LITE w50-c Pergotex II			prepared for 6mm (for cold use)		
quantity	form	width	height left	height right			
1	trapezium right	1166	96	267			
1	trapezium right	1166	267	438			
1	trapezium right	1166	438	609			
1	trapezium right	1166	609	779			
1	trapezium right	1166	780	950			

Position 5		Side element LITE w50-c Pergotex II			prepared for 6mm (for cold use)		
quantity	form	width	height left	height right			
1	trapezium left	1166	950	780			
1	trapezium left	1166	779	609			
1	trapezium left	1166	609	438			
1	trapezium left	1166	438	267			
1	trapezium left	1166	267	96			

Attention! These glass dimensions are not part of an order confirmation but refer to this offer only



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151166996

Page 25 of 26


pos quantity article code

Position 1 - exterior view (images similar)

isometric view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151166996

Page 26 of 26


pos quantity article code

Position 1 - exterior view (images similar)


front view



side view left



side view right



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X