

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
Hampshire, Fareham

offer (release 4)

sale offer 151167390
customer: 165708
offer date 06.12.2021
reference: SMITH SO12682/ option 1
contact person: William Abbott
E-Mail WAbbott@weinor.de
phone number: +49-221-59709-472
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

quantity	article code
----------	--------------

Please note:

BEG has been reduced to 2107 mm to keep TEW 2450 mm with minimal faisable pitch of 3 degrees

Dear sir or madam,

we are pleased to send you this offer.

Thank you for your query. We would like to offer following items, according to our general conditions of delivery and payment and subject to a concrete assessment of the technical feasibility.

Please be advised that this quote is based on a rough planning.

For the final order an exact site measuring with a detailed planning will be necessary.

Therefore dimensions and prices may vary slightly.

We hope we have been of help with this offer and are pleased to issue the order.

Please feel free to contact us at the telephone number below if you have any question.

Kind regards

i.A. William Abbott

1	1,00	2709	Terrazza
---	------	------	----------

Roofsystem

: **Terrazza S Originale**

.

: ATTENTION! Element is supplied without glass!

Permissible snow-bearing load

: 750 N/m²

External dimensions

: 3260mm x 1000mm

Depth: wall connection
profile up to INSIDE edge
of post

2.392,00

Bottom edge gutter (mm)

: 2107

mm

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code	
		Bottom edge connection to wall (mm)	: 2299 mm
		Top edge connection to wall (mm)	: 2450 mm
		Pitch of roof [°]	: 3,04 °
		Info	: Please note: The leak tightness of this Terrazza is limited due to the roof pitch being under 5°. The components in the wall gap sealing bracket must be sealed on-site in such a way so as to ensure no water can enter via the wall gap sealing bracket.
		Basic colour	: RAL 9016 white
		Covering	: 10mm prepared for 10mm LSG
		Information about roofing	: Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!
		basic element	: 101 Type A pent roof
		Seals	: silicone-containing seals
		Connection to wall left?	: No wall connection on left
		Connection to wall right?	: Continuous wall connection on right 22,00
		Distance from pivotal point - pivotal point	: 981,39 from the gutter to the wall connection profile [mm]
		Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: Yes, statics for GEs (w50-c lite side element)
		Roof support type, inner roof supports	: 110 roof support without steel
		Roof support type, outer roof supports left	: 110 roof support without steel
		Roof support type, outer roof supports right	: 110 roof support without steel
		Further transoms across all roof sections	: no
		Number of roof rafter	: 5 Piece
		Axial dimension rafter	: 791,8 mm
		Number of posts	: 2 Piece
		Post position on the left	: 53 mm
		Post position on the right	: 60 mm
		Max. distance between posts	: 5650 mm with no steel in gutter

pos	quantity	article code		
		Length of post	: 3000	mm
		Post attachment left	: Affix using standard post plates	
		Post attachment right	: Affix using standard post plates	
		Number of post base plates	: 2	Piece 62,00
		Number of caps for standard post plate	: 2	Piece 68,00
		Drain on left side?	: Drain through the left post, incl. downspout with 87° bend; undrilled post	
		Number of drains through posts incl. downpipes with bends 87° without PA	: 1	Drain through the post (without down pipe drilling) 63,00
		Number of leaf filters (length 2 m)	: 2	24,00
		Projection Sottezza [mm]	: 929,1	mm
		The specified length does account for 40 mm spacing from the wall or 20 mm from the guttering.		
		Projection of WGM	: 1056	mm
		The specified length does account for 20 mm and an overhang on the end of rafter 30 mm from the guttering.		
			:	
		Left-hand wall	: Rectangular pipe 50x30	65,00
		Exclusively for weinor-eshop orders, we further simplified installation: various assemblies are delivered in a pre-assembled state or are blocked out for installation!		
		Glasfläche [m2]	: 3,01	m ²
		Note glass area	: The glass surface concern only the roof.	
			:	
			:	
		Material cost surcharge 4,9%	: on gross position value: 2696 £	132,10
		value of goods	discount amount / %	net
		2.828,10	1.131,24 / 40,00	1.696,86

pos	quantity	article code	
-----	----------	--------------	--

3	1,00	2831	Side element LITE w50-c LHS seen from outside
---	------	------	--------------------------------------------------


Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied without glass!		
Product use	: private house		
Frame profile	: blind frame section 105 w50-c bottom blind frame section 35 w50-c top		
Width of element [mm]	: 950	mm	
Incline	: 3	Degree(s)	212,00
Installation side (as seen from inside)	: right		
Number of vertical glass panels	: one-piece		
Prepared for	: prepared for 6mm (for cold use)		
Basic colour	: RAL 9016 white		
Cardboard container	: edges reinforcement		
Material cost surcharge 4,9%	: on gross position value: 212 £		10,39

value of goods	discount amount / %	net
222,39	88,96 / 40,00	133,43

pos	quantity	article code
-----	----------	--------------

4	1,00	2851	w17 easy - the full glass sliding door LHS seen from outside
---	------	------	-----------------------------------------------------------------



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

Your weinor team

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 960 X 2107	1.022,00
type of floor rail	: standard floor rail without CleanCase with drainage holes	101,00
CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	

pos	quantity	article code
-----	----------	--------------

The max. ratio between width and height of 3:1 is with 4,1 : 1 exceeded

The vanes could tilt by sliding or leave the track.

We advise to decrease the number of the leaves or the height of the sliding door

Selection of leaves + tracks	: 2-track with 2 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	: 0	
Height of knob From bottom edge of guide track (mm)	: 1050	mm
Basic colour	: RAL 9016 white	
wall connection profile left	: yes	51,00
wall connection profile right	: yes	51,00
brush seal	: 1 x Brush profile transparent for 10 mm glass, length 2800 mm	32,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 1	x wooden pallet 159,00
Material cost surcharge 4,9%	: on gross position value: 1416 £	69,38

value of goods	discount amount / %	net
1.485,38	594,15 / 40,00	891,23

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151167390

Page 7 of 11

pos	quantity	article code
-----	----------	--------------

Position 4 - interior view (images similar)

front view



value of goods	discount amount	net	VAT (0 %)	Total GBP
4.535,87	1.814,35	2.721,52	0,00	2.721,52

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151167390

Page 8 of 11

pos quantity article code

This offer is valid until 31.12.2021

delivery exw Cologne

payment: 5 days 5% discount; 30 days net

mode of dispatch UK export

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151167390


Page 9 of 11

pos quantity article code

Glass dimensions

Position 1	Terrazza	prepared for 10mm LSG		
quantity	form	width	height	
4	rectangle	747	1008	
Position 3	Side element LITE w50-c	prepared for 6mm (for cold use)		
quantity	form	width	height left	height right
1	trapezium right	944	52	102

Attention! These glass dimensions are not part of an order confirmation but refer to this offer only



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151167390

Page 10 of 11


pos quantity article code

Position 1 - exterior view (images similar)

isometric view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151167390

Page 11 of 11


pos quantity article code

Position 1 - exterior view (images similar)


front view



side view left



side view right



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X