

Renson Outdoor

WHERE MAGIC HAPPENS



 **RENSON**[®]
Creating healthy spaces

CP Interiors

Rue des Pres. Tr. Est. 28

JE2 7QN Jersey

18/01/2022

Ref: MCLATCHIE SO12749_SO12749

CP Interiors

Rue des Pres. Tr. Est. 28
JE2 7QN Jersey

18/01/2022

Ref: MCLATCHIE SO12749_SO12749

Sales Quote

Project	Quote reference	RIO ID	Document ID
MCLATCHIE SO12749	MCLATCHIE SO12749_SO12749	AA00089464	20029909

CP Interiors

Rue des Pres. Tr. Est. 28
JE2 7QN Jersey

18/01/2022

Ref: MCLATCHIE SO12749_SO12749

Sales quote content

Quote details	4
1 - Camargue	4
Price breakdown	4
Configuration details	5
Extra documentation	11
Warranty conditions & tips	11

Notes

Quote details

1 - Camargue

Price breakdown

Description	Quantity	Unit price	Total
Renson Camargue, including Protecto, Rain Sensor, Telis 16 RTS Pure transmitter	1x	28,311.00 GBP	28,311.00 GBP
Optional Extras			
Integrated Fixscreen S1 Doorway, Serge Fabric SC0207	1x	2,072.00 GBP	2,072.00 GBP
Integrated Fixscreen S1, Serge Fabric SC0207	1x	2,372.00 GBP	2,372.00 GBP
Integrated Fixscreen P1 & P2, Serge Fabric SC0207	2x	3,875.00 GBP	7,750.00 GBP
3 Lineo Led	1x	3,010.00 GBP	3,010.00 GBP
UpDown Led : 2x Up RGB + Down White	1x	4,259.00 GBP	4,259.00 GBP
Total (excl. GST)			47,774.00 GBP

Quote details



Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

Infill to the right of the intermediate column/ shifted column

Yes

Infill S1 - right

Fixscreen



Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

Pivot 1 (P1)

Infill P1

Yes

Infill P1

Fixscreen



Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

Pivot 2 (P2)

Infill P2

Yes

Infill P2

Fixscreen

Quote details



Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

COMFORT

Lighting

Lineo Led (led blades)


Yes

Number of Lineo led

3

Color of Lineo led

Warm white



LINEO LED

Integrated dimmable LED lighting in the blades with even distribution.

- The ideal basic lighting system
- Available in warm white and pure white
- Dimmable
- LED strip extends across the full length of the blade

Updown led

Yes

Sides with UpDown LED

Pivot 1, Pivot 2

Color led 'UP'

RGB

Color led 'DOWN'

Warm white



Updown Led

Integrated dimmable LED lighting on the inside of the frame. Upwards and/or downwards for direct and/or indirect lighting.

- Basic lighting and ambient lighting combined in a single light fitting
- Available in warm white, pure white and/or RGB
- Dimmable
- High-quality IP65 LEDs

Colomno led

No

Quote details

Comfort & Design

Protecto Yes
Position P1, P2




Protecto Camargue

- Protection from wind, drifting rain, and snow between the gutter and the blades
- Maintains continuous contact with the blades thanks to an concealed hinge system
- Coated in the colour of the frame and columns
- Back orders are possible for already installed covers

Automation

Motor control Somfy RTS
Transmitter Yes
Transmitter Telis 16 RTS Pure white




Telis 16 RTS Pure

16-channel transmitter (incl. support)

Rain sensor Yes
Rain sensor Ceramic rain sensor 24V

Quote details



Rain sensor kit

Ceramic rain sensor 24V 3M Outdoor

STYLING

Colors

Color structure and columns

Color type of frame and columns

Textured

Color of frame and columns

029/10674 - TIGER BEL9010 FINE TEXTURE

Color of blades

Color blades

Same color as framework and columns

Type of fabrics

Fixscreen

Type of fabric Fixscreen/Linarte-Canvas

Fibreglass fabric Sergé

Fabric code Fixscreen


GV-0207 - FG-SC0207 WHITE-PEARL

TECHNICAL SPECS

General

Blade rotation

Sunprotection



Blade rotation - Sunprotection

Columns

Column 1A

Mounting base

Invisible reinforced

Quote details

Water drainage	Yes
Direction of water drainage	Pivot
Column 1B	
Mounting base	Invisible reinforced

Water drainage	Yes
Water drainage direction	Pivot
Column 2A	
Mounting base	Invisible reinforced

Water drainage	Yes
Water drainage direction	Pivot
Column 2B	
Mounting base	Invisible reinforced

Water drainage	Yes
Water drainage direction	Pivot

Intermediate columns

Mounting bases needed	Yes
-----------------------	-----

Intermediate column S1

Mounting base	Invisible reinforced
---------------	----------------------

Extra documentation

Warranty conditions & tips

GUARANTEE *



	Structural elements	Motors and electronic control	Coating gloss and colour	Coating adhesion	Fixscreen technology® (zips)	Crystal window in the full width
Camargue®	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Camargue® Skye	10 years**	2 years	5 years / 15 years*	10 years**	5 years	2 years
Algarve® Line	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Aero® Line	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Lapure®	5 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Façade elements	5 years	2 years	5 years / 15 years*	10 years**	-	-
Garden elements	5 years	2 years	5 years / 15 years*	10 years**	-	-

* Subject to registration and annual maintenance with the Renson® Maintenance Set

** In areas <500 m from a coastline: 5-year warranty on adhesion

*** 10-year warranty on the support structure and 5-year warranty on the mechanical parts



Register your patio cover within 15 days of installation and receive a



GUARANTEE



<http://www.renson-outdoor.com/GARANTIE>

*A 5-year guarantee applies to the colour and gloss of the coating. If you register the patio cover and annually clean and protect it with the Renson Maintenance Set, you get an extended coating warranty of up to 15 years.

Extra documentation

MAINTENANCE

EASY MAINTENANCE WITH THE RENSON MAINTENANCE SET

Your patio cover will be fully exposed to the elements for years - day in and day out. If you want to get the most out of your Renson® cover indefinitely, we recommend maintaining it regularly, i.e. once or twice a year. Regular maintenance will extend the lifespan of your cover. The following are important:

- The structure is made using powder coated aluminium. An annual cleaning with Renson Maintenance Set products will ensure that the intense colour is maintained for years, as well as providing extra protection from acid rain, sea air and UV radiation. For coastal or wooded areas, we recommend maintenance of your installations at least twice a year.
- The Renson 'Clean' is a concentrated product with strong cleaning and degreasing properties to deal with the most frequent kinds of natural filth, such as dust, oily precipitation, grease stains, moss, insect remains, etc. This product cannot be compared to other cleaning products on the market. It sinks deeply and 'lifts out' the dirt. Renson 'Clean' can also be used to clean polyester roof fabrics and vertical fibreglass screen fabrics. After cleaning, you must protect the aluminium structure with Renson 'Protect'. This leaves a protective film that allows the surface to be cleaned by simply wiping it down with a minimum amount of Renson 'Clean'. It also protects the aluminium from acid rain, sea air and UV radiation, and ensures the colour remains just as intense.
- Do not use either product in direct sunlight or in hot weather. The product's quick-drying action can leave stains on the structure or the fabric. Do not use corrosive or aggressive products, scouring pads or other scouring products. Do not use high-pressure equipment under any circumstances.

For more information about our outdoor products, you can consult [our brochure](#).