

Quotation

Quotation date	23.03.2022	CP Interiors
Quotation number	20035615	St. Saviour
Customer number	1001334	28 Rue des Pres. Tr. Est.
Your VAT number		JE2 7QN JERSEY
Currency	GBP	JERSEY
Project reference	MCLATCHIE SO12749	
Order reference	SO12749_COPY MCLATCHIE_FINA	
Validity from-to	23.03.2022 - 22.04.2022	

Incoterms DAP
Jersey

Delivery address

CP Interiors
St. Saviour
28 Rue des Pres. Tr. Est.
JE2 7QN JERSEY
JERSEY

Overview

Material	Quantity	Net amount	VAT %
001000 CAM2 CAMARGUE	1,00 PC	19.610,09	
904000 1000009 Special product configuration fee	1,00 PC	314,00	

Total before VAT	19.924,09
VAT	0,00
Total incl. VAT	19.924,09

Free of VAT, export

PAYMENT INFORMATION

Payment term 30 days end of month

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>



Creating healthy spaces

NV Renson® Sunprotection-Screens SA

Quotation

20035615

23.03.2022

For questions or remarks regarding this document, please send an email to george.bishar@renson.be

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

NV Renson® Sunprotection-Screens SA • IZ 1 Flanders Fields • Kalkhoevestraat 45 • B-8790 Waregem
+3256627111 • info@renson.eu • www.renson.eu

VAT BE 0432.549.526 • RPR Gent, afdeling Kortrijk • ING BELGIË IBAN BE08 3850 3006 5013 - BIC BBRUBEBB

Quotation

20035615

23.03.2022

Detail

Item	Material	Unit price	Quantity	Gross amount	Discount %	Net amount
001000	CAM2 CAMARGUE		1,00 PC	32.683,50		19.610,09
	Commodity code	94069090	Prefabricated aluminum buildings, sun protection structures			
	Camargue	13.627,18 GBP /	1 PC x 1,00	13.627,18		
	Camargue Line column	500,31 GBP /	1 PC x 5,00	2.501,55		
	Camargue Line reinforced mounting base	189,66 GBP /	1 PC x 3,00	568,98		
				16.697,71	40	10.018,63
	Integrated Fixscreen	1.381,03 GBP /	1 PC x 1,00	1.381,03		
	Integrated Fixscreen	1.581,59 GBP /	1 PC x 1,00	1.581,59		
	Integrated Fixscreen	2.583,30 GBP /	1 PC x 2,00	5.166,60		
				8.129,22	40	4.877,53
	3 Lineo Led	2.508,09 GBP /	1 PC x 1,00	2.508,09		
				2.508,09	40	1.504,85
	UpDown Led : 2x Up RGB + Down White	3.549,04 GBP /	1 PC x 1,00	3.549,04		
				3.549,04	40	2.129,42
	Protecto	1.339,61 GBP /	1 PC x 1,00	1.339,61		
	Rain sensor	226,10 GBP /	1 PC x 1,00	226,10		
	Telis 16 RTS Pure - 16-channel transmitter	233,73 GBP /	1 PC x 1,00	233,73		
				1.799,44	40	1.079,66
				15.985,79		9.591,46
	Configuration					
	Structure					
	Type					
	Structure	Single				
	Location					
	Location	Normal wind loads (standard)				
	Structure strength	Standard				
	Construction					
	Type					
	Roof part	Roof part 1				
	Dimensions					
	Span	3.500 mm				
	Pivot	5.000 mm				
	Passage height	2.400 mm				
	Construction method					
	Span 1	Freestanding				
	Span 2	Full wall				
	Pivot 1	Freestanding				
	Pivot 2	Freestanding				
	Columns					
	Column type 1A	Corner column				
	Overlength 1A	915- mm				
	Column type 1B	Corner column				
	Column type 2A	Corner column				
	Overlength 2A	915- mm				
	Column type 2B	Corner column				
	Intermediate columns					
	Intermediate column S1	Yes				

Quotation

20035615

23.03.2022

Position intermed. column S1	1.200 mm
Design Styles (TL)	
Design Styles (SL)	
Design Style	No
Side infills	
Span 1 (S1)	
Infill S1 - left	Fixscreen
Crystal band S1 left	No
Infill S1 - right	Fixscreen
Crystal band S1 right	No
Pivot 1 (P1)	
Infill P1	Fixscreen
Pivot 2 (P2)	
Infill P2	Fixscreen
Comfort	
Lighting	
Number of Lineo LED	3
Color Lineo LED	Warm white
Position UpDown led	Pivot 1 + 2
Color led 'UP'	RGB
Color led 'DOWN'	Warm white
Comfort & Design	
Protecto on roof part 1	Yes
Protecto side	P1 & P2
Automation	
Country of installation	United Kingdom
Motor control	Somfy RTS
Transmitter	Telis 16 RTS Pure white
Rain sensor	Ceramic rain sensor
Voltage motor	230V
Electrical certification	CE (Standard)
Styling	
Colors	
Color type frame and columns	Textured
Color code frame and columns	029/10674-TIGER BEL9010 FINE TEXTURE
Color type of blades	Same color as framework
Color blades	029/10674-TIGER BEL9010 FINE TEXTURE
Type of fabrics	
Type of fabric Fixscreen	Fibreglass fabric Sergé
Fabric code Fixscreen	FG-SC0207 WHITE-PEARL
Confection side	Confection side 1
Technical specs	
General	
Motor position	Pivot 2 (P2)
Blade rotation	Sunprotection
Columns	
Mounting base 1A	Invisible
Mounting holes in the col. 1A	Yes
Direction of water drainage 1A	Pivot
Height water drainage 1A	66 mm
Mounting base 1B	Invisible reinforced
Mounting holes in the col. 1B	Yes
Water drainage direction 1B	Pivot
Height water drainage 1B	66 mm/ 2.60" + overlength

Quotation

20035615

23.03.2022

Mounting base 2A	Invisible
Mounting holes in the col. 2A	Yes
Mounting base 2B	Invisible reinforced
Mounting holes in the col. 2B	Yes
Water drainage direction 2B	Pivot
Height water drainage 2B	66 mm/ 2.60" + overlength
Intermediate columns	
Mounting base interm. col. S1	Invisible reinforced
Mounting holes interm. col. S1	With mounting holes

904000 1000009 314,00 GBP / 1 PC 1,00 PC 314,00 314,00

Special product configuration fee

Reduce the length of legs 1A and 2A by about 915mm to fit legs on top of an existing wall. Likewise screen on P1 will also only be half height.

Cost of sliding guide package added

We do NOT want any drainage at column 2A (half and full post) 2B is now ok.

There will be 2 screens on side S1, 1 full screen on side P2, 1 half drop screen on side P1, nothing on side S2.

Motor on 1B