

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

reference: SO12759 Norman
Your order no.: SO12759
weinor customernumber: 165708
creation Date: 10.01.2022
weinor pers. in charge: William Abbott
phone / fax number: +49-221-59709-472
representat.: Chris Spickett
tel (representat.): 0044 (0) 7894443907

Dear customer,

please find your order confirmation including your required dimensions.
If ok please release your order in E-Shop on your own and can see immediately your delivery date.
Thank you very much.

You can now also stop your order faster directly online.

pos	quantity	article	price
1	1	weinor Terrazza Pure	9.837,52
Product use		: private house	
Permissible snow-bearing load		: 750 N/m ²	
External dimensions		: 6000mm x 3500mm Depth: wall connection profile up to INSIDE edge of post	6.499,00
Bottom edge gutter (mm)		: 2505,5 mm	
Bottom edge connection to wall (mm)		: 2600 mm	
Top edge connection to wall (mm)		: 2828 mm	
Basic colour		: WT029/90147 Approx. RAL 9007 Metallic	
Covering		: prepared for 10mm LSG	
Seals		: silicone-containing seals	
Connection to wall left?		: No wall connection on left	
Connection to wall right?		: Continuous wall connection on right	
Spacing between roof and wall right		: 5 mm side wall bracket	88,00
Number of roof rafter		: 7 Piece	
rafter 205 open		: 5 Piece	
Colour LED strip in roof supports		: 5 Piece	2.015,00
Axial dimension rafter		: 989,2 mm	
Sum of transoms		: 0 Piece	

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SO12759 Norman Page 2 of 15

pos	quantity	article	price
Execution		: Version 2021	
Max. distance between posts		: 3900 mm with no steel in gutter	
Number of posts		: 3	
Post type left		: Post outside	
Post position on the left		: 57,5 mm	
Dachrinne für rechten Pfosten vorbereiten?		: Right post to be delivered loosely	
Post type right		: Post center / wall	
position of centre post from left		: 2996 1st centre post from outer left-hand edge!	
Length of post		: 2600 mm	
Drain on left side?		: Drain through the left post	
Central drain?		: Drain through the 1. middle post	
Number of post base plates 116x196		: 2 Piece	
Number of post base plates 196x196		: 1 Piece	
Number of caps for post plate		: 1 Piece	32,00
Number of caps for post plate		: 2 Piece	64,00
No. Complete drainage through square outside post		: 1 incl. downspout and 87° elbow	
No. Complete drainage through square centre/wall post		: 1 incl. downspout and 87° elbow	
Doubling under left side roof support (locking bar)?		: yes	281,00
Left locking bar version		: 163x50 locking bar option under side rafter up until wall connection profile	
Sottezza-Type		: Sottezza stretch/optistretch (alle variants)	
Projection Sottezza [mm]		: 3410 mm	
mounting plates Sottezza II left rafter		: Standard 66.5 DTS mounting plate	84,00
mounting plates Sottezza II right rafter		: Standard 66.5 DTS mounting plate	84,00
Distance from Sottezza to the wall		: 20 mm	
Distance from Sottezza to the gutter		: 20 mm	
projection of WGM TOP		: 0 mm	
Left-hand wall		: 70x50 rectangular pipe	82,00
Side mains connection (230 V)		: left	

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer:	165708	reference:	SO12759 Norman	Page 3 of 15
pos	quantity	article		price
		power adapter 48 V	: Piece	149,00
		with remote control BiConnect	: Yes! Please remind the separate order!	
		Information on BiConnect	: The BiConnect has been done in 503202062 position 6!	
		Tension rod in outer left roof panel?	: yes	
		Number of tension rods	: 1 Piece	
		Weight [kg]	: 237,5 kg	
		Material cost surcharge 4,9%	: on gross position value: 9378 £	459,52
			value of goods	discount amount / %
			9.837,52	3.935,01 / 40,00
				net
				5.902,51

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SO12759 Norman Page 4 of 15

pos	quantity	article	price
-----	----------	---------	-------

2	1	weinor Sottezza II OptiStretch	3.158,54
---	---	--------------------------------	----------

Product use	: private house	
Sales order Terrazza	: 503202062	
Posn. of the sales order for Terrazza	: 1	
Number of units	: 1 Field System	
width Terrazza [mm]	: 6000 mm	
Distance centre to centre	: 5778 mm	
Width of cassette total [mm]	: 5814 mm	
Projection [mm]	: 3410 mm	2.999,00
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
Cable clips along the back of the cassette	: with cable clips along the back of the cassette	
type of control	: motor (Becker)	
Side of control (seen from the front)	: left	
with remote control BiConnect	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 503202062 position 6!	
Hirschmann plug tight?	: Hirschmann plug not assembled	12,00
Type of engine	:	
Side channel bracket	: 4 Piece	
brackets top plate	: 2 Piece	
colour of parts	:	
Colour, cassette	:	
colour front rail	:	
Colour, side channel	:	
colour of guide rail end caps	:	
colour of guide bar brackets	:	
real-design	: WE3-501 my collections	
colour of thread Saba	: light beige	
Cardboard container	: edges reinforcement	
weight	: 88 kg	
Material cost surcharge 4,9%	: on gross position value: 3011 £	147,54

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SO12759 Norman Page 5 of 15

pos	quantity	article			price
			value of goods	discount amount / %	net
			3.158,54	1.263,42 / 40,00	1.895,12

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SO12759 Norman Page 6 of 15

pos	quantity	article	price
-----	----------	---------	-------

3	1	weinor w17 easy - the full glass sliding door	3.065,18
---	---	---	----------

Product use	: private house	
Width of element [mm]	: 3440 X 2506	2.290,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
- the dimensions of the system are not covered by the existing static		
- proof of static on construction site provided by customer		
Due to the height of the element, the glass can bend up to 6mm, this can lead to a misalignment of the leaves to each other		
- the operating handle can hit the glass of the next leaf		
- the brush profiles may be pushed off the glass and will not seal tight		
Selection of leaves + tracks	: 3-track with 3 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: lock case and hung bolt	180,00
side of the handling	: handling on both sides	
Operation lockcase	: doorknob inside and outside	
type of knob	: Standard-knob; same-coloured as the construction	
leaf actuator	: leaf actuator opening and closing in sliding direction	
Version of profile cylinder?	: Standard by price list (With different key)	
Height of lock from bottom edge of guide track	: 1050 up to centre of profile cylinder (in mm)	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	51,00
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm	64,00
gap seal	: 1 x Spaltdichtungen für 10 mm Glas, Länge 2500 mm	26,00
with threshold profile	: on both sides positioned threshold profile	152,00
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 1 x wooden pallet	159,00
weight	: 232,7 kg	
Material cost surcharge 4,9%	: on gross position value: 2922 £	143,18

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SO12759 Norman Page 7 of 15

pos	quantity	article			price
			value of goods	discount amount / %	net
			3.065,18	1.226,07 / 40,00	1.839,11

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SO12759 Norman Page 8 of 15

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor w17 easy - the full glass sliding door	2.639,28
---	---	---	----------

Product use	: private house	
Width of element [mm]	: 2824 X 2506	2.055,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
- the dimensions of the system are not covered by the existing static		
- proof of static on construction site provided by customer		
Due to the height of the element, the glass can bend up to 6mm, this can lead to a misalignment of the leaves to each other		
- the operating handle can hit the glass of the next leaf		
- the brush profiles may be pushed off the glass and will not seal tight		
Selection of leaves + tracks	: 3-track with 3 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: lock case and hung bolt	180,00
side of the handling	: handling on both sides	
Operation lockcase	: doorknob inside and outside	
type of knob	: Standard-knob; same-coloured as the construction	
leaf actuator	: leaf actuator opening and closing in sliding direction	
Version of profile cylinder?	: Standard by price list (With different key)	
Height of lock from bottom edge of guide track	: 1050 up to centre of profile cylinder (in mm)	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	51,00
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm	64,00
gap seal	: 1 x Spaltdichtungen für 10 mm Glas, Länge 2500 mm	26,00
with threshold profile	: on both sides positioned threshold profile	140,00
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 191 kg	
Material cost surcharge 4,9%	: on gross position value: 2516 £	123,28

	value of goods	discount amount / %	net
	2.639,28	1.055,71 / 40,00	1.583,57

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SO12759 Norman Page 9 of 15

pos	quantity	article	price
-----	----------	---------	-------

5	1	weinor w17 easy - the full glass sliding door	2.639,28
---	---	---	----------

Product use	: private house	
Width of element [mm]	: 2824 X 2506	2.055,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
- the dimensions of the system are not covered by the existing static		
- proof of static on construction site provided by customer		
Due to the height of the element, the glass can bend up to 6mm, this can lead to a misalignment of the leaves to each other		
- the operating handle can hit the glass of the next leaf		
- the brush profiles may be pushed off the glass and will not seal tight		
Installation side (as seen from inside)	: 0	
Selection of leaves + tracks	: 3-track with 3 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System handling	: Soft-Closing-System standard	
side of the handling	: lock case and hung bolt	180,00
Operation lockcase	: handling on both sides	
type of knob	: doorknob inside and outside	
leaf actuator	: Standard-knob; same-coloured as the construction	
Version of profile cylinder?	: leaf actuator opening and closing in sliding direction	
Height of lock from bottom edge of guide track	: Standard by price list (With different key)	
Basic colour	: 1050 up to centre of profile cylinder (in mm)	
wall connection profile right	: WT029/90147 Approx. RAL 9007 Metallic	
brush seal	: yes	51,00
gap seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm	64,00
with threshold profile	: 1 x Spaltdichtungen für 10 mm Glas, Länge 2500 mm	26,00
Cardboard container packaging	: on both sides positioned threshold profile	140,00
weight	: edges reinforcement	
	: Export packaging/ glass pallet	
	: 191 kg	
Material cost surcharge 4,9%	: on gross position value: 2516 £	123,28

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SO12759 Norman Page 10 of 15

pos	quantity	article			price
		value of goods	discount amount / %		net
		2.639,28	1.055,71 / 40,00		1.583,57

6	1	weinor BiConnect			581,15
----------	----------	-------------------------	--	--	---------------

deliver BiConnect separate?	: No; supply receiver and handheld remote control with awning			
shipment info	: The pre set receivers (except LED) and the handset will be packed with contract number 503202062 pos 1!			
Receiver for motor/	: 1 BiRec MA, basic			95,00
receiver for RGB	: 1 weinor BiConnect BiRec RGB-48V			304,00
control	: weinor BiConnect BiEasy 15M Go! silver			155,00
learned on channel 1	: BiRec MA-K, basic for order 503202062/2: Sottezza II OptiStretch engine left			
learned on channel 2	: for order 503202062/1: Terrazza Pure			
Material cost surcharge 4,9%	: on gross position value: 554 £			27,15

		value of goods	discount amount / %		net
		581,15	232,46 / 40,00		348,69

value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP
21.920,95	8.768,38	13.152,57	0,00	13.152,57



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: SO12759 Norman

Page 11 of 15

isometric view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: SO12759 Norman

Page 12 of 15

front view



side view left



side view right







Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: SO12759 Norman

Page 13 of 15



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X




Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: SO12759 Norman

Page 14 of 15



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: SO12759 Norman

Page 15 of 15

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 18.1.2022.

Glass Dimensions

Position	1	Terrazza Pure	prepared for 10mm LSG		
			Width	Height left	Height right
quantity	form				
6	rectangle		919,2	3454	3454