



Delivered by DSV Road Limited



SO1CI-BGY96

Deliver
CP INTERIORS
RUE DES PRESS TRADING EST
JE2 7QPST SAVIOUR
JERSEY

Contact charmain wilding
Phone +44 (0) 1255 242242

Phone +441534768141
Delv. --
Delv. Time
Ref 202644648

Shipper
XXX WEINOR GMBH & CO. KG
MATHIAS-BRUEGGEN-STR. 110
DE-50829 KOELN OSSENDORF
GERMANY

DELIVERY ADVICE

Consignee
CP INTERIORS
RUE DES PRESS TRADING EST
JE2 7QPST SAVIOUR
JERSEY

Date 2022-07-07
Reference SOJE32-5396 SO1CI-BGY96
Terms FREE ON BOARD
F.O.B.
JERSEY
Originating member EBOO

Coll. 2022-07-06/
Unit.no DSV2030

Haulier -
Reg.no.

19 x boxes
Norman
8-52105
952759

RECEIVED
11 JUL 2022
SCANNED

DELIVERY ADVICE

El tico
2x box
3013312

All business is transacted according to trading conditions that exclude or limit the liability of the company in certain circumstances. A copy of the relevant set of conditions will be supplied upon request.

202644648

Marks & Nos	No.of	Pkg.	Contents	Weight	KG	Volume
	19	PLL	AWNININGS	GW	2500	19.050 CBM
				NW	2500	
				EW	6343	

DSV-EURPLL ____ pcs. RETURN TO DSV

ASSOCIATED FREIGHT SERVICES LTD **AS**

I N T E R N A T I O N A L F R E I G H T F O R W A R D E R S

DELIVERY ADDRESS

CP INTERIORS C/O DSV ROAD LIMITED
10 BRUNEL WAY
SEGENSWORTH INDUSTRIAL ESTATE
FAREHAM, PO15 5TX
United Kingdom

Our reference 5181/22-13-1
Your reference 202644648
Date 30/06/2022

DELIVERY NOTE

SHIPPER:

WEINOR GMBH
MATHIAS-BRUGGEN-STRASSE 110
50829 KOLN
Germany

Special Instructions:

Terms of Shipment:

Number of Packages: 19 CARTONS 622

Gross Weight: 1265.000

Description of Goods: AWNINGS
202644648

RECIEVED:

DATE:

SIGNED:

PRINT:

PALLETS/CARTONS RECIEVED IN GOOD CONDITION

8785

Subject to our terms and conditions, no claims for damages or shortages will be accepted unless made in writing within 7 days of delivery.

Unit 3E, Falcon Way off Central Way, Feltham, Middlesex TW14 0UQ

Tel: 020-8890 1066 - Fax: 020 8890 3398 - Email: info@afs-fon.co.uk - www.associatedfreight.co.uk

Registered office: Plaza Building, Lee High Road, London SE13 5PT - Registered in England No 2685525 - VAT No 584 4555 09



BRITISH INTERNATIONAL
FREIGHT ASSOCIATION



weinor Ltd 73 Cornhill EC3V 3SQ London

delivery note 223143421

Date of Print: 24.06.2022

delivery address

DSV Road Ltd

C P Interiors**Rue Des Pres Trading Estate****GB-JE2 7QN St Saviour Jersey**10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham

England



202644648

phone number: 0044-1534-768141
 customer: 165708
 representat. 654 Chris Spickett
 tel (representat.): 0044 (0) 7894443907

sales order no.: 202644648
 order date: 02.02.2022
 reference: ORDER NORMAN SO12759
 Your order no.:

pos	quantity	article code
-----	----------	--------------

1	1	2740 Terrazza Pure
---	---	--------------------

Anticipated delivery : 04.07.2022
 Lastannahmen zur Dachauslegung : .
 Quick & Easy
 Lastsystem nach Typenstatik : Terrazza Typ 1
 Lastfall Norddeutsche Tiefebene : no
 Windzone : 1 und 2 Binnenland
 Gebäudehöhe : < 10m
 Permissible snow-bearing load : 750 750 N/m²
 abrutschende Schneelast : no
 Schneeanwehung : no
 Anzahl Packstücke : 8
 : 1 Please note! You have not selected enough drains!
 Weight [kg] : 525,94 kg

2	1	2235 Sottezza II OptiStretch
---	---	------------------------------

Anticipated delivery : 04.07.2022
 Number of packages : 1
 weight : 107,32 kg
 External dimensions : 5734X3470

weinor Ltd
 73 Cornhill
 GB-EC3V 3QQ London
 weinor.com

Managing Director
 Ingo Weikmann
 General partner
 Weinor Beteiligungs-GmbH
 Köln

VAT no: 355 2381 16
 Company no: 12192016
 UTR no: 3343124084
 EORI no: GB335233116001

Domestic transfers:
 Commerzbank London
 Sort Code: 406201
 Account Number: 367 537 10

International transfers:
 Commerzbank London
 IBAN: GB33 4062 0107 5371 0
 Swift: COBLAG33 ark COBAG33X



weinor Ltd 73 Cornhill EC3N 3QQ London

C P Interiors**Rue Des Pres Trading Estate****GB-JE2 7QN St Saviour Jersey**

202644648

phone number: 0044-1534-768141
 customer: 165708
 representat. 654 Chris Spickett
 tel (representat.): 0044 (0) 7894443907

delivery note 223143421

Date of Print: 24.06.2022

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
 GB-PO15 5TX Hampshire, Fareham

England

sales order no.: 202644648
 order date: 02.02.2022
 reference: ORDER NORMAN SO12759
 Your order no.:

pos	quantity	article code
-----	----------	--------------

1	1	2740 Terrazza Pure
---	---	--------------------

Anticipated delivery : 04.07.2022
 Lastannahmen zur Dachauslegung :
 Quick & Easy
 Lastsystem nach Typenstatik : Terrazza Typ 1
 Lastfall Norddeutsche Tiefebene : no
 Windzone : 1 und 2 Binnenland
 Gebäudehöhe : < 10m
 Permissible snow-bearing load : 750 750 N/m²
 abrutschende Schneelast : no
 Schneeanwehung : no
 Anzahl Packstücke : 8
 : 1
 Please note! You have not selected enough drains!
 Weight [kg] : 525,94 kg

2	1	2235 Sottezza II OptiStretch
---	---	------------------------------

Anticipated delivery : 04.07.2022
 Number of packages : 1
 weight : 107,32 kg
 External dimensions : 5734X3470

weinor Ltd
 73 Cornhill
 GB-EC3N 3QQ London
 weinor.com

Managing Director
 Inho Weiermann
 General partner
 Weinor Beteiligungs-GmbH
 Köln

VAT no: 355258136
 Company no: 12993026
 UTR no: 334212435-4
 EORI no: GB355258136001

Domestic transfers:
 Commerzbank London
 Sort Code: 400201
 Account Number: 907 637 10

International transfers:
 Commerzbank London
 IBAN: GB51 0084 4062 0030 7537 10
 Swift: CTFC33GB22 030 COEAG82X

weinor Ltd. 73 Cornhill EC3N 3QQ London

pos	quantity	article code	
3	1	2557	BiConnect
		Anticipated delivery	: 04.07.2022
		Number of packages	: 0
			The BiConnect has been packed with pos 202644648/1!
4	1	2851	w17 easy - the full glass sliding door LHS seen from outside
		Anticipated delivery	: 04.07.2022
		Number of packages	: 4
		weight	: 227,56 kg
		Width of element [mm]	: 3390 X 2477
		packaging	: 5
			Export packaging/ glass pallet
5	1	2851	w17 easy - the full glass sliding door Front / Behind post
		Anticipated delivery	: 04.07.2022
		Number of packages	: 6
		weight	: 403,84 kg
		Width of element [mm]	: 5820 X 2477
		packaging	: 5
			Export packaging/ glass pallet

mode of dispatch UK export

date _____ signature _____

delivery exw Cologne
weight 1264,66 kg
package 19 Stk.

weinor Ltd
73 Cornhill
GB-EC3N 3QQ London
weinor.com

Managing Director
Tilo Weiermann
General partner
Weinor Beteiligungs GmbH
Keln

VAT no: DE255179
Company no: 113193006
UTR no: 2343124084
EORI no: GB95258110000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 30753710

International transfers:
Commerzbank London
IBAN: GB31 2088 4062 0130 7537 10
Swift: MIDLGB22 AIR COBAG02X

Completed Unit from Weinor
to check & amend.

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham

ORDER CONFIRMATION (release 1)

sales order no.:	202644648 of 02.02.2022
customer:	165708
reference:	ORDER NORMAN SO12759
Your order no.:	
contact person:	William Abbott
E-Mail	WAbbott@weinor.de
phone number:	+49-221-59709-472
representat.	654 Chris Spickett
tel (representat.):	0044 (0) 7894443907

Dear Weinor Partner,

with immediate effect our new bank account for the weinor Ltd. is active and can be used !

We kindly ask you to send and place all payment in the favour of weinor Ltd. to the following Bank Details.

Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
In favour of : Weinor Ltd.

Thank you very much for your support.

Vincent suggested 5 transoms of RGB Lighting
is too much, reduce to 3.
Emailed David, confirmed by phone with RA 24-02.
price to be adjusted in final payment.

weinor Ltd 73 Cornhill EC3V3QQ London

customer: 165708 sales order 202644648

Page 3 of 19

pos	quantity	article code
-----	----------	--------------

Product use	:	private house	
Permissible snow-bearing load	:	750 N/m ²	
abrutschende Schneelast	:	no	
Schneeanwehung	:	no	
cost reduction	:		-570,20
Explanation of reduced price	:	Adjusted 2021 prices	

basic data

External dimensions	:	5920mm x 3560mm	Depth: wall connection profile up to INSIDE edge of post	7.409,00
Bottom edge gutter (mm)	:	2477,5	mm	
Bottom edge connection to wall (mm)	:	2572	mm	
Top edge connection to wall (mm)	:	2800	mm	
Basic colour	:	WT029/70786 Sparkling Iron Effect		
Covering	:	10mm	prepared for 10mm LSG	
Seals	:	silicone-containing seals		
Connection to wall left?	:	No wall connection on left		
Connection to wall right?	:	Continuous wall connection on right		
Spacing between roof and wall right	:	5 mm side wall bracket		96,00

In the case of a one-sided lateral wall, the drainage of the wall connection profile to the free side must take place during installation. Seal the drainage channel in the niche corner.

roof girder

Number of roof rafter	:	7	Piece	
rafter 205 open	:	3	Piece	
rafter 205 closed	:	2	Piece	
Colour LED strip in roof supports	:	3	Piece	1.621,00
Axial dimension rafter	:	975,8	mm	

Transom

Sum of transoms	:	0	Piece	
-----------------	---	---	-------	--

weinor Ltd
73 Cornhill
GB-EC3V3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

alignment products

Sottezza-Type	:	Sottezza stretch/optistretch (alle variants)	
Projection Sottezza [mm]	:	3470	mm
mounting plates Sottezza II left rafter	:	Standard 66.5 DTS mounting plate	93,00
mounting plates Sottezza II right rafter	:	Standard 66.5 DTS mounting plate	93,00
Distance from Sottezza to the wall	:	20	mm
Distance from Sottezza to the gutter	:	20	mm
projection of WGM TOP	:	0	mm
Left-hand wall	:	70x50 rectangular pipe	89,00

accessorie

Side mains connection (230 V)	:	right	
power adapter 48 V	:	Piece	149,00
with remote control BiConnect	:	Yes! Please remind the separate order!	
Information on BiConnect	:	The BiConnect has been done in 202644648 position 3!	
Number of leaf filters (length 2 m)	:	3	39,00
Tension rod in outer left roof panel?	:	yes	
Number of tension rods	:	1	Piece
50 x 100 mm frame extensions	:	2	Piece
Length of 50 x 100 mm frame extension	:	2500	mm 534,00
50 x 10 mm clip profiles	:	2	Piece
Length of 50 x 10 mm clip profile	:	2500	mm 120,00

miscellaneous

Glasfläche [m2]	:	19,1	m ²
Note glass area	:	The glass surface concern only the roof.	

The company weinor GmbH & Co. KG manufactures the construction product corresponding to DIN 1090 EXC1, production tolerances for welding corresponding to DIN EN 13920 B/B/F, welding seam types corresponding to DIN EN ISO 5817- C, for aluminium corresponding to DIN EN ISO 10042 –C.

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202644648

Page 7 of 19

pos	quantity	article code
-----	----------	--------------

2	1,00	2235	Sottezza II OptiStretch
---	------	------	-------------------------

Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.

Product use : private house

Sales order Terrazza : 202644648

Posn. of the sales order for Terrazza : 1

Number of units : 1 Field System

width Terrazza [mm] : 5920 mm

Distance centre to centre : 5698 mm

Width of cassette total [mm] : 5734 mm

Projection [mm] : 3470 mm

3.272,00

Basic colour : WT029/70786 Sparkling Iron Effect

Cable clips along the back of the cassette : without cable clips along the back of the cassette

type of control : Motor (Becker)

Side of control (seen from the front) : right

with remote control BiConnect : Yes! Please remind the separate order!

Information on BiConnect : The BiConnect has been done in 202644648 position 3!

Hirschmann plug tight? : Hirschmann plug not assembled

13,00

Type of engine : Motor R20-17-E12-V1+ ohne Zubehör

Side channel bracket : 4 Piece

brackets top plate : 2 Piece

real-design : WE4-296 my collections

Attention:

For optimal tension and smooth running of the fabric, the diagonal measurements must be correct.

The cloth must also be correctly centered.

colour of thread Saba : yellow

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202644648

Page 9 of 19

pos	quantity	article code
-----	----------	--------------

4	1,00	2851	w17 easy - the full glass sliding door LHS seen from outside
---	------	------	---

**w17 easy XXL**

Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

Your weinor team

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 3390 X 2477	2.410,00
type of floor rail	: standard floor rail without CleanCase with drainage holes	110,00
CleanCase left (from inside)	: no	

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202644648

Page 11 of 19


pos	quantity	article code
-----	----------	--------------

Weight of leaf	:	70	kg
weight	:	226,9	kg

value of goods	discount amount / %	net
2.838,60	1.135,44 / 40,00	1.703,16

Position 4 - interior view (images similar)

front view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos quantity article code

CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	
- the dimensions of the system are not covered by the existing static		
- proof of static on construction site provided by customer		
Due to the height of the element, the glass can bend up to 6mm, this can lead to a misalignment of the leaves to each other		
- the operating handle can hit the glass of the next leaf		
- the brush profiles may be pushed off the glass and will not seal tight		
Selection of leaves + tracks	: 5-track with 5 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling inside	
leaf actuator	: leaf actuator opening and closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
extra operation for the endleaf	: handle bar standard	111,00
knob inside/ on both sides for the endleaf	: handling inside	
lock inside for endleaf	: installed Active door locks on the inside	
Height of knob From bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/70786 Sparkling Iron Effect	
wall connection profile left	: yes	57,00
wall connection profile right	: yes	57,00
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm	140,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
cost reduction	: 242,6	-242,60
Explanation of reduced price	: Adjusted 2021 prices	
extra charge free	: 150	150,00
explanation of extra charge	: Sonderengineering	

Dear Sir or Madam,

due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne
 payment: 5 days 5% discount; 30 days net
 mode of dispatch UK export

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202644648

Page 17 of 19

Position 1 - exterior view (images similar)

front view



side view left



side view right



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202644648

Page 19 of 19

Glass dimensions

Position 1 Terrazza Pure		prepared for 10mm LSG	
quantity	form	width	height
6	rectangle	905,8	3514

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



NOBO Nr. 0035

Weinor GmbH & Co. KG
Mathias-Brüggen-Str. 110
50829 Köln, Deutschland

2017

Siehe Auftragsnummer!!!

EN 1090-1: 2009 + A1: 2011

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.


Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißseignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		EN 1090-1: 2009 + A1: 2011
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	

202644648

Discuss between Adrian + Visou

17.02.2022

70x50



2xRV 100x50
2x clips 50x10



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey

sales order no.: 503350839
reference: El Tico
Your order no.: SO13312b
weinor customernumber: 165708
creation Date: 19.05.2022
weinor pers. in charge: William Abbott
phone / fax number: +49-221-59709-472
representat.: Chris Spickett
tel (representat.): 0044 (0) 7894443907

*Requested Extra
brackets
Done*

pos	quantity	article	price
1	1	weinor Kubata LED	4.855,00
		Product use : gastronomy	
		width (mm) : 7000 mm ✓	
		Projection [mm] : 2500 mm ✓	
		no. of arms : 2 Piece	
		Number of shiner (total) : 12 Piece	
		With Back plate : yes	
		Basic colour : WT029/90147 Approx. RAL 9007 Metallic	
		real-design : WE3-509 my collections	
		Glue fabric? : no, sewn fabric	
		colour of thread Saba : RAL 7001 Silver grey	
		type of control : engine	
		Side of control (seen from the front) : left ✓	
		with remote control BiConnect : Yes! Please remind the separate order!	
		Information on BiConnect : The BiConnect has been done in 503350839 position 3!	
		electrical engine connection : 125090-0000 Kabel 3G1 L4200 OE/AMP2 V2	
		Type of engine :	
		insulation [mm] : 0 mm	
		bracket type 1 : top fixing (two parts)	
		number of brackets 1 : 3 Piece	171,00
		FB1 Force 1 per fixing point : 7042 N	
		M = Torque per folding arm : 839 Nm	
		rear wall punching : standard	
		Bracket position KS 1 left [mm] : 460 mm	
		bracket position KS 1 right [mm] : 460 mm	
		bracket position KS 3 [mm] : 3355 mm	

RA checked

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

AS

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: El Tico Page 3 of 5
 pos quantity article price

2 1 weinor Kubata LED 4.855,00

Product use : gastronomy
 width (mm) : 7000 mm
 Projection [mm] : 2500 mm 4.684,00
 no. of arms : 2 Piece
 Number of shiner (total) : 12 Piece
 With Back plate : yes
 Basic colour : WT029/90147/Approx. RAL 9007 Metallic
 real-design : WE3-509 my collections
 Glue fabric? : no, sewn fabric
 colour of thread Saba : RAL 7001 Silver grey
 type of control : engine
 Side of control (seen from the front) : right ✓

with remote control BiConnect : Yes! Please remind the separate order!
 Information on BiConnect : The BiConnect has been done in 503350839 position 3!
 electrical engine connection : 125090-0000 Kabel 3G1 L4200 OE/AMP2 V2
 Type of engine :
 insulation [mm] : 0 mm
 bracket type 1 : top fixing (two parts)
 number of brackets 1 : 3 Piece 171,00
 FB1 Force 1 per fixing point : 7042 N
 M = Torque per folding arm : 839 Nm
 rear wall punching : standard
 Bracket position KS 1 left [mm] : 460 mm
 bracket position KS 1 right [mm] : 460 mm
 bracket position KS 3 [mm] : 3355 mm
 arm position A1 left : 550 mm
 arm position A1 right : 550 mm
 Cardboard container : edges reinforcement

value of goods	discount amount / %	net
4.855,00	1.942,00 / 40,00	2.913,00

weinor Ltd
 73 Cornhill
 GB-EC3V 3QQ London
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: 335 2381 16
 Company no.: 12193066
 UTR no.: 33431 24084
 EORI no.: GB335238116000

Domestic transfers:
 Commerzbank London
 Sort Code: 406201
 Account Number: 307 537 10

International transfers:
 Commerzbank London
 IBAN: GB51 COBA 4062 0130 7537 10
 Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer:	165708	reference:	El Tico	Page 5 of 5	
pos	quantity	article			price
999	1	weinor Netto-Materialkostenzuschlag			112,00
price per unit		: 112			112,00
		value of goods	discount amount / %		net
		112,00	0,00 / 0,00		112,00
value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP	
11.023,00	4.364,40	6.658,60	0,00	6.658,60	