

Renson Outdoor

# WHERE MAGIC HAPPENS



 **RENSON**<sup>®</sup>  
Creating healthy spaces

## **CP Interiors**

Rue des Pres. Tr. Est. 28

JE2 7QN Jersey

25/01/2022

Ref: Cummins SO12788\_SO12788

**CP Interiors**

Rue des Pres. Tr. Est. 28  
JE2 7QN Jersey

25/01/2022

Ref: Cummins SO12788\_SO12788

## Sales Quote

---

<b>Project</b>	<b>Quote reference</b>	<b>RIO ID</b>	<b>Document ID</b>
Cummins SO12788	Cummins SO12788_SO12788	AA00091898	20030725

### Quote details

---

1x	1 - Camargue	59,151.00	GBP
<b>Total (excl. GST)</b>		<b>59,151.00</b>	<b>GBP</b>

**CP Interiors**

Rue des Pres. Tr. Est. 28  
JE2 7QN Jersey

25/01/2022

Ref: Cummins SO12788\_SO12788

**Sales quote content**

---

Quote details	4
1 - Camargue	4
Price breakdown	4
Configuration details	5
Extra documentation	12
Warranty conditions & tips	12

**Notes**

---

# Quote details

## 1 - Camargue

### Price breakdown

#### 1.1 - CAMARGUE

Description	Quantity	Unit price	Total
Camargue, including protecto, rain sensor and waterproof wall connection	1x	49,481.00 GBP	49,481.00 GBP
Integrated Fixscreen	2x	3,123.00 GBP	6,246.00 GBP
Integrated Fixscreen	1x	3,424.00 GBP	3,424.00 GBP
<b>Total (excl. GST)</b>			<b>59,151.00 GBP</b>

# Quote details

## Configuration details

---

### STRUCTURE

#### Type

Camargue structure 2-parts coupled at pivot side

#### 1.1 - Camargue

### CONSTRUCTION

#### Dimensions

Span C1	3750mm
Pivot C1	4200mm
Passage height	2500mm

#### Construction method

Span 1	Freestanding
Span 2	Full wall
Pivot 1	Full wall

#### Columns

##### Column 1A

Column type No column

##### Column 1B

Column type No column

##### Column 2A

Column type Corner column

##### Column 2B

Column type Corner column

### SIDE INFILLS

#### Span 1 (S1)

Infill S1	Yes
Infill S1	Fixscreen

## Quote details



### Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

## COMFORT

### Lighting

Colomno led No

### Comfort & Design

Protecto Yes

Position P1, P2



### Protecto Camargue

- Protection from wind, drifting rain, and snow between the gutter and the blades
- Maintains continuous contact with the blades thanks to an concealed hinge system
- Coated in the colour of the frame and columns
- Back orders are possible for already installed covers


### Automation

Motor control Somfy RTS

Transmitter Yes

Transmitter Situo 5 RTS Pure II

## Quote details



### Situo 5 RTS Pure II


5-channel transmitter (incl. support)

Rain sensor

Yes

Rain sensor

Ceramic rain sensor 24V



### Rain sensor kit

Ceramic rain sensor 24V 3M Outdoor

## STYLING

### Colors

#### Color structure and columns

Color type of frame and columns

Textured

Color of frame and columns

AE03057704420 - AXALTA RAL7044 FINE TEXTURE

#### Color of blades

Color blades

Same color as framework and columns

### Type of fabrics

#### Fixscreen

Type of fabric Fixscreen/Linarte-Canvas

Fibreglass fabric Sergé

Fabric code Fixscreen

GV-1002 - FG-SC1002 SAND-WHITE


## TECHNICAL SPECS

### General

Blade rotation

Sunprotection

# Quote details



Blade rotation - Sunprotection

### Columns

#### Column 2A

Mounting base Invisible reinforced

Water drainage Yes

Water drainage direction Pivot

#### Column 2B

Mounting base Invisible reinforced

Water drainage Yes

Water drainage direction Downwards

## 1.2 - Camargue

### CONSTRUCTION

#### Dimensions

Span C2 3750mm

Pivot C2 4200mm

Passage height 2500mm

#### Construction method

Span 1 Freestanding

Span 2 Full wall

Pivot 2 Freestanding

### Columns

#### Column 1B

Column type Corner column

#### Column 2B

Column type Corner column

# Quote details

## SIDE INFILLS

### Span 1 (S1)

Infill S1

Yes

Infill S1

Fixscreen



### Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

### Pivot 2 (P2)

Infill P2

Yes

Infill P2

Fixscreen



### Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

## COMFORT

### Lighting

Colomno led

No

### Comfort & Design

Protecto

Yes

Position

P1, P2

## Quote details



### Protecto Camargue

- Protection from wind, drifting rain, and snow between the gutter and the blades
- Maintains continuous contact with the blades thanks to an concealed hinge system
- Coated in the colour of the frame and columns
- Back orders are possible for already installed covers

### Automation

Motor control


Somfy RTS

Rain sensor

Yes

Rain sensor

Ceramic rain sensor 24V



### Rain sensor kit

Ceramic rain sensor 24V 3M Outdoor

## STYLING

### Colors

#### Color structure and columns

Color type of frame and columns

Textured

Color of frame and columns

AE03057704420 - AXALTA RAL7044 FINE TEXTURE

#### Color of blades

Color blades

Same color as framework and columns

### Type of fabrics

#### Fixscreen

Type of fabric Fixscreen/Linarte-Canvas

Fibreglass fabric Sergé

Fabric code Fixscreen

GV-3231 - GV-SC3231 DUCK EGG


## TECHNICAL SPECS

### General

Blade rotation

Sunprotection

## Quote details



### Blade rotation - Sunprotection

#### Columns

##### Column 1B

Mounting base

Invisible reinforced

Water drainage

Yes

Water drainage direction

Pivot

##### Column 2B

Mounting base

Invisible reinforced

Water drainage

Yes

Water drainage direction

Pivot

# Extra documentation

## Warranty conditions & tips

### GUARANTEE \*



	Structural elements	Motors and electronic control	Coating gloss and colour	Coating adhesion	Fixscreen technology® (zips)	Crystal window in the full width
Camargue®	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Camargue® Skye	10 years**	2 years	5 years / 15 years*	10 years**	5 years	2 years
Algarve® Line	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Aero® Line	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Lapure®	5 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Façade elements	5 years	2 years	5 years / 15 years*	10 years**	-	-
Garden elements	5 years	2 years	5 years / 15 years*	10 years**	-	-

\* Subject to registration and annual maintenance with the Renson® Maintenance Set

\*\* In areas <500 m from a coastline: 5-year warranty on adhesion

\*\*\* 10-year warranty on the support structure and 5-year warranty on the mechanical parts



Register your patio cover within 15 days of installation and receive a



GUARANTEE



<http://www.renson-outdoor.com/GARANTIE>

\*A 5-year guarantee applies to the colour and gloss of the coating. If you register the patio cover and annually clean and protect it with the Renson Maintenance Set, you get an extended coating warranty of up to 15 years.

# Extra documentation

## MAINTENANCE

### EASY MAINTENANCE WITH THE RENSON MAINTENANCE SET

Your patio cover will be fully exposed to the elements for years - day in and day out. If you want to get the most out of your Renson® cover indefinitely, we recommend maintaining it regularly, i.e. once or twice a year. Regular maintenance will extend the lifespan of your cover. The following are important:

- The structure is made using powder coated aluminium. An annual cleaning with Renson Maintenance Set products will ensure that the intense colour is maintained for years, as well as providing extra protection from acid rain, sea air and UV radiation. For coastal or wooded areas, we recommend maintenance of your installations at least twice a year.
- The Renson 'Clean' is a concentrated product with strong cleaning and degreasing properties to deal with the most frequent kinds of natural filth, such as dust, oily precipitation, grease stains, moss, insect remains, etc. This product cannot be compared to other cleaning products on the market. It sinks deeply and 'lifts out' the dirt. Renson 'Clean' can also be used to clean polyester roof fabrics and vertical fibreglass screen fabrics. After cleaning, you must protect the aluminium structure with Renson 'Protect'. This leaves a protective film that allows the surface to be cleaned by simply wiping it down with a minimum amount of Renson 'Clean'. It also protects the aluminium from acid rain, sea air and UV radiation, and ensures the colour remains just as intense.
- Do not use either product in direct sunlight or in hot weather. The product's quick-drying action can leave stains on the structure or the fabric. Do not use corrosive or aggressive products, scouring pads or other scouring products. Do not use high-pressure equipment under any circumstances.

For more information about our outdoor products, you can consult [our brochure](#).