

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham

ORDER CONFIRMATION (release 1)

sales order no.:	202653723 of 10.03.2022
customer:	165708
reference:	Morgan Dixon Sempra
Your order no.:	
contact person:	William Abbott
E-Mail	WAbbott@weinor.de
phone number:	+49-221-59709-472
representat.	654 Chris Spickett
tel (representat.):	0044 (0) 7894443907

Dear Weinor Partner,

with immediate effect our new bank account for the weinor Ltd. is active and can be used !

We kindly ask you to send and place all payment in the favour of weinor Ltd. to the following Bank Details.

Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
In favour of : Weinor Ltd.

Thank you very much for your support.

weinor Ltd 73 Cornhill EC3V 3QQ London

pos	quantity	article code
-----	----------	--------------

1	1,00	2709	Terrazza
---	------	------	----------

Roofsystem : **Terrazza S Sempra**

. : ATTENTION! Element is supplied without glass!

Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.

Lastannahmen zur Dachauslegung Quick & Easy

Lastsystem nach Typenstatik : Terrazza Typ 1

Lastfall Norddeutsche Tiefebene : no

Windzone : 1 und 2 Binnenland

Gebäudehöhe : < 10m

Permissible snow-bearing load : 750 N/m²

abrutschende Schneelast : no

Schneeanwehung : no

version gutter : **gutter 220x113****Gutter 220 with VertiTex II** : **Yes, for round VertiTex II****Shall the backside of the gutter 220 be prepared for UBE to be fitted behind the posts / gutter ?** : **no, roof gutter 220 should be without GE preparation**

External dimensions : 6800mm x 2300mm Depth: wall connection profile up to INSIDE edge of post 5.986,00

Bottom edge gutter (mm) : 2300 mm

Bottom edge connection to wall (mm) : 2800 mm

Top edge connection to wall (mm) : 2952 mm

Pitch of roof [°] : 7,44 °

Basic colour : WT029/80077 Approx. DB 703 Metallic

Covering : 10mm prepared for 10mm LSG

Information about roofing : Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

basic element	: 101	Type A pent roof	
Seals	: silicone-containing seals		
Connection to wall left?	: No wall connection on left		
Connection to wall right?	: No wall connection on right		
Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: Yes, statics for GEs (w50-c lite side element)		
bottom edge of GE (trapeze) on the left side	: is flush with bottom edge gutter		
bottom edge of GE (trapeze) on the right side	: is flush with bottom edge gutter		
Roof support type, inner roof supports	: 110 roof girder without steel		
Roof support type, outer roof supports left	: 110 roof girder without steel		
Roof support type, outer roof supports right	: 110 roof girder without steel		
Further transoms across all roof sections	: no		
Number of additional rafter	: 1 Additional rafter		255,00
Axial dimension rafter	: 839,2	mm	
version post	: square post		
Post type left	: Post outside		
Post type right	: Post outside		
Number of posts	: 2	Piece	
Post position on the left	: 60,5	mm	
Post position on the right	: 60,5	mm	
Maximum spacing for posts when gutter has steel 180	: 6800	mm for steel 180 in gutter	
Length of post	: 2600	mm	
Please note that the standard length for square posts is 2600mm!			
Steel reinforcement for roof gutter	: 3	With 180x12 mm steel	710,00
Deliver steel loose	: yes, deliver steel separately (for on-site insertion		
Weight for roof gutter with steel	: 162,6	kg	
Post attachment left	: 196x196 post plate		

pos	quantity	article code		
		Post attachment right	: 196x196 post plate	
		Number of post base plates 196x196	: 2	Piece
		Number of caps for post plate	: 2	Piece
		Drain on right side?	: Drain through the right post	
		Number of drains through posts incl. down pipes with bends 87°	: 1	incl. downspout and 87° elbow
			:	
		Cover profile to protect the front glass edges	: 114926	Angle cover profile 15x20
		Provision for fitting Sottezza.	: 8	Piece
		Sottezza-Type	: Sottezza stretch/optistretch (alle variants)	
		Substructure elements available (from outside)	: UBB	glazing elements on both sides
		Projection Sottezza [mm]	: 2252,9	mm
		The specified length does account for 40 mm spacing from the wall or 20 mm from the guttering.		
		Distance from Sottezza to the wall	: 40	mm
		Distance from Sottezza to the gutter	: 20	mm
		Projection of WGM	: 2412	mm
		The specified length does account for 20 mm and an overhang on the end of rafter 30 mm from the guttering.		
		Preparation for LED Design light bar below roof support?	: yes	
		How many rafters to be prepared for light bars ?	: 3	Piece
		Do you want a cable track with the wall connection ?	: no	
			:	
		Left-hand wall	: Rectangular pipe 50x30	80,00
		Right-hand wall	: Rectangular pipe 70x30 Rectangular pipe 50x30	135,00

Exclusively for weinor-eshop orders, we further simplified installation: various assemblies are delivered in a pre-assembled state or are blocked out for installation!

Glasfläche [m2] : 14,92 m²

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 5 of 24

pos	quantity	article code
-----	----------	--------------

Note glass area	:	The glass surface concern only the roof.
	:	
	:	
Weight [kg]	:	227,5 kg

The company weinor GmbH & Co. KG manufactures the construction product corresponding to DIN 1090 EXC1, production tolerances for welding corresponding to DIN EN 13920 B/B/F, welding seam types corresponding to DIN EN ISO 5817- C, for aluminium corresponding to DIN EN ISO 10042 –C.

value of goods	discount amount / %	net
7.492,00	2.996,80 / 40,00	4.495,20

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 6 of 24

pos	quantity	article code
-----	----------	--------------

4	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--



Sehr geehrter weinor Fachpartner,

vielen Dank für die Bestellung einer Glas-Schiebewand w17 easy, die aus verschiedenen Glaselementen besteht.

Bitte beachten Sie:

Feuchtigkeit auf den Glaselementen kann zu optischen Auffälligkeiten führen, wie z.B. Kondensabdrücken. Solche optische Auffälligkeiten sind nur dann vermeidbar, wenn die Scheiben in trockenem Zustand angeliefert wurden und bei der anschließenden Lagerung oder Transport der Glaselemente zu Ihren Kunden unbedingt darauf geachtet wird, dass diese trocken zu lagern und zu transportieren sind.

Sollten Sie bei Anlieferung Mängel/Schäden feststellen, sind diese uns gegenüber unverzüglich anzuzeigen und unbedingt auf dem Lieferschein zu vermerken. Im anderen Fall gilt die Ware als genehmigt.

Bitte beachten Sie zusätzlich unsere Hinweise zu Glas im Download-Center des Fachpartner-Bereichs.

Ihr weinor-Team

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
	:	
Product use	: private house	
Width of element [mm]	: 2260 X 2300	1.791,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

CleanCase right (from inside)	:	yes	
Selection of leaves + tracks	:	3-track with 3 leaves	
Position of active leaf?	:	right, as seen from inside	
Direction of opening	:	sliding to the left	
Glazing	:	10 mm toughened safety glass, clear	
Soft-Closing-System	:	Soft-Closing-System standard	
handling	:	cup pull handle with A4 stainless steel attachment	83,00
leaf actuator	:	leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	:	Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	:	0	
Height of knob from bottom edge of guide track (mm)	:	1050	mm
Basic colour	:	WT029/80077 Approx. DB 703 Metallic	
wall connection profile right	:	yes	57,00
brush seal	:	2 x Brush profile transparent for 10 mm glass, length 2800 mm	70,00
gap seal	:	1 x Spaltdichtungen für 10 mm Glas, Länge 2800 mm	28,00
Note	:	Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	:	edges reinforcement	
packaging	:	Export packaging/ glass pallet	
extra charge glass pallet	:	1	x wooden pallet 173,00
Weight of leaf	:	43,3	kg
weight	:	141,2	kg

value of goods	discount amount / %	net
2.202,00	880,80 / 40,00	1.321,20


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 8 of 24

pos	quantity	article code
-----	----------	--------------

5	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--



Sehr geehrter weinor Fachpartner,

vielen Dank für die Bestellung einer Glas-Schiebewand w17 easy, die aus verschiedenen Glaselementen besteht.

Bitte beachten Sie:

Feuchtigkeit auf den Glaselementen kann zu optischen Auffälligkeiten führen, wie z.B. Kondensabdrücken. Solche optische Auffälligkeiten sind nur dann vermeidbar, wenn die Scheiben in trockenem Zustand angeliefert wurden und bei der anschließenden Lagerung oder Transport der Glaselemente zu Ihren Kunden unbedingt darauf geachtet wird, dass diese trocken zu lagern und zu transportieren sind.

Sollten Sie bei Anlieferung Mängel/Schäden feststellen, sind diese uns gegenüber unverzüglich anzuzeigen und unbedingt auf dem Lieferschein zu vermerken. Im anderen Fall gilt die Ware als genehmigt.

Bitte beachten Sie zusätzlich unsere Hinweise zu Glas im Download-Center des Fachpartner-Bereichs.

Ihr weinor-Team

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
	:	
Product use	: private house	
Width of element [mm]	: 6564 X 2300	4.703,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

CleanCase right (from inside)	:	yes	
Selection of leaves + tracks	:	4-track with 8 leaves (lock plate version)	
Direction of opening	:	sliding to the left and the right	
Glazing	:	10 mm toughened safety glass, clear	
Soft-Closing-System	:	Soft-Closing-System standard	
handling	:	cup pull handle with A4 stainless steel attachment	166,00
leaf actuator	:	leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	:	Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	:	0	
Height of knob from bottom edge of guide track (mm)	:	1050 mm	
Basic colour	:	WT029/80077 Approx. DB 703 Metallic	
brush seal	:	6 x Brush profile transparent for 10 mm glass, length 2800 mm	210,00
gap seal	:	4 x Spaltdichtungen für 10 mm Glas, Länge 2800 mm	56,00
Note	:	Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	:	edges reinforcement	
packaging	:	Export packaging/ glass pallet	
extra charge glass pallet	:	1 x wooden pallet	173,00
Weight of leaf	:	47,2 kg	
weight	:	410,2 kg	

value of goods	discount amount / %	net
5.308,00	2.123,20 / 40,00	3.184,80

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 10 of 24

pos	quantity	article code
-----	----------	--------------

7	1,00	2235	Sottezza II OptiStretch
---	------	------	-------------------------

Scheduling delivery	:	Please contact your person in charge for planning the expected date of delivery.	
Product use	:	private house	
Sales order Terrazza	:	202653723	
Posn. of the sales order for Terrazza	:	1	
LED Design light bar below roof support?	:	yes	
Number of units	:	single unit	
width Terrazza [mm]	:	6800	mm
Distance centre to centre field	:	3308	mm
Width of cassette total [mm]	:	3344	mm
Projection [mm]	:	2252,9	mm
			2.103,00
Basic colour	:	WT029/80077 Approx. DB 703 Metallic	
Note on distance bar:	:	The distance profile has to be mounted when you are fixing the light bar Lux-Design.	
Cable clips along the back of the cassette	:	with cable clips along the back of the cassette	
type of control	:	Motor (Becker)	
Side of control (seen from the front)	:	right	
with remote control BiConnect	:	Yes! Please remind the separate order!	
Information on BiConnect	:	The BiConnect has been done in 202653723 position 10!	
	:		
Type of engine	:	Motor R20-17-E12-V1+ ohne Zubehör	
Side channel bracket	:	2	Piece
brackets top plate	:	2	Piece
real-design	:	WE3-719	my collections

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 11 of 24

pos	quantity	article code
-----	----------	--------------

Attention:

For optimal tension and smooth running of the fabric, the diagonal measurements must be correct.

The cloth must also be correctly centered.

colour of thread Saba	: RAL 7001 Silver grey		
100 x 30 x 35 mm rectangular pipes with Screwset	: 4	Piece	48,00
	:		
Cardboard container weight	: edges reinforcement		
	: 55	kg	

value of goods	discount amount / %	net
2.151,00	860,40 / 40,00	1.290,60

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 12 of 24

pos	quantity	article code
-----	----------	--------------

8	1,00	2235	Sottezza II OptiStretch
---	------	------	-------------------------

Scheduling delivery	:	Please contact your person in charge for planning the expected date of delivery.	
Product use	:	private house	
Sales order Terrazza	:	202653723	
Posn. of the sales order for Terrazza	:	1	
LED Design light bar below roof support?	:	yes	
Number of units	:	single unit	
width Terrazza [mm]	:	6800	mm
Distance centre to centre field	:	3308	mm
Width of cassette total [mm]	:	3344	mm
Projection [mm]	:	2252,9	mm
			2.103,00
Basic colour	:	WT029/80077 Approx. DB 703 Metallic	
Note on distance bar:	:	The distance profile has to be mounted when you are fixing the light bar Lux-Design.	
Cable clips along the back of the cassette	:	with cable clips along the back of the cassette	
type of control	:	Motor (Becker)	
Side of control (seen from the front)	:	left	
with remote control BiConnect	:	Yes! Please remind the separate order!	
Information on BiConnect	:	The BiConnect has been done in 202653723 position 10!	
	:		
Type of engine	:	Motor R20-17-E12-V1+ ohne Zubehör	
Side channel bracket	:	2	Piece
brackets top plate	:	2	Piece
real-design	:	WE3-719	my collections

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 13 of 24

pos	quantity	article code
-----	----------	--------------

Attention:

For optimal tension and smooth running of the fabric, the diagonal measurements must be correct.

The cloth must also be correctly centered.

colour of thread Saba : RAL 7001 Silver grey

100 x 30 x 35 mm rectangular pipes with Screwset	: 4	Piece	48,00
--	-----	-------	-------

Cardboard container : edges reinforcement

weight	: 55	kg
--------	------	----

value of goods	discount amount / %	net
2.151,00	860,40 / 40,00	1.290,60

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 14 of 24

pos	quantity	article code
-----	----------	--------------

9	1,00	1339	LED Design light bar 3Spot
---	------	------	----------------------------

Scheduling delivery	:	Please contact your person in charge for planning the expected date of delivery.	
Product use	:	private house	
Type of use	:	LED Design attachement Vivienda/Terrazza	
Execution	:	Square profile	
Sales order Terrazza	:	202653723	
Lighting controls	:	wireless dimmer BiConnect	
No. of light bars	:	three light bars	
width [cm]	:	200,29	cm 903,00
number of lamps	:	3	Piece
Light bars coupled?	:	yes, connection leads between strips	
light receiver	:	with light receiver	
Lighting receiver type	:	BiConnect BiRec LED	
with remote control BiConnect	:	Yes! Please remind the separate order!	
Information on BiConnect	:	The BiConnect has been done in 202653723 position 10!	
No. of cable tracks	:	3 x cable bar with duck tape 2,5m	117,00
Basic colour	:	WT029/80077 Approx. DB 703 Metallic	
weight	:	6	kg

value of goods	discount amount / %	net
1.020,00	408,00 / 40,00	612,00

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 15 of 24

pos	quantity	article code
-----	----------	--------------

10	1,00	2557	BiConnect
----	------	------	-----------

Scheduling delivery	:	Please contact your person in charge for planning the expected date of delivery.	
deliver BiConnect separate?	:	No; supply receiver and handheld remote control with awning	
shipment info	:	The pre set receivers (except LED) and the handset will be packed with contract number 202653723 pos 7!	
Receiver for motor/	:	2	BiRec MA, basic 208,00
receiver for light	:	1	BiRec LED, basic 314,00
receiver for tempura	:	2	BiRec HD, basic 394,00
control	:	weinor BiConnect BiEasy 15M Go! black	169,00
learned on channel 1	:	BiRec MA-K, basic	for order 202653723/7: Sottezza II OptiStretch engine right
learned on channel 2	:	BiRec MA-K, basic	for order 202653723/8: Sottezza II OptiStretch engine left
learned on channel 3	:	BiRec LED, basic	for order 202653723/9: Lichtleiste 3Spot
learned on channel 4	:	BiRec HD, basic	for order 202653723/11
learned on channel 5	:	BiRec HD, basic	for order 202653723/11

value of goods	discount amount / %	net
1.085,00	434,00 / 40,00	651,00

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 16 of 24

pos	quantity	article code
-----	----------	--------------

11	2,00	1951	Tempura Quadra
			Tempura Quadra

Dear Customer,
due to an high demand we have to prolong the delivery time. The delivery date will be updated automatically.

=====

Haben Sie bereits eine Tempura und wollen eine weitere hinzufügen?

Aufgrund von Materialknappheit setzen wir bei der Tempura aktuell eine alternative Heizröhre ein.

Die neue Röhre unterscheidet sich in der Farbe leicht von der bisher eingesetzten. Bitte informieren Sie uns, so dass wir für Ihre Tempuras eine einheitliche Farbwirkung haben.

Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
Utilisation	: universal	
width [mm]	: 400	mm 565,00
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
operation	: Birec remote receiver, dimmable Please remember separate entry of data	
Information on BiConnect	: The BiConnect has been done in 202653723 position 10!	
access	: Hirschmann plug (standard)	
weight	: 4,4	kg

value of goods	discount amount / %	net
1.130,00	452,00 / 40,00	678,00

weinor Ltd
 73 Cornhill
 GB-EC3V 3QQ London
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: 335 2381 16
 Company no.: 12193066
 UTR no.: 33431 24084
 EORI no.: GB335238116000

Domestic transfers:
 Commerzbank London
 Sort Code: 406201
 Account Number: 307 537 10
International transfers:
 Commerzbank London
 IBAN: GB51 COBA 4062 0130 7537 10
 Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 17 of 24

pos	quantity	article code
-----	----------	--------------

14	1,00	2831	Side element LITE w50-c
----	------	------	-------------------------

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied without glass!		
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.		
	:		
Product use	: private house		
Frame profile	: blind frame section 105 w50-c bottom blind frame section 35 w50-c top		
Width of element [mm]	: 2260	mm	
Incline	: 7,4	Degree(s)	553,00
Installation side (as seen from inside)	: right		
Number of vertical glass panels	: two parts		
Prepared for	: prepared for 6mm (for cold use)		
Basic colour	: WT029/80077 Approx. DB 703 Metallic		
gap seal	: Gap seals for 6 mm glass, length 2000 mm		13,00
Cardboard container	: edges reinforcement		

value of goods	discount amount / %	net
566,00	226,40 / 40,00	339,60

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 18 of 24

pos	quantity	article code
-----	----------	--------------

15	1,00	2831	Side element LITE w50-c
----	------	------	-------------------------

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied without glass!		
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.		
	:		
Product use	: private house		
Frame profile	: blind frame section 105 w50-c bottom blind frame section 35 w50-c top		
Width of element [mm]	: 2260	mm	
Incline	: 7,4	Degree(s)	553,00
Installation side (as seen from inside)	: left		
Number of vertical glass panels	: three-part		
Prepared for	: prepared for 6mm (for cold use)		
Basic colour	: WT029/80077 Approx. DB 703 Metallic		
gap seal	: Gap seals for 6 mm glass, length 2000 mm		26,00
Cardboard container	: edges reinforcement		

value of goods	discount amount / %	net
579,00	231,60 / 40,00	347,40

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 19 of 24

pos	quantity	article code
-----	----------	--------------

999	1,00	127887-0000 net material cost surcharge
-----	------	---

price per unit	: 197,84	197,84
----------------	----------	--------

Pos 1 - Terrazza - 78,20 GBP

197,84

Pos 4 - w17 easy - the full glass sliding door - 11,30 GBP

Pos 5 - w17 easy - the full glass sliding door - 32,82 GBP

Pos 7 - Sottezza II OptiStretch - 26,46 GBP

Pos 8 - Sottezza II OptiStretch - 26,46 GBP

Pos 14 - Side element LITE w50-c - 11,30 GBP

Pos 15 - Side element LITE w50-c - 11,30 GBP

At least one item from your order has been ordered for approval. The later valid net material cost surcharge cannot currently be calculated and may differ from the value specified here.

value of goods	discount amount / %	net
197,84	0,00 / 0,00	197,84

value of goods	discount amount	net	VAT (0 %)	Total GBP
23.881,84	9.473,60	14.408,24	0,00	14.408,24

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Dear Sir or Madam,

due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne
 payment: 5 days 5% discount; 30 days net
 mode of dispatch UK export




weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723


Page 21 of 24

Position 1 - exterior view (images similar)

isometric view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X




weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723


Page 22 of 24

Position 1 - exterior view (images similar)


front view



side view left



side view right



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X




weinor Ltd 73 Cornhill EC3V 3QQ London


customer: 165708 sales order 202653723

Page 23 of 24

Wall connection on left




left post




**Location of doubling profile
(view of roof from above)**

Wall connection on right



Right post



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X





weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202653723

Page 24 of 24

Glass dimensions

Position 1 Terrazza		prepared for 10mm LSG		
quantity	form	width	height	
8	rectangle	795	2346	
Position 14 Side element LITE w50-c		prepared for 6mm (for cold use)		
quantity	form	width	height left	height right
1	trapezium right	1124	114	261
1	trapezium right	1124	262	409
Position 15 Side element LITE w50-c		prepared for 6mm (for cold use)		
quantity	form	width	height left	height right
1	trapezium left	747	409	311
1	trapezium left	747	310	213
1	trapezium left	747	212	115



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Leistungserklärung

Siehe Auftragsnummer!!!

weinor Terrassendach Terrazza

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

weinor GmbH & Co. KG
Mathias-Brüggen-Str. 110
50829 Köln, Deutschland



System 2+

EN 1090-1: 2009 + A1: 2011

Name: TÜV Rheinland
Am Grauen Stein, Köln
Nr.: Nobo 0035

Der Hersteller bestätigt auf Grundlage der Zertifikate über die werkseigene Produktionskontrolle Zert-Nr.: 0035-CPR-1090-1.00604.TÜVRh.2015.002 folgende Leistungsmerkmale in Bezug auf die Bauteilspezifikation:

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißbeignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.

Unterzeichnet für den Hersteller und im Namen des Herstellers von:

Ort, Datum

Unterschrift

Köln, 28.06.2017





NOBO Nr. 0035

Weinor GmbH & Co. KG
 Mathias-Brüggen-Str. 110
 50829 Köln, Deutschland

2017

Siehe Auftragsnummer!!!

EN 1090-1: 2009 + A1: 2011

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißseignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	