



Delivered by DSV Road Limited



SO1CI-BG446

Deliver
CP INTERIORS
RUE DES PRESS TRADING EST
JE2 7QPST SAVIOUR
JERSEY

Contact **CARRERA ROBERTS**
Phone **+44 1489 563184**

Page 2(2)

Phone **+441534768141**
Delv. **-**
Delv. Time
Ref **202653723**

Shipper
XXX WEINOR GMBH & CO. KG
MATHIAS-BRUEGGEN-STR. 110
DE-50829 KOELN OSSENDORF
GERMANY

DELIVERY ADVICE

Consignee
CP INTERIORS
RUE DES PRESS TRADING EST
JE2 7QPST SAVIOUR
JERSEY

Date 2022-06-08
Reference SOJE32-5338 **SO1CI-BG446**
Terms FREE ON BOARD
F.O.B.
JERSEY
Originating member EBOO

Coll. 2022-06-07/
Unit.no DSV2036

Haulier -
Reg.no.

SO 12 858
Morgan Dixon

DELIVERY ADVICE

RECEIVED

13 JUN 2022

SCANNED

Arrived

13-6-22

11 x 3000

All business is transacted according to trading conditions that exclude or limit the liability of the company in certain circumstances. A copy of the relevant set of conditions will be supplied upon request.

202653723

Marks & Nos	No.of	Pkg.	Contents	Weight	KG	Volume
	11	CLL	AWNINGS/ BLINDS	GW	428	3.168 CBM
				NW	428	
DSV-EURPLL _____ pcs. RETURN TO DSV				EW	1054	

ASSOCIATED FREIGHT SERVICES LTD **A S**

I N T E R N A T I O N A L F R E I G H T

R W A R D E E

DELIVERY ADDRESS

CP INTERIORS C/O DSV ROAD LIMITED
10 BRUNEL WAY
SEGENSWORTH INDUSTRIAL ESTATE
FAREHAM, PO15 5TX
United Kingdom

Our reference: 5028/22-10-1

Your reference: 202653723

Date: 01/06/2022

B9446

DELIVERY NOTE

SHIPPER:

WEINOR GMBH
MATHIAS-BRUGGEN-STRASSE 110
50829 KOLN
Germany

Special Instructions:

Terms of Shipment:

Number of Packages: 11 CARTON 285

Gross Weight: 428.000

Description of Goods: AWNINGS/BLINDS
202653723

RECIEVED:

DATE:

SIGNED:

PRINT:

PALLETS/CARTONS RECIEVED IN GOOD CONDITION

9219

Subject to our terms and conditions, no claims for damages or shortages will be accepted unless made in writing within 7 days of delivery.

Unit 3E, Falcon Way off Central Way, Feltham, Middlesex, TW14 0UQ

Tel: 020 8890 1066 - Fax: 020 8890 3398 - Email: info@afs-lon.co.uk - www.associatedfreight.co.uk

Registered office: Plaza Building, Lee High Road, London SE13 5PT - Registered in England No 2605925 - VAT No 584 4555 09



BRITISH INTERNATIONAL
FREIGHT ASSOCIATION

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

reference: **Morgan Dixon Sempra**
 Your order no.:
 weinor customernumber: 165708
 creation Date: 10.03.2022
 weinor pers. in charge: William Abbott
 phone / fax number: +49-221-59709-472
 representat.: Chris Spickett
 tel (representat.): 0044 (0) 7894443907

Dear customer,

please find your order confirmation including your required dimensions.
 If ok please release your order in E-Shop on your own and can see immediately your delivery date.
 Thank you very much.

You can now also stop your order faster directly online.

pos	quantity	article	price
1	1	weinor Terrazza	7.492,00

Roofsystem	: Terrazza S Sempra	
.	: ATTENTION! Element is supplied without glass!	
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Permissible snow-bearing load	: 750 N/m ²	
version gutter	: gutter 220x113	
Gutter 220 with VertiTex II	: Yes, for round VertiTex II	
Shall the backside of the gutter 220 be prepared for UBE to be fitted behind the posts / gutter ?	: no, roof gutter 220 should be without GE preparation	
External dimensions	: 6800mm x 2300mm Depth: wall connection profile up to INSIDE edge of post	5.986,00
Bottom edge gutter (mm)	: 2300 mm	
Bottom edge connection to wall (mm)	: 2800 mm	
Top edge connection to wall (mm)	: 2952 mm	
Pitch of roof [°]	: 7,44 °	
Basic colour	: WT029/80077 Approx. DB 703 Metallic	
Covering	: prepared for 10mm LSG	
Information about roofing	: Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!	

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 238116
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: Morgan Dixon Sempra

Page 11 of 14

isometric view



top view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Morgan Dixon Sempra Page 3 of 16
 pos quantity article price

Number of drains through posts incl. down pipes with bends 87°	: 1 incl. downspout and 87° elbow	
Cover profile to protect the front glass edges	: 114926 Angle cover profile 15x20	
Provision for fitting Sottezza.	: 8 Piece	256,00
Sottezza-Type	: Sottezza stretch/optistretch (alle variants)	
Substructure elements available (from outside)	: UBB glazing elements on both sides	
Projection Sottezza [mm]	: 2252,9 mm	
The specified length does account for 40 mm spacing from the wall or 20 mm from the guttering.		
Distance from Sottezza to the wall	: 40 mm	
Distance from Sottezza to the gutter	: 20 mm	
Projection of WGM	: 2412 mm	
The specified length does account for 20 mm and an overhang on the end of rafter 30 mm from the guttering.		
Preparation for LED Design light bar below roof support?	: yes	
How many rafters to be prepared for light bars ?	: 3 Piece	
Do you want a cable track with the wall connection ?	: no	
Left-hand wall	: Rectangular pipe 50x30	80,00
Right-hand wall	: Rectangular pipe 70x30 Rectangular pipe 50x30	135,00
Exclusively for weinor-eshop orders, we further simplified installation: various assemblies are delivered in a pre-assembled state or are blocked out for installation!		
Note glass area	: 14,92 m ²	
Weight [kg]	: The glass surface concern only the roof. : 227,5 kg	

	value of goods	discount amount / %	net
	7.492,00	2.996,80 / 40,00	4.495,20

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Morgan Dixon Sempra Page 5 of 16

pos	quantity	article	price
-----	----------	---------	-------

5	1	weinor w17 easy - the full glass sliding door	5.308,00
---	---	---	----------

.	:	ATTENTION! Element is supplied with glass!	
Scheduling delivery	:	Please contact your person in charge for planning the expected date of delivery.	
Product use	:	private house	
Width of element [mm]	:	6564 X 2300	4.703,00
type of floor rail	:	standard floor rail with CleanCase	
CleanCase left (from inside)	:	yes	
CleanCase right (from inside)	:	yes	
Selection of leaves + tracks	:	4-track with 8 leaves (lock plate version)	
Direction of opening	:	sliding to the left and the right	
Glazing	:	10 mm toughened safety glass, clear	
Soft-Closing-System	:	Soft-Closing-System standard	
handling	:	cup pull handle with A4 stainless steel attachment	166,00
leaf actuator	:	leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	:	Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	:	1050 mm	
Basic colour	:	WT029/80077 Approx. DB 703 Metallic	
brush seal	:	6 x Brush profile transparent for 10 mm glass, length 2800 mm	210,00
gap seal	:	4 x Spaltdichtungen für 10 mm Glas, Länge 2800 mm	56,00
Note	:	Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	:	edges reinforcement	
packaging	:	Export packaging/ glass pallet	
extra charge glass pallet	:	1 x wooden pallet	173,00
weight	:	410,2 kg	

value of goods	discount amount / %	net
5.308,00	2.123,20 / 40,00	3.184,80

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Morgan Dixon Semptra Page 7 of 16

pos	quantity	article	price
-----	----------	---------	-------

8	1	weinor Sottezza II OptiStretch	2.151,00
---	---	--------------------------------	----------

Scheduling delivery	:	Please contact your person in charge for planning the expected date of delivery.	
Product use	:	private house	
Sales order Terrazza	:	202653723	
Posn. of the sales order for Terrazza	:	1	
LED Design light bar below roof support?	:	yes	
Number of units	:	1 Field System	
width Terrazza [mm]	:	6800 mm	
Distance centre to centre	:	3308 mm	
Width of cassette total [mm]	:	3344 mm	
Projection [mm]	:	2252,9 mm	2.103,00
Basic colour	:	WT029/80077 Approx. DB 703 Metallic	
Note on distance bar:	:	The distance profile has to be mounted when you are fixing the light bar Lux-Design.	
Cable clips along the back of the cassette	:	with cable clips along the back of the cassette	
type of control	:	motor (Becker)	
Side of control (seen from the front)	:	left	
with remote control BiConnect	:	Yes! Please remind the separate order!	
Information on BiConnect	:	The BiConnect has been done in 202653723 position 10!	
Type of engine	:		
Side channel bracket	:	2 Piece	
brackets top plate	:	2 Piece	
real-design	:	WE3-719 my collections	
colour of thread Saba	:	RAL 7001 Silver grey	
100 x 30 x 35 mm rectangular pipes with Screwset	:	4 Piece	48,00
Cardboard container	:	edges reinforcement	
weight	:	55 kg	

value of goods	discount amount / %	net
2.151,00	860,40 / 40,00	1.290,60

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 238116
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAG82X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Morgan Dixon Sempra Page 9 of 16
 pos quantity article price

10 1 weinor BiConnect 1.085,00

Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning
 shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 202653723 pos 7!

Receiver for motor/ : 2 BiRec MA, basic 208,00
 receiver for light : 1 BiRec LED, basic 314,00
 receiver for tempura : 2 BiRec HD, basic 394,00
 control : weinor BiConnect BiEasy 15M Go! black 169,00
 learned on channel 1 : BiRec MA-K, basic for order 202653723/7: Sottezza II OptiStretch engine right
 learned on channel 2 : BiRec MA-K, basic for order 202653723/8: Sottezza II OptiStretch engine left
 learned on channel 3 : BiRec LED, basic for order 202653723/9: Lichtleiste 3Spot
 learned on channel 4 : BiRec HD, basic for order 202653723/11
 learned on channel 5 : BiRec HD, basic for order 202653723/11

value of goods	discount amount / %	net
1.085,00	434,00 / 40,00	651,00

Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: Morgan Dixon Sempra

Page 13 of 16

isometric view



top view




Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: Morgan Dixon Sempra

Page 15 of 16





weinor Ltd. 75 Cornhill, EC3A 3JG London

delivery note 223128428

Date of Print: 25.05.2022

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham

England

C P Interiors

Rue Des Pres Trading Estate

GB-JE2 7QN St Saviour Jersey



202653723

phone number: 0044-1534-768141
customer: 165708
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

sales order no.: 202653723
order date: 10.03.2022
reference; Morgan Dixon Sempra
Your order no.:

pos	quantity	article code	
1	1	2709	Terrazza
		Roofsystem	: 02S Terrazza S Sempra
		Anticipated delivery	: 30.05.2022
		Lastannahmen zur Dachauslegung Quick & Easy	: .
		Lastsystem nach Typenstatik	: Terrazza Typ 1
		Lastfall Norddeutsche Tiefebene	: no
		Windzone	: 1 und 2 Binnenland
		Gebäudehöhe	: < 10m
		Permissible snow-bearing load	: 750 750 N/m²
		abrutschende Schneelast	: no
		Schneeanwehung	: no
		version gutter	: 1 gutter 220x113
		Gutter 220 with VertiTex II	: 0 Yes, for round VertiTex II
		Shall the backside of the gutter 220 be prepared for UBE to be fitted behind the posts / gutter ?	: without no, roof gutter 220 should be without GE preparation
		External dimensions	: 6800mm x 2300mm Depth: wall connection profile up to INSIDE edge of post
		Bottom edge gutter (mm)	: 2300 mm

weinor Ltd
75 Cornhill
GB-EC3A 3JG London
weinor.com

Morgan Dixon Ltd
Trade Warehouses
General Partner
Weinor Beteiligung GmbH
GmbH

WEINOR SYSTEMS
c/o Morgan Dixon Ltd
Phone: 344812420
E-Mail: 383523310

Domestic transfers:
+44 (0) 20 79 77 10
International transfers:
London
+44 (0) 20 79 77 10
+44 (0) 20 79 77 10

weinor Ltd 23 Cornhill London

pos	quantity	article code	
		Bottom edge connection to wall (mm)	: 2800 mm
		Top edge connection to wall (mm)	: 2952 mm
		Pitch of roof [°]	: 7,44
		Basic colour	: WT029/80077 WT029/80077 Approx. DB 703 Metallic
		Covering	: 10mm prepared for 10mm LSG
		Information about roofing	: 1 Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!
		basic element	: 101 Type A pent roof
		Seals	: 0 silicone-containing seals
		Connection to wall left?	: 0 No wall connection on left
		Connection to wall right?	: 0 No wall connection on right
		Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: w50L Yes, statics for GEs (w50-c lite side element)
		bottom edge of GE (trapeze) on the left side	: u is flush with bottom edge gutter
		bottom edge of GE (trapeze) on the right side	: u is flush with bottom edge gutter
		Roof support type, inner roof supports	: 1 110 roof girder without steel
		Roof support type, outer roof supports left	: 1 110 roof girder without steel
		Roof support type, outer roof supports right	: 1 110 roof girder without steel
		Further transoms across all roof sections	: no
		Number of additional rafter	: 1 1 Additional rafter
		Axial dimension rafter	: 839,2 mm
		Number of posts	: 2 Pieces
		Post position on the left	: 60,5 mm
		Post position on the right	: 60,5 mm
		Maximum spacing for posts when gutter has steel 180	: 6800 mm for steel 180 in gutter
		Length of post	: 2600 mm
			: 1 Please note that the standard length for square posts is 2600mm!
		Steel reinforcement for roof gutter	: 3 With 180x12 mm steel

weinor Ltd
23 Cornhill
GB-EC3V 3EQ London
weinor.com

Managing Director
Hans-Wilhelm
Generalpartner
Weinor Aktiengesellschaft
Köln

Weinor 23523178
Company no. 121910X
UTP no. 2340174001
F 0116 0683523910 00

Domestic transfers:
IBAN: DE 25 12 05 10 05 10 00 00
BIC: WELA33HAN
Kontokorrentkonto: 087517 00

International transfers:
IBAN: DE 25 12 05 10 05 10 00 00
BIC: WELA33HAN
Kontokorrentkonto: 087517 00

weinor Ltd. 13 Cornhill, EC3N 3DF, London

pos	quantity	article code		
		Deliver steel loose	: 1	yes, deliver steel separately (for on-site insertion)
		Weight for roof gutter with steel	: 162,6	kg
		Post attachment left	: 8	196x196 post plate
		Post attachment-right	: 8	196x196 post plate
		Number of caps for post plate	: 2	Piece
		Drain on right side?	: 3	Drain through the right post
		Cover profile to protect the front glass edges	: 114926	Angle cover profile 15x20
		Provision for fitting Sottezza.	: 8	Piece
		Sottezza-Type	: 2230	Sottezza stretch/optistretch (alle variants)
		Preparation for LED Design light bar below roof support?	: 1	yes
		How many rafters to be prepared for light bars ?	: 3	Piece
		Do you want a cable track with the wall connection ?	: 0	no
		Anzahl Packstücke	: 6	
		Weight [kg]	: 351	kg
9	1	1339	LED Design light bar 3Spot	
		Anticipated delivery	: 30.05.2022	
		Number of packages	: 1	
		No. of light bars	: 3	three light bars
		weight	: 23,4	kg
		External dimensions	: 200,29	
11	2	1951	Tempura Quadra	
		Tempura Quadra		
		Anticipated delivery	: 30.05.2022	
		Number of packages	: 2	
		weight	: 4,4	kg
		External dimensions	: 0	

weinor Ltd
13 Cornhill
GB-TC JV 200 Ltd
London

Managing Director
Dr. Wolfgang
General partner
Weinor Engineering GmbH
Korn

DAW no. 345215136
Company no. 1219403
UT no. 342124004
IGR no. 68752414

Domestic transfers:
IBAN: DE44 2512 0510 0001 0001 0001 00
BIC: BFSW33HAN

International transfers:
IBAN: DE44 2512 0510 0001 0001 0001 00
BIC: BFSW33HAN

weinor Ltd 23 Cornhill EC3V 3DD London

pos	quantity	article code	
14	1	2831	Side element LITE w50-c

Anticipated delivery : 30.05.2022
 Number of packages : 1
 weight : 21,76 kg
 Width of element [mm] : 2260

15	1	2831	Side element LITE w50-c
----	---	------	-------------------------

Anticipated delivery : 30.05.2022
 Number of packages : 1
 weight : 23,54 kg
 Width of element [mm] : 2260

mode of dispatch UK export

date signature

delivery exw Cologne

weight 428,5 kg

package 11 Stk.

weinor Ltd
 23 Cornhill
 GR EC3V 3DD London
 weinor.com

St. Augustin 41169
 Eifel-Walden
 Generalpartner
 Web of Augustinus GmbH
 Köln

GR No. 3520016
 Bamberger 1299000
 HR No. 2903124054
 EORI No. GR14520016

Domestic transfers:
 Bank of London
 Ltd
 100 Broad Street
 London EC2R 1GJ

International transfers:
 Bank of London
 Ltd
 100 Broad Street
 London EC2R 1GJ

weinor Ltd. 19 Cecil St. EC3N 2DQ London

pos	quantity	article code	
Bottom edge connection to wall (mm)	: 2800		mm
Top edge connection to wall (mm)	: 2952		mm
Pitch of roof [°]	: 7,44		°
Basic colour	: WT029/80077		WT029/80077 Approx. DB 703 Metallic
Covering	: 10mm		prepared for 10mm LSG
Information about roofing	: 1		Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!
basic element	: 101		Type A pent roof
Seals	: 0		silicone-containing seals
Connection to wall left?	: 0		No wall connection on left
Connection to wall right?	: 0		No wall connection on right
Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: w50L		Yes, statics for GEs (w50-c lite side element)
bottom edge of GE (trapeze) on the left side	: u		is flush with bottom edge gutter
bottom edge of GE (trapeze) on the right side	: u		is flush with bottom edge gutter
Roof support type, inner roof supports	: 1		110 roof girder without steel
Roof support type, outer roof supports left	: 1		110 roof girder without steel
Roof support type, outer roof supports right	: 1		110 roof girder without steel
Further transoms across all roof sections	: no		
Number of additional rafter	: 1		1 Additional rafter
Axial dimension rafter	: 839,2		mm
Number of posts	: 2		Piece
Post position on the left	: 60,5		mm
Post position on the right	: 60,5		mm
Maximum spacing for posts when gutter has steel 180	: 6800		mm for steel 180 in gutter
Length of post	: 2600		mm
Steel reinforcement for roof gutter	: 3		Please note that the standard length for square posts is 2600mm! With 180x12 mm steel

weinor Ltd.
251 Cecil St.
G6 1CZ W500 London
weinor.com

Marketing Director
The Weinor Group
General partner
Weinor Betriebs-Gesellschaft
Köln

weinor GmbH
Cecil Street, 251
G6 1CZ W500 London
UK Tel: +44 (0)20 7485 4400
Fax: +44 (0)20 7485 4401

Domestic transfers:

weinor.com
+44 (0)20 7485 4400

International transfers:

+44 (0)20 7485 4400
+44 (0)20 7485 4401

weinor Ltd 15 Cornhill EC3V 4JF London

pos	quantity	article code	
		Deliver steel loose	: 1 yes. deliver steel separately (for on-site insertion)
		Weight for roof gutter with steel	: 162,6 kg
		Post attachment left	: 8 196x196 post plate
		Post attachment right	: 8 196x196 post plate
		Number of caps for post plate	: 2 Piece
		Drain on right side?	: 3 Drain through the right post
		Cover profile to protect the front glass edges	: 114926 Angle cover profile 15x20
		Provision for fitting Sottezza.	: 8 Piece
		Sottezza-Type	: 2230 Sottezza stretch/optistretch (alle variants)
		Preparation for LED Design light bar below roof support?	: 1 yes
		How many rafters to be prepared for light bars ?	: 3 Piece
		Do you want a cable track with the wall connection ?	: 0 no
		Anzahl Packstücke	: 6
		Weight [kg]	: 351 kg
9	1	1339 LED Design light bar 3Spot	
		Anticipated delivery	: 30.05.2022
		Number of packages	: 1
		No. of light bars	: 3 three light bars
		weight	: 23,4 kg
		External dimensions	: 200,29
11	2	1951 Tempura Quadra	
		Tempura Quadra	
		Anticipated delivery	: 30.05.2022
		Number of packages	: 2
		weight	: 4,4 kg
		External dimensions	: 0

weinor Ltd
75 Cornhill
GB-EC3V 4JF London
weinor.com

Marketing Director
Hans-Wilhelm
Göbelmpatzer
Weinofeldstr. 49a 68161
Köln

VAT no.: 376 250 106
Company no.: 1211200
UTV no.: 13499146114
DGN no.: 063 652011

Customer transfers:
IBAN: DE44 2512 0510 0001 0001 0001
BIC: BFSW33HAN
SWIFT code: BFSW33HAN

International transfers:
IBAN: DE44 2512 0510 0001 0001 0001
BIC: BFSW33HAN
SWIFT code: BFSW33HAN

weinor Ltd Company EORI 3000000000

pos	quantity	article code	
14	1	2831	Side element LITE w50-c
		Anticipated delivery	: 30.05.2022
		Number of packages	: 1
		weight	: 21,76 kg
		Width of element [mm]	: 2260
15	1	2831	Side element LITE w50-c
		Anticipated delivery	: 30.05.2022
		Number of packages	: 1
		weight	: 23,54 kg
		Width of element [mm]	: 2260

mode of dispatch UK export

date signature

delivery exw Cologne

weight 428,5 kg

package 11 Stk.

weinor Ltd
1100000000
GB-EORI EOO London
weinor.com

Managing Director
Dirk Weisberg
General partner
Weinor Edelstahl-Grün
Köln

VAT no. DE248176
Company no. 019700
Uffstr. 25 50120 Köln
EORI no. 019700019

Domestic transfers:
Bank for Social Transfers
AG
Königsplatz 107 10719
Berlin

International transfers:
Bank for Social Transfers
AG
Königsplatz 107 10719
Berlin