



Delivered by DSV Road Limited



SO1CI-BGO62

Deliver
CP INTERIORS
RUE DES PRESS TRADING EST
JE2 7QPST SAVIOUR
JERSEY

Phone +441534768141
Delv. --
Delv. Time
Ref 202678139/202653723/20265623

Contact CARRERA ROBERTS
Phone +44 1489 563184

Page 2(3)

Shipper
XXX WEINOR GMBH & CO. KG
MATHIAS-BRUEGGEN-STR. 110
DE-50829 KOELN OSSENDORF
GERMANY

DELIVERY ADVICE

Consignee
CP INTERIORS
RUE DES PRESS TRADING EST
JE2 7QPST SAVIOUR
JERSEY

Date 2022-06-29
Reference SOJE32-5379 SO1CI-BGO62
Terms FREE ON BOARD
F.O.B.
JERSEY
Originating member EBOO

Coll. 2022-06-27/
Unit.no DSV2000
Haulier -
Reg.no.

Arrived
30-6-22

2

23 (300)
SO12932
19 Mann - glass
4 x Morgan-Dixon
SO12858

for more heaters
so for 23 & parts
glass

DELIVERY ADVICE

Marks & Nos	No.of	Pkg.	Contents	Weight kg	Volume
	27	CLL	GLASS	GW 2272	23.470 CBM
	23	CLL	AWNINGS	GW 1	

17 Man
4 r



Delivered by DSV Road Limited



SO1CI-BGO62

Deliver
CP INTERIORS
RUE DES PRESS TRADING EST
JE2 7QPST SAVIOUR
JERSEY

Phone +441534768141
Delv. -
Delv. Time
Ref 202678139/202653723/20265623

Contact CARRERA ROBERTS
Phone +44 1489 563184

Page 3(3)

Shipper
XXX WEINOR GMBH & CO. KG
MATHIAS-BRUEGGEN-STR. 110
DE-50829 KOELN OSSENDORF
GERMANY

DELIVERY ADVICE

Consignee
CP INTERIORS
RUE DES PRESS TRADING EST
JE2 7QPST SAVIOUR
JERSEY

Date 2022-06-29
Reference SOJE32-5379 SO1CI-BGO62
Terms FREE ON BOARD
F.O.B.
JERSEY
Originating member EBOO

Coll. 2022-06-27/
Unit.no DSV2000

Haulier -
Reg.no.

DELIVERY ADVICE

All business is transacted according to trading conditions that exclude or limit the liability of the company in certain circumstances. A copy of the relevant set of conditions will be supplied upon request.

202678139/202653723/20265623

Marks & Nos	No.of	Pkg.	Contents	Weight	KG	Volume
	50	CTN	GLASS	GW	2273	23.470 CBM
				NW	2273	
				EW	7815	

DSV-EURPLL _____ pcs. RETURN TO DSV

ASSOCIATED FREIGHT SERVICES LTD **AS**

I N T E R N A T I O N A L F R E I G H T F O R W A R D E R S

DELIVERY ADDRESS

CP INTERIORS C/O DSV ROAD LIMITED
10 BRUNEL WAY
SEGENSWORTH INDUSTRIAL ESTATE
FAREHAM, PO15 5TX
United Kingdom

Our reference 5141/22-11-1

Your reference 202656236

Date 23/06/2022

DELIVERY NOTE

SHIPPER:

WEINOR GMBH
MATHIAS-BRUGGEN-STRASSE 110
50829 KOLN
Germany

16 glass
18 cu

Special Instructions:

Terms of Shipment:

Number of Packages: 34 CARTONS 700

Gross Weight: 1573.000

Description of Goods: AWNINGS/BLINDS
202656236

RECIEVED:

DATE:

SIGNED:

PRINT:

PALLETS/CARTONS RECIEVED IN GOOD CONDITION

Subject to our terms and conditions, no claims for damages or shortages will be accepted unless made in writing within 7 days of delivery.

Unit 3E, Falcon Way off Central Way, Feltham, Middlesex TW14 0UQ

Tel: 020 8890 1066 - Fax: 020 8890 3398 - Email: info@afs-lon.co.uk - www.associatedfreight.co.uk

Registered office: Plaza Building, Lee High Road, London SE13 5PT - Registered in England No 2685525 - VAT No 584 4555 09



BRITISH INTERNATIONAL
FREIGHT ASSOCIATION



weinor Ltd 73 Cornhill EC3V 3QQ London

delivery note 223139609

Date of Print: 17.06.2022

delivery address

DSV Road Ltd

C P Interiors

Rue Des Pres Trading Estate

GB-JE2 7QN St Saviour Jersey

10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham

England



202656236

phone number: 0044-1534-768141
customer: 165708
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

sales order no.: 202656236
order date: 18.03.2022
reference; Mann sempra
Your order no.: SO12932

pos quantity article code

1 1 2709 Terrazza

Roofsystem	: 01S	Terrazza L Sempra
Anticipated delivery	: 27.06.2022	
Lastannahmen zur Dachauslegung Quick & Easy	: .	
Lastsystem nach Typenstatik	: Terrazza Typ 1	
Lastfall Norddeutsche Tiefebene	: no	
Windzone	: 1 und 2 Binnenland	
Gebäudehöhe	: < 10m	
Permissible snow-bearing load	: 750	750 N/m ²
abrutschende Schneelast	: no	
Schneeanwehung	: no	
version gutter	: 1	gutter 220x113
Gutter 220 with VertiTex II	: 0	Yes, for round VertiTex II
Shall the backside of the gutter 220 be prepared for UBE to be fitted behind the posts / gutter ?	: without	no, roof gutter 220 should be without GE preparation
External dimensions	: 6700mm x 3885mm	Depth: wall connection profile up to INSIDE edge of post
Bottom edge gutter (mm)	: 2150	mm

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner
Weinor Beschuligungs-GmbH
Köln

VAT no: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB83523R116000

Domestic transfers:
Commerzbank London
Sort Code 406201
Account Number: 30753710

International transfers:
Commerzbank London
IBAN: GB51 0831 0000 0000 0000 0000
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

pos	quantity	article code	
		Bottom edge connection to wall (mm)	: 3164 mm
		Top edge connection to wall (mm)	: 3359 mm
		Pitch of roof [°]	: 11,84 °
		Info	: 0
		Basic colour	: WT029/10797 WT029/10797 Approx. RAL 9010
		Covering	: 10mm prepared for 10mm LSG
		Information about roofing	: 1 Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!
		basic element	: 101 Type A pent roof
		Seals	: 0 silicone-containing seals
		Connection to wall left?	: 0 No wall connection on left
		Connection to wall right?	: 0 No wall connection on right
		Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: w50L Yes, statics for GEs (w50-c lite side element)
		bottom edge of GE (trapeze) on the left side	: 0 60mm above bottom edge gutter
		bottom edge of GE (trapeze) on the right side	: 0 60mm above bottom edge gutter
		Roof support type, inner roof supports	: 3 150 roof support without steel
		Roof support type, outer roof supports left	: 5 150 roof support with steel
		Roof support type, outer roof supports right	: 5 150 roof support with steel
		weight rafter	: 65,5 kg
		Transom over all roof panels	: yes
		Further transoms across all roof sections	: no
		Number of additional rafter	: 1 1 Additional rafter
		Axial dimension rafter	: 826,8 mm
		Number of posts	: 3 Piece
		Post position on the left	: 60,5 mm
		Recommended position of centre post	: 3350 1st centre post from outer left-hand edge!

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 238116
Company no.: 12193066
UTR no.: 33431 24084
EOR no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 0804 0062 0130 7537 10
Swift: MIDLG822 a/c COBAG82X

weinor Ltd 73 Cornhill EC3V 3QQ London

pos	quantity	article code	
			: 1
			Please note: When using the High Gutter, the middle post is NOT supplied loosely, however the gutter is prepared at the appropriate position!
		Post position on the right	: 60,5 mm
		Max. distance between posts	: 4750 mm with no steel in gutter
		Length of post	: 2600 mm
			: 1
			Please note that the standard length for square posts is 2600mm!
		Post attachment left	: 6 196x196x310 small aluminium base
		Post attachment middle	: 7 116x196 post plate
		Post attachment right	: 6 196x196x310 small aluminium base
		Number of caps for post plate	: 2 Piece
		Number of caps for post plate	: 1 Piece
		Drain on left side?	: 3 Drain through the left post
		Drain on right side?	: 3 Drain through the right post
		Leaf protection screen (no extra cost)	: yes Leaf guard same width as roof
		Cover profile to protect the front glass edges	: 114926 Angle cover profile 15x20
		Provision for fitting Sottezza.	: 12 Piece
		Sottezza-Type	: 2230 Sottezza stretch/optistretch (alle variants)
		Anzahl Packstücke	: 8
		Weight [kg]	: 509,2 kg
2	1	2831	Side element LITE w50-c
		Anticipated delivery	: 27.06.2022
		Number of packages	: 1
		weight	: 40,38 kg
		Width of element [mm]	: 3845

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director,
Thilo Weiermann
General partner
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193086
UTR no.: 3343124684
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 400201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 0804 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

pos	quantity	article code	
3	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 27.06.2022
		Number of packages	: 5
		weight	: 252,86 kg
		Width of element [mm]	: 3845 X 2210
		packaging	: 5 Export packaging/ glass pallet
4	1	2831	Side element LITE w50-c
		Anticipated delivery	: 27.06.2022
		Number of packages	: 1
		weight	: 33,98 kg
		Width of element [mm]	: 3845
5	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 27.06.2022
		Number of packages	: 5
		weight	: 181,74 kg
		Width of element [mm]	: 3845 X 2210
		packaging	: 5 Export packaging/ glass pallet
6	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 27.06.2022
		Number of packages	: 5
		weight	: 196,02 kg
		Width of element [mm]	: 3174 X 2150
		packaging	: 5 Export packaging/ glass pallet
7	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 27.06.2022
		Number of packages	: 5
		weight	: 208,26 kg
		Width of element [mm]	: 3174 X 2150
		packaging	: 5 Export packaging/ glass pallet

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner
Weinor Beteiligungs-GmbH
Köln

VAT no : 375 2381 16
Company no : 12193066
UTR no. : 33431 24084
ECRI no. : GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 405201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 0834 4062 0130 7537 10
Swift: MIDLG822 a/c COBAG82X

weinor Ltd 73 Cornhill EC3V 3QQ London

pos	quantity	article code	
8	1	2235	Sottezza II OptiStretch
		Anticipated delivery	: 27.06.2022
		Number of packages	: 1
		weight	: 72,52 kg
		External dimensions	: 3294X3897,4
9	1	2235	Sottezza II OptiStretch
		Anticipated delivery	: 27.06.2022
		Number of packages	: 1
		weight	: 71,32 kg
		External dimensions	: 3294X3897,4
10	1	2557	BiConnect
		Anticipated delivery	: 27.06.2022
		Number of packages	: 0
			The BiConnect has been packed with pos 202656236/8!
11	2	1951	Tempura Quadra
		Anticipated delivery	: 27.06.2022
		Number of packages	: 2
		weight	: 4,4 kg
		External dimensions	: 0

mode of dispatch UK export

date signature

delivery exw Cologne
weight 1575,08 kg
package 34 Stk.

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director,
Thilo Weiermann
General partner
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 405201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 0804 0062 0130 7537 10
Swift: MIDLG822 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

delivery note 223139609

Date of Print: 17.06.2022

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham

England

C P Interiors**Rue Des Pres Trading Estate****GB-JE2 7QN St Saviour Jersey**

202656236

phone number: 0044-1534-768141
customer: 165708
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907sales order no.: 202656236
order date: 18.03.2022
reference; Mann sempra
Your order no.: SO12932**pos quantity article code**

1 1 2709 Terrazza

Roofsystem	: 01S	Terrazza L Sempra
Anticipated delivery	: 27.06.2022	
Lastannahmen zur Dachausiegung Quick & Easy	: .	
Lastsystem nach Typenstatik	: Terrazza Typ 1	
Lastfall Norddeutsche Tiefebene	: no	
Windzone	: 1 und 2 Binnenland	
Gebäudehöhe	: < 10m	
Permissible snow-bearing load abrutshende Schneelast	: 750	750 N/m ²
Schneeanwehung	: no	
version gutter	: 1	gutter 220x113
Gutter 220 with VertiTex II	: 0	Yes, for round VertiTex II
	:	
Shall the backside of the gutter 220 be prepared for UBE to be fitted behind the posts / gutter ?	: without	no, roof gutter 220 should be without GE preparation
External dimensions	: 6700mm x 3885mm	Depth: wall connection profile up to INSIDE edge of post
Bottom edge gutter (mm)	: 2150	mm

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.comManaging Director:
Thilo Weiermann
General partner
Weinor Beteiligungs-GmbH
KölnVAT no : 335 238116
Company no : 12193066
UTR no : 33431 24084
EORI no. GB335238116000**Domestic transfers:**
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 0830 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Carnhill EC3V 3QQ London

pos	quantity	article code	
		Bottom edge connection to wall (mm)	: 3164 mm
		Top edge connection to wall (mm)	: 3359 mm
		Pitch of roof [°]	: 11,84 °
		Info	: 0
		Basic colour	: WT029/10797 WT029/10797 Approx. RAL 9010
		Covering	: 10mm prepared for 10mm LSG
		Information about roofing	: 1 Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!
		basic element	: 101 Type A pent roof
		Seals	: 0 silicone-containing seals
		Connection to wall left?	: 0 No wall connection on left
		Connection to wall right?	: 0 No wall connection on right
		Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: w50L Yes, statics for GEs (w50-c lite side element)
		bottom edge of GE (trapeze) on the left side	: 0 60mm above bottom edge gutter
		bottom edge of GE (trapeze) on the right side	: 0 60mm above bottom edge gutter
		Roof support type, inner roof supports	: 3 150 roof support without steel
		Roof support type, outer roof supports left	: 5 150 roof support with steel
		Roof support type, outer roof supports right	: 5 150 roof support with steel
		weight rafter	: 65,5 kg
		Transom over all roof panels	: yes
		Further transoms across all roof sections	: no
		Number of additional rafter	: 1 1 Additional rafter
		Axial dimension rafter	: 826,8 mm
		Number of posts	: 3 Piece
		Post position on the left	: 60,5 mm
		Recommended position of centre post	: 3350 1st centre post from outer left-hand edge!

weinor Ltd
73 Carnhill
GB-EC3V 3QQ London
weinor.com

Managing Director,
Thilo Weiermann
General partner
Weinor Beteiligungs-GmbH
Köln

VAT no : 335 2381 16
Company no : 12193066
UTR no : 33431 24084
EORI no : GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0139 7537 10
Swift: MID1GB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

pos	quantity	article code	
3	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 27.06.2022
		Number of packages	: 5
		weight	: 252,86 kg
		Width of element [mm]	: 3845 X 2210
		packaging	: 5 Export packaging/ glass pallet
4	1	2831	Side element LITE w50-c
		Anticipated delivery	: 27.06.2022
		Number of packages	: 1
		weight	: 33,98 kg
		Width of element [mm]	: 3845
5	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 27.06.2022
		Number of packages	: 5
		weight	: 181,74 kg
		Width of element [mm]	: 3845 X 2210
		packaging	: 5 Export packaging/ glass pallet
6	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 27.06.2022
		Number of packages	: 5
		weight	: 196,02 kg
		Width of element [mm]	: 3174 X 2150
		packaging	: 5 Export packaging/ glass pallet
7	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 27.06.2022
		Number of packages	: 5
		weight	: 208,26 kg
		Width of element [mm]	: 3174 X 2150
		packaging	: 5 Export packaging/ glass pallet

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 236116
Company no.: 12193066
UTR no.: 3343124084
EOR! no.: GB335236116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 0804 0062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

ASSOCIATED FREIGHT SERVICES LTD **AS**

I N T E R N A T I O N A L F R E I G H T F O R W A R D E R S

DELIVERY ADDRESS

CP INTERIORS C/O DSV ROAD LIMITED
10 BRUNEL WAY
SEGENSWORTH INDUSTRIAL ESTATE
FAREHAM, PO15 5TX
United Kingdom

Our reference 5085/22-21-1

Your reference 202678139

Date 14/06/2022

DELIVERY NOTE

SHIPPER:

WEINOR GMBH
MATHIAS-BRUGGEN-STRASSE 110
50829 KOLN
Germany

Special Instructions:

Terms of Shipment:

Number of Packages: 1 CARTON

Gross Weight: 5.000

Description of Goods: AWNINGS/BLINDS
202678139

RECIEVED:

DATE:

SIGNED:

PRINT:

PALLETS/CARTONS RECIEVED IN GOOD CONDITION

5585

Subject to our terms and conditions, no claims for damages or shortages will be accepted unless made in writing within 7 days of delivery.

Unit 3E, Falcon Way off Central Way, Feltham, Middlesex TW14 0UQ

Tel: 020 8890 1066 - Fax: 020 8890 3398 - Email: info@afs-lon.co.uk - www.associatedfreight.co.uk

Registered office: Plaza Building, Lee High Road, London SE13 5PT - Registered in England No 2685525 - VAT No 584 4555 09



BRITISH INTERNATIONAL
FREIGHT ASSOCIATION

ASSOCIATED FREIGHT SERVICES LTD **A S**

I N T E R N A T I O N A L F R E I G H T F O R W A R D E R S

DELIVERY ADDRESS

CP INTERIORS C/O DSV ROAD LIMITED
10 BRUNEL WAY
SEGENSWORTH INDUSTRIAL ESTATE
FAREHAM, PO15 5TX
United Kingdom

Our reference 5110/22-53-1

Your reference 202653723

Date 22/06/2022

DELIVERY NOTE

SHIPPER:

WEINOR GMBH
MATHIAS-BRUGGEN-STRASSE 110
50829 KOLN
Germany

*U: GLASS
4 CLL*

Special Instructions:

Terms of Shipment:

Number of Packages: 15 CARTONS

Gross Weight: 694.000

Description of Goods: AWNINGS/BLINDS
202653723

RECIEVED:

DATE:

SIGNED:

PRINT:

PALLETS/CARTONS RECIEVED IN GOOD CONDITION

Subject to our terms and conditions, no claims for damages or shortages will be accepted unless made in writing within 7 days of delivery.

Unit 3E, Falcon Way off Central Way, Feltham, Middlesex TW14 0UQ

Tel: 020 8890 1066 - Fax: 020 8890 3398 - Email: info@afs-lon.co.uk - www.associatedfreight.co.uk

Registered office: Plaza Building, Lee High Road, London SE13 5PT - Registered in England No 2685525 - VAT No 584 4555 09



BRITISH INTERNATIONAL
FREIGHT ASSOCIATION

Delivery Note

C P Interiors

Rue des Pres Trading Estate
St Saviour
Jersey JE2 7QP
01534 768141
admin@cpinteriors.je

Invoice Address
Ms. Alana Mann Mianda Les Landes Avenue La Route Des Genets St Brelade JE3 8DJ 07525663001

Delivery Address
Ms. Alana Mann Mianda Les Landes Avenue La Route Des Genets St Brelade, JE3 8DJ Phone : 07525663001

Sales Order No:	Date	Invoice Date	Invoice No	Cust Ref.
SO12932	24-03-2022	08-03-2022	SO12932	La Quatrieme, La Rue des Pres, St Ouen, JE3 2FG

Location	Product Name	Quantity	Description
BBQ Area	Terrazza/Glass House	1	6700 mm, 4000 mm, 1 x Weinor Terrazza glass patio roof system with water drainage system and leaf guards to gutter, Sliding doors to three sides, intermediate post on front side with 4 sliding doors to left and right, stacking to centre post. Side doors sliding back towards building. Standard Handle on all sides, soft closing system, powder coated frame in WT029/10797. Size: 6.7m wide x 4m projection. Passage height 2150m. Total Install height of 3360mm 3 x front posts to be additional 200mm to go below decking
		1	Main structure includes developers discount of 5% - price before discount £46,349.00
	Awning / Canopy	1	6700 mm, 2 x Internal Sottezza to cover full width fabric 3-882, frame colour to match Glasoase
	Accessories	1	2 x Tempura Quadra Heater with built in receiver, in RAL colour to match frame
	Awning / Canopy	1	4160 mm, 3885 mm, BBQ Area, Weinor Plaza Viva Optistretch textile pergola awning, powder coated frame and fabric to match Glasshouse Size: 4160mm wide x 3885mm inner edge of post (matches glasshouse)
		1	Excludes wiring and lead works

Customer Name (Printed): _____ Customer Signature: _____ Date : _____

Child Safety Terms and Conditions

All of our blinds are tested and supplied with limitations on cord and chain lengths, safety devices for preventing cords and chains from creating a hazardous loop. Each blind will be supplied with a warning and product instructions on packaging.

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey

reference: Mann sempra
Your order no.: SO12932
weinor customernumber: 165708
creation Date: 18.03.2022
weinor pers. in charge: William Abbott
phone / fax number: +49-221-59709-472
representat.: Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article
-----	----------	---------

O.C. version 2:
We have added wall connection profiles for pos 3.
HD receivers will be sent in a separate order 202657066

1	1	weinor Terrazza
---	---	-----------------

Roofsystem	: Terrazza L Sempra
.	: ATTENTION! Element is supplied without glass!
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.
Permissible snow-bearing load	: 750 N/m ²
version gutter	: gutter 220x113
Gutter 220 with VertiTex II	: Yes, for round VertiTex II
Shall the backside of the gutter 220 be prepared for UBE to be fitted behind the posts / gutter ?	: no, roof gutter 220 should be without GE preparation
internal dimensions	: 6700mm x 3885mm Depth: wall connection profile up to INSIDE edge of post
Bottom edge gutter (mm)	: 2150 mm
Bottom edge connection to wall (mm)	: 3164 mm
Top edge connection to wall (mm)	: 3359 mm
Pitch of roof [°]	: 11,84 °
info	:
Basic colour	: WT029/10797 Approx. RAL 9010
Covering	: prepared for 10mm LSG
Information about roofing	: Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!
basic element	: 101 Type A pent roof
Seals	: silicone-containing seals

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Mann sempra

Page 3 of 16

pos	quantity	article
Drain on right side?		: Drain through the right post
Number of drains through posts incl. down pipes with bends 87°		: 2 incl. downspout and 87° elbow
Leaf protection screen (no extra cost)		: Leaf guard same width as roof
Cover profile to protect the front glass edges		: 114926 Angle cover profile 15x20
Provision for fitting Sottezza.		: 12 Piece
Sottezza-Type		: Sottezza stretch/optistretch (alle variants)
Substructure elements available (from outside)		: UBB glazing elements on both sides
Projection Sottezza [mm]		: 3897,4 mm
The specified length does account for		40 mm spacing from the wall or 20 mm from the guttering.
Distance from Sottezza to the wall		: 40 mm
Distance from Sottezza to the gutter		: 20 mm
Projection of WGM		: 4089 mm
The specified length does account for		20 mm and an overhang on the end of rafter 30 mm from the guttering.
Left-hand wall		: Rectangular pipe 100x30 Rectangular pipe 50x30
Right-hand wall		: Rectangular pipe 100x30 Rectangular pipe 50x30
Exclusively for weinor-eshop orders, we further simplified installation: various assemblies are delivered in a pre-assembled state or are blocked out for installation!		
Note glass area		: 24,86 m ² : The glass surface concern only the roof.
Weight [kg]		: 264,625 kg

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Mann semptra

Page 5 of 16

pos	quantity	article
-----	----------	---------

3	1	weinor w17 easy - the full glass sliding door
---	---	---

.	: ATTENTION! Element is supplied with glass!
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.
Product use	: private house
Width of element [mm]	: 3845 X 2210
type of floor rail	: standard floor rail with CleanCase
CleanCase left (from inside)	: yes
CleanCase right (from inside)	: yes
Selection of leaves + tracks	: 4-track with 4 leaves
Position of active leaf?	: left, as seen from inside
Direction of opening	: sliding to the right
Glazing	: 10 mm toughened safety glass, clear
Soft-Closing-System	: Soft-Closing-System standard
handling	: cup pull handle with A4 stainless steel attachment
leaf actuator	: leaf actuator only closing in sliding direction
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
Height of knob from bottom edge of guide track (mm)	: 1050 mm
Basic colour	: WT029/10797 Approx. RAL 9010
wall connection profile left	: yes
wall connection profile right	: yes
Brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
Cardboard container	: edges reinforcement
packaging	: Export packaging/ glass pallet
extra charge glass pallet	: 2 x wooden pallet
weight	: 231,7 kg

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Mann sempra

Page 7 of 16

pos	quantity	article
-----	----------	---------

5	1	weinor w17 easy - the full glass sliding door
---	---	---

.	: ATTENTION! Element is supplied with glass!
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.
Product use	: private house
idth of element [mm]	: 3845 X 2210
type of floor rail	: standard floor rail with CleanCase
CleanCase left (from inside)	: yes
CleanCase right (from inside)	: yes
Selection of leaves + tracks	: 4-track with 4 leaves
Position of active leaf?	: right, as seen from inside
Direction of opening	: sliding to the left
Glazing	: 10 mm toughened safety glass, clear
Soft-Closing-System	: Soft-Closing-System standard
handling	: lock case and hung bolt
side of the handling	: handling on both sides
Operation lockcase	: doorknob inside and outside
type of knob	: Standard-knob; same-coloured as the construction
leaf actuator	: leaf actuator opening and closing in sliding direction
Version of profile cylinder?	: Standard by price list (With different key)
Height of lock from bottom edge of guide track	: 1050 up to centre of profile cylinder (in mm)
Basic colour	: WT029/10797 Approx. RAL 9010
wall connection profile left	: yes
wall connection profile right	: yes
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
Cardboard container	: edges reinforcement
packaging	: Export packaging/ glass pallet
weight	: 231,7 kg

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Mann sempra

Page 9 of 16

pos	quantity	article
7	1	weinor w17 easy - the full glass sliding door

.	: ATTENTION! Element is supplied with glass!
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.
Product use	: private house
width of element [mm]	: 3174 X 2150
type of floor rail	: standard floor rail with CleanCase
CleanCase left (from inside)	: yes
CleanCase right (from inside)	: yes
Selection of leaves + tracks	: 4-track with 4 leaves
Position of active leaf?	: left, as seen from inside
Direction of opening	: sliding to the right
Glazing	: 10 mm toughened safety glass, clear
Soft-Closing-System	: Soft-Closing-System standard
handling	: cup pull handle with A4 stainless steel attachment
leaf actuator	: leaf actuator only closing in sliding direction
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
Height of knob from bottom edge of guide track (mm)	: 1050 mm
Basic colour	: WT029/10797 Approx. RAL 9010
wall connection profile left	: yes
wall connection profile right	: yes
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
Cardboard container	: edges reinforcement
packaging	: Export packaging/ glass pallet
weight	: 186,5 kg

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Mann sempra

Page 11 of 16

pos	quantity	article
-----	----------	---------

9	1	weinor Sottezza II OptiStretch
---	---	--------------------------------

Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.

Product use : private house

Sales order Terrazza : 202656236

Posn. of the sales order for Terrazza : 1

Terrazza

Number of units : single unit

width Terrazza [mm] : 6700 mm

Distance centre to centre field : 3258 mm

Width of cassette total [mm] : 3294 mm

Projection [mm] : 3897,4 mm

Basic colour : WT029/10797 Approx. RAL 9010

Cable clips along the back of the cassette : without cable clips along the back of the cassette

type of control : motor (Becker)

Side of control (seen from the front) : left

with remote control BiConnect : Yes! Please remind the separate order!

Information on BiConnect : The BiConnect has been done in 202656236 position 10!

Type of engine :

Side channel bracket : 4 Piece

brackets top plate : 2 Piece

al-design : WE3-882 my collections

colour of thread Saba : RAL 7001 Silver grey

Cardboard container : edges reinforcement

weight : 61 kg


Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London


customer: 165708 reference: Mann sempra

Page 13 of 16

isometric view



top view



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London



customer: 165708 reference: Mann sempra

Page 16 of 16

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 24.3.2022.

Glass Dimensions

Position	1	Terrazza	prepared for 10mm LSG		
quantity	form		Width	Height left	Height right
16	rectangle		782	1987	1987
Position	2	Side element LITE w50-c	prepared for 6mm (for cold use)		
quantity	form		Width	Height left	Height right
	trapezium right		955	57	257
	trapezium right		955	258	459
1	trapezium right		955	460	660
1	trapezium right		955	661	861
Position	4	Side element LITE w50-c	prepared for 6mm (for cold use)		
quantity	form		Width	Height left	Height right
1	trapezium left		955	861	661
1	trapezium left		955	660	460
1	trapezium left		955	459	258
1	trapezium left		955	257	57



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey

reference: **Mann**
Your order no.: **SO12932 NO LED**
weinor customernumber: **165708**
creation Date: **17.03.2022**
weinor pers. in charge: **William Abbott**
phone / fax number: **+49-221-59709-472**
representat.: **Chris Spickett**
tel (representat.): **0044 (0) 7894443907**

pos	quantity	article
1	1	weinor Plaza Viva OptiStretch

Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.

In order to reduce the transport and installation weight, the front profile will be packaged separately for delivery, as requested by you on the order.

Product use : private house
Number of units : single unit
number of motors : one motor
Width of cassette total [mm] : 4160 mm
Clearance height (mm) : 2370 mm
Installation height (Bottom edge of wall bracket) (mm) : **3164 mm**
overhang straight (mm) : 150 mm
Total depth (mm) : 4070 mm
Depth up to inner edge of post (mm) : **3885 mm**
)
projection [mm] : 4110 mm
Pitch of roof : 12,2 Degree(s)
Wall flashing roof profile field 1 : yes
Basic colour : WT029/10797 Approx. RAL 9010
distance sleeves bottom standard : 1 Piece
real-design : WE3-882 my collections
cloth type : longitudinal seam
Glue fabric? : no, sewn fabric
colour of thread Tenara : light grey
type of control : engine

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Mann

Page 3 of 5

isometric view

top view

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Mann

Page 5 of 5

foundation / footing plan

doublings situation (top view)

weinor Ltd 73 Cornhill EC3V3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham

ORDER CONFIRMATION (release 2)

sales order no.: 202657066 of 22.03.2022
customer: 165708
reference: HD receivers/Mann sempra/202656236
Your order no.:
contact person: William Abbott
E-Mail: WAbbott@weinor.de
phone number: +49-221-59709-472
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

Dear Weinor Partner,

with immediate effect our new bank account for the weinor Ltd. is active and can be used !

We kindly ask you to send and place all payment in the favour of weinor Ltd. to the following Bank Details.

Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
In favour of : Weinor Ltd.

Thank you very much for your support.

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202657066

Page 3 of 3

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne
payment: 5 days 5% discount; 30 days net
mode of dispatch UK export

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey

sales order no.: 202688954
 reference: to Morgan Dixon Sempra/202653723
 Your order no.:
 weinor customernumber: 165708
 creation Date: 30.06.2022
 weinor pers. in charge: William Abbott
 phone / fax number: +49-221-59709-472
 representat.: Chris Spickett
 tel (representat.): 0044 (0) 7894443907

pos	quantity	article	price
-----	----------	---------	-------

Dear customer,

please find your order confirmation including your required dimensions.

NEW : You can now release your order in E-Shop on your own and can see immediately your release date !
 You can also stop your order faster directly online.

If ok please fax back the first page with an ok and release sign.

Then the product will be manufactured and we will give you a delivery date.

Please fax to : 0049/(0)221-5 97 09 898 or email: freigabe@weinor.de

Thank you very much.

YOUR RELEASE:
 (sign) (date)

1	1	weinor LED Design light bar 3Spot	437,00
---	---	-----------------------------------	--------

Product use	: private house	
Type of use	: LED Design attachement Vivienda/Terrazza	
Execution	: Square profile	
Sales order Terrazza	: 202653723 vom 10.03.2022 00:00:00 / Kommission Morgan Dixon Sempra	
Lighting controls	: wireless dimmer BiConnect	
No. of light bars	: one-piece	
width [cm]	: 200,29 cm	437,00
number of lamps	: 3 Piece	
light receiver	: with light receiver	
Lighting receiver type	: BiConnect BiRec LED	