

## Quotation

<b>Quotation date</b>	05.07.2022	CP Interiors
<b>Quotation number</b>	20044703	St. Saviour
<b>Customer number</b>	1001334	28 Rue des Pres. Tr. Est.
<b>Your VAT number</b>		JE2 7QN JERSEY
<b>Currency</b>	GBP	JERSEY
<b>Project reference</b>	Judy Baxter Coupled Renson SO129	
<b>Order reference</b>	SO12949	
<b>Validity from-to</b>	05.07.2022 - 04.08.2022	

**Incoterms** DAP  
Jersey

**Delivery address**

CP Interiors  
St. Saviour  
28 Rue des Pres. Tr. Est.  
JE2 7QN JERSEY  
JERSEY

## Overview

	Material	Quantity	Net amount	VAT %
001000	CAM2 CAMARGUE	1,00 PC	21.523,91	
002000	CAM2 CAMARGUE	1,00 PC	11.123,92	
003000	GLASSSP GLASS SLIDING PANELS	1,00 PC	1.897,20	

<b>Total before VAT</b>	<b>34.545,03</b>
<b>VAT</b>	<b>0,00</b>
<b>Total incl. VAT</b>	<b>34.545,03</b>

Free of VAT, export

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>



Creating healthy spaces

NV Renson® Sunprotection-Screens SA

## Quotation

20044703

05.07.2022

### PAYMENT INFORMATION

Payment term 30 days end of month

For questions or remarks regarding this document, please send an email to [outdoor-uk@renson.be](mailto:outdoor-uk@renson.be)

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

NV Renson® Sunprotection-Screens SA • IZ 1 Flanders Fields • Kalkhoevestraat 45 • B-8790 Waregem  
+3256627111 • [info@renson.eu](mailto:info@renson.eu) • [www.renson.eu](http://www.renson.eu)

VAT BE 0432.549.526 • RPR Gent, afdeling Kortrijk • ING BELGIË IBAN BE08 3850 3006 5013 - BIC BBRUBEBB

## Quotation

20044703

05.07.2022

### Detail

Item	Material	Unit price	Quantity	Gross amount	Discount %	Net amount
001000	CAM2 CAMARGUE		1,00 PC	35.873,18		21.523,91
	Commodity code	94069090	Prefabricated aluminum buildings, sun protection structures			
	Camargue	15.125,00 GBP /	1 PC x 1,00	15.125,00		
	Camargue Line column	550,00 GBP /	1 PC x 4,00	2.200,00		
	Camargue Line reinforced mounting base	208,00 GBP /	1 PC x 4,00	832,00		
				<b>18.157,00</b>	<b>40</b>	<b>10.894,20</b>
	Glass sliding panels	2.964,00 GBP /	1 PC x 1,00	2.964,00		
	Glass sliding panels	5.113,00 GBP /	1 PC x 1,00	5.113,00		
	Emergency locking with Allen key	89,00 GBP /	1 PC x 3,00	267,00		
	Rubber sealing	37,00 GBP /	1 PC x 9,00	333,00		
				<b>8.677,00</b>	<b>40</b>	<b>5.206,20</b>
	3 Lineo Led	2.394,00 GBP /	1 PC x 1,00	2.394,00		
				<b>2.394,00</b>	<b>40</b>	<b>1.436,40</b>
	UpDown Led : 2x Up RGB + Down White	3.916,00 GBP /	1 PC x 1,00	3.916,00		
				<b>3.916,00</b>	<b>40</b>	<b>2.349,60</b>
	Protecto	1.420,00 GBP /	1 PC x 1,00	1.420,00		
	Rain sensor	236,86 GBP /	1 PC x 1,00	236,86		
	Situo 5 IO Pure II - 5-channel transmitter	90,32 GBP /	1 PC x 1,00	90,32		
	Tahoma	198,00 GBP /	1 PC x 1,00	198,00		
	Watertight wall connection (installation profile)	784,00 GBP /	1 PC x 1,00	784,00		
				<b>2.729,18</b>	<b>40</b>	<b>1.637,51</b>
				<b>17.716,18</b>		<b>10.629,71</b>

### Configuration

#### Structure

##### Type

#### Structure

2-parts coupled at span side

#### Location

Location

Normal wind loads (standard)

Structure strength

Standard

#### Construction

##### Type

Roof part

Roof part 1

#### Dimensions

Span

3.000 mm

Pivot

5.575 mm

Passage height

2.450 mm

#### Construction method

Span 1

Connection beam

Span 2

Freestanding

Pivot 1

Freestanding

Pivot 2

Full wall

#### Columns

Column type 1A

Corner column

Column type 1B

Corner column

Column type 2A

Corner column

Column type 2B

Corner column

#### Design Styles (TL)

## Quotation

20044703

05.07.2022

### Design Styles (SL)

Design Style No

### Side infills

#### Span 2 (S2)

Infill S2 Glass sliding panels

Opening direction S2 Opening right to left

Lock type S2 Allen key inside

Height glass sliding panels S2 Passage height

#### Pivot 1 (P1)

Infill P1 Glass sliding panels

Opening direction P1 Sliding open from the middle

Lock type P1 Allen key inside

Height glass sliding panels P1 Passage height

### General specifications

Glass included Yes

Type glas Clear glass

Sealing for glass panels Yes

### Comfort

#### Lighting

Number of Lineo LED 3

Color Lineo LED Warm white

Position UpDown led Pivot 1 + 2

Color led 'UP' RGB

Color led 'DOWN' Warm white

### Comfort & Design

Protecto on roof part 1 Yes

Protecto side P1 & P2

Waterproof wall connection Yes

### Automation

Country of installation United Kingdom

Motor control Somfy IO

Renson Connect App Yes

Frost/Snow function No

Transmitter Situo 5 IO Pure II

Rain sensor Ceramic rain sensor

Voltage motor 230V

Electrical certification CE (Standard)

Tahoma account No

### Styling

#### Colors

Color type frame and columns Textured

Color type of blades Same color as framework

### Technical specs

#### General

Motor position Pivot 2 (P2)

Blade rotation Sunprotection

#### Columns

Mounting base 1A Invisible reinforced

Mounting holes in the col. 1A Yes

Direction of water drainage 1A Pivot

Height water drainage 1A 66 mm

Mounting base 1B Invisible reinforced

Mounting holes in the col. 1B Yes

Water drainage direction 1B Downwards

## Quotation

20044703

05.07.2022

Mounting base 2A	Invisible reinforced
Mounting holes in the col. 2A	Yes
Water drainage direction 2A	Pivot
Height water drainage 2A	66 mm
Mounting base 2B	Invisible reinforced
Mounting holes in the col. 2B	Yes
Water drainage direction 2B	Downwards

002000	CAM2					1,00	PC		18.539,86		11.123,92
	CAMARGUE										
	Commodity code	94069090	Prefabricated aluminum buildings, sun protection structures								
	Camargue	10.280,00	GBP	/	1	PC	x	1,00	10.280,00		
	Camargue Line column	550,00	GBP	/	1	PC	x	2,00	1.100,00		
	Camargue Line reinforced mounting base	208,00	GBP	/	1	PC	x	2,00	416,00		
									<b>11.796,00</b>	<b>40</b>	<b>7.077,60</b>
	3 Lineo Led	2.394,00	GBP	/	1	PC	x	1,00	2.394,00		
									<b>2.394,00</b>	<b>40</b>	<b>1.436,40</b>
	UpDown Led : 2x Up RGB + Down White	2.570,00	GBP	/	1	PC	x	1,00	2.570,00		
									<b>2.570,00</b>	<b>40</b>	<b>1.542,00</b>
	Protecto	1.126,00	GBP	/	1	PC	x	1,00	1.126,00		
	Rain sensor	236,86	GBP	/	1	PC	x	1,00	236,86		
	Watertight wall connection (installation profile)	417,00	GBP	/	1	PC	x	1,00	417,00		
									<b>1.779,86</b>	<b>40</b>	<b>1.067,92</b>
									<b>6.743,86</b>		<b>4.046,32</b>

### Configuration

#### Structure

##### Type

#### Structure

2-parts coupled at span side

#### Location

##### Location

Normal wind loads (standard)

##### Structure strength

Standard

#### Construction

##### Type

#### Roof part

Roof part 2

#### Dimensions

##### Span

3.000 mm

##### Pivot

2.925 mm

##### Passage height

2.450 mm

#### Construction method

##### Span 1

Freestanding

##### Span 2

Coupled to connection beam

##### Pivot 1

Freestanding

##### Pivot 2

Full wall

#### Columns

##### Column type 2A

Corner column

##### Column type 2B

Corner column

#### Design Styles (TL)

#### Design Styles (SL)

##### Design Style

No

#### Comfort

#### Lighting

##### Number of Lineo LED

3

##### Color Lineo LED

Warm white

## Quotation

20044703

05.07.2022

Position UpDown led	Pivot 1 + 2
Color led 'UP'	RGB
Color led 'DOWN'	Warm white
<b>Comfort &amp; Design</b>	
Protecto on roof part 1	Yes
Protecto side	P1 & P2
Waterproof wall connection	Yes
<b>Automation</b>	
Country of installation	United Kingdom
Motor control	Somfy IO
Rain sensor	Ceramic rain sensor
Voltage motor	230V
Electrical certification	CE (Standard)
<b>Styling</b>	
<b>Colors</b>	
Color type frame and columns	Textured
Color type of blades	Same color as framework
<b>Technical specs</b>	
<b>General</b>	
Motor position	Pivot 2 (P2)
Blade rotation	Sunprotection
<b>Columns</b>	
Mounting base 2A	Invisible reinforced
Mounting holes in the col. 2A	Yes
Water drainage direction 2A	Pivot
Height water drainage 2A	66 mm
Mounting base 2B	Invisible reinforced
Mounting holes in the col. 2B	Yes
Water drainage direction 2B	Pivot
Height water drainage 2B	66 mm

003000	GLASSSP				1,00	PC		3.162,00		1.897,20
	GLASS SLIDING PANELS									
	Commodity code	70071980								
	Glass sliding panels		2.962,00	GBP	/	1	PC	x	1,00	2.962,00
	Glass fixation		89,00	GBP	/	1	PC	x	1,00	89,00
	Rubber draught sealing		37,00	GBP	/	1	PC	x	3,00	111,00
								<b>3.162,00</b>	<b>40</b>	<b>1.897,20</b>
								<b>3.162,00</b>		<b>1.897,20</b>

<b>Configuration</b>	
Height handle	1.100 mm
<b>General</b>	
Model	Camargue
Position	Span
<b>Construction</b>	
<b>Dimensions</b>	
Width	2.700 mm
Height	2.450 mm
<b>Construction method</b>	
Opening direction	Opening left to right
Glass included	Yes
Type glas	Clear glass
Type of locking (L+R)	Allen key outside



Creating healthy spaces

NV Renson® Sunprotection-Screens SA

## Quotation

20044703

05.07.2022

---

Sealing for glass panels

Yes

**Styling**

Color type

Textured

---