

weinor Ltd 73 Cornhill EC3V 3QQ London

## C P Interiors

**Rue Des Pres Trading Estate**  
**GB-JE2 7QN St Saviour Jersey**

### delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate  
Hampshire, Fareham

### offer (release 3)

sale offer 151171101  
customer: 165708  
offer date 20.05.2022  
reference: BREHAUT SO12994  
contact person: William Abbott  
E-Mail WAbbott@weinor.de  
phone number: +49-221-59709-472  
representat. 654 Chris Spickett  
tel (representat.): 0044 ( 0) 7894443907

quantity	article code
----------	--------------

Please note:

We have configured BEG 2600 mm and in this case BEW will be 2694,5 mm

Front and LHS W17-easy handle have been aligned

As there is a height restriction for vertical blind to make A3-855 (maximal faisable height should be 2200mm) please let us know alternative fabric code from Screens by Weinor (glasfabric collection)

\*\*\*\*\*

Dear sir or madam,

we are pleased to send you this offer.

Thank you for your query. We would like to offer following items, according to our general conditions of delivery and payment and subject to a concrete assessment of the technical feasibility.

Please be advised that this quote is based on a rough planning.

For the final order an exact site measuring with a detailed planning will be necessary.

Therefore dimensions and prices may vary slightly.

We hope we have been of help with this offer and are pleased to issue the order.

Please feel free to contact us at the telephone number below if you have any question.

Kind regards

i.A. William Abbott

1	1,00	2740	Terrazza Pure Overall depth including post =2600mm
---	------	------	---

#### Domestic transfers:

Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

#### International transfers:

Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

. : **ATTENTION! Element is supplied without glass!**

**Lastannahmen zur Dachauslegung Quick & Easy**

Lastsystem nach Typenstatik : Terrazza Typ 1  
 Lastfall Norddeutsche Tiefebene : no  
 Windzone : 1 und 2 Binnenland  
 Gebäudehöhe : < 10m  
 Product use : private house  
 Permissible snow-bearing load : 750 N/m<sup>2</sup>  
 abrutschende Schneelast : no  
 Schneeanwehung : no

**basic data**

External dimensions	: 5200mm x 2485mm	Depth: wall connection profile up to INSIDE edge of post	5.776,00
Bottom edge gutter (mm)	: 2600	mm	
Bottom edge connection to wall (mm)	: 2694,5	mm	
Top edge connection to wall (mm)	: 2922,5	mm	
Basic colour	: WT029/10797 Approx. RAL 9010		
Covering	: 10mm	prepared for 10mm LSG	
Seals	: silicone-containing seals		
Connection to wall left?	: No wall connection on left		
Connection to wall right?	: No wall connection on right		

**roof girder**

Number of roof rafter	: 7	Piece	
rafter 205 open	: 3	Piece	
rafter 205 closed	: 2	Piece	
Colour LED strip in roof supports	: 3	Piece	1.151,00
Axial dimension rafter	: 855,8	mm	

**Transom**

Sum of transoms	: 0	Piece	
-----------------	-----	-------	--

pos	quantity	article code
-----	----------	--------------

**gutter**

Execution	: Version 2021		
Steel reinforcement for roof gutter	: 1	* Galvanised flat steel	447,00
Maximum spacing for posts when gutter has 1 x steel	: 5570	mm for 1 x steel in gutter	
Weight for roof gutter with steel	: 89,5	kg	

**Pillar(s)**

Number of posts	: 2		
Post type left	: Post outside		
Post position on the left	: 57,5	mm	
Post type right	: Post outside		
Post position on the right	: 57,5	mm	
Length of post	: 2600	mm	

**Please note that the standard length for square posts is 2600mm!**

Drain on right side?	: Drain through the right post		
Number of post base plates 196x196	: 2	Piece	110,00
Number of caps for post plate	: 2	Piece	70,00
No. Complete drainage through square outside post	: 1	incl. downspout and 87° elbow	130,00
Anz. Abfluss durch Pfosten variable VertiPlus	: 0	incl. downspout and 87° elbow	

**Side elements**

Doubling under left side roof support (locking bar)?	: yes		259,00
Left locking bar version	: 163x50 locking bar option without a rectangular pipe up to the wall		
Doubling under right side roof support (locking bar)?	: yes		259,00
Right locking bar version	: 163x50 locking bar option under side rafter up until wall connection profile		


**alignment products**

pos	quantity	article code	
		Sottezza-Type	: Sottezza stretch/optistretch (alle variants)
		Projection Sottezza [mm]	: 2395 mm
		mounting plates Sottezza II left rafter	: Standard 66.5 DTS mounting plate 58,00
		mounting plates Sottezza II right rafter	: Standard 66.5 DTS mounting plate 58,00
		Distance from Sottezza to the wall	: 20 mm
		Distance from Sottezza to the gutter	: 20 mm
		projection of WGM TOP	: 0 mm
		Left-hand wall	: 60x50 rectangular pipe + 60x20 rectangular pipe 117,00
		Right-hand wall	: 50x50 rectangular pipe 85,00
<b>accessorie</b>			
		Side mains connection (230 V)	: left
		power adapter 48 V	: Piece 163,00
		with remote control BiConnect	: Yes! Please remind the separate order!
		Number of leaf filters (length 2 m)	: 3 39,00
<b>miscellaneous</b>			
		Glasfläche [m2]	: 11,51 m <sup>2</sup>
		Note glass area	: The glass surface concern only the roof.

value of goods	discount amount / %	net
8.722,00	3.488,80 / 40,00	5.233,20

pos	quantity	article code
-----	----------	--------------

2	1,00	2851	w17 easy - the full glass sliding door LHS seen from outside
---	------	------	---



### w17 easy XXL

Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

#### Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

#### Your weinor team

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: <b>ATTENTION! Element is supplied with glass!</b>	
Product use	: private house	
Width of element [mm]	: 2415 X 2600	2.106,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	

**pos quantity article code**

- the dimensions of the system are not covered by the existing static
- proof of static on construction site provided by customer

Due to the height of the element, the glass can bend up to 6mm, this can lead to a misalignment of the leaves to each other

- the operating handle can hit the glass of the next leaf
- the brush profiles may be pushed off the glass and will not seal tight

Selection of leaves + tracks	: 3-track with 3 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling inside	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	: 0	
Height of knob From bottom edge of guide track (mm)	: 1840	mm
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	57,00
wall connection profile right	: yes	57,00
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm	70,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 1	x wooden pallet 232,00

value of goods	discount amount / %	net
2.522,00	1.008,80 / 40,00	1.513,20

pos	quantity	article code	
-----	----------	--------------	--

3	1,00	2235	Sottezza II OptiStretch
---	------	------	-------------------------

Product use	:	private house	
Number of units	:	single unit	
width Terrazza [mm]	:	5200	mm
Distance centre to centre field	:	4978	mm
Width of cassette total [mm]	:	5014	mm
Projection [mm]	:	2395	mm
			2.719,00
Basic colour	:	WT029/10797 Approx. RAL 9010	
Cable clips along the back of the cassette	:	without cable clips along the back of the cassette	
type of control	:	Motor (Becker)	
Side of control (seen from the front)	:	left	
with remote control BiConnect	:	Yes! Please remind the separate order!	
	:		
	:		
Hirschmann plug tight?	:	Hirschmann plug not assembled	13,00
Type of engine	:	Motor R20-17-E12-V1+ ohne Zubehör	
Side channel bracket	:	2	Piece
brackets top plate	:	2	Piece
real-design	:	WE3-855	my collections
	:		
colour of thread Saba	:	RAL 7001 Silver grey	
Cardboard container	:	edges reinforcement	
weight	:	80	kg

value of goods	discount amount / %	net
2.732,00	1.092,80 / 40,00	1.639,20

pos	quantity	article code
-----	----------	--------------

4	1,00	2070	VertiTex II Zip 112 LHS seen from outside
---	------	------	--

Product use	:	private house	
Execution	:	square cassette	
size of cassette	:	cassette 112	
width [mm]	:	2529	mm
height [mm]	:	2681	mm
Base price	:		1.755,00
Basic colour	:	WT029/10797 Approx. RAL 9010	
Casing fixing	:	wall bracket Vertitex universal	
Number of housing brackets	:	2	Piece
Number of housing brackets 2	:	0	Piece
type of control	:	Motor (Becker)	
Side of control (seen from the front)	:	left	
with remote control BiConnect (external BiRec MA)?	:	Yes! Please remind the separate order!	
Information on BiConnect	:	The BiConnect has been done in 151171101 position 7!	
electrical engine connection	:	Hirschmann plug not assembled	13,00
Collection	:	screens by weinor	
real-design	:	WE7-201	pearl grey-white

**The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.**

Front side of fabric	:	Konfektion 1	Front side of fabric outside (standard)
----------------------	---	--------------	---

<b>cloth type</b>	:	<b>made without seams</b>
-------------------	---	---------------------------

weight	:	27	kg
--------	---	----	----

value of goods	discount amount / %	net
1.768,00	707,20 / 40,00	1.060,80



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151171101

Page 9 of 19

pos quantity article code

Position 4 - exterior view (images similar)

front view



top view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln


VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

5	1,00	2851	w17 easy - the full glass sliding door Front/ sitting on wall 790 mm
---	------	------	---



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

**Please note:**

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

**Your weinor team**

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: <b>ATTENTION! Element is supplied with glass!</b>	
Product use	: private house	
Width of element [mm]	: 4970 X 1810	3.302,64
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 5-track with 5 leaves	

pos	quantity	article code	
		Position of active leaf?	: left, as seen from inside
		Direction of opening	: sliding to the right
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Soft-Closing-System standard
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator only closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		knob inside/ on both sides for the endleaf	: 0
		Height of knob From bottom edge of guide track (mm)	: 1050 mm
		Basic colour	: WT029/10797 Approx. RAL 9010
		wall connection profile left	: yes 38,00
		wall connection profile right	: yes 38,00
		brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm 140,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		Cardboard container	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		value of goods	discount amount / % net
		3.518,64	1.407,46 / 40,00 2.111,18



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151171101

Page 12 of 19

**pos quantity article code**

**Position 5 - interior view (images similar)**

front view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

6	1,00	2829	GE W50-C RHS seen from outside
---	------	------	-----------------------------------

**Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.**

. : **ATTENTION! Element is supplied without glass!**

geometrical shape : rectangle

Frame profile : blind frame section 59 w50-c

Height of element on left (mm), as seen from the inside : 0 mm

Width of element [mm] : 2415 X 700

518,00

Number of vertical glass panels : two parts

95,00

Prepared for : prepared for 8mm (for cold use)


Basic colour : WT029/10797 Approx. RAL 9010

Cardboard container : edges reinforcement

value of goods	discount amount / %	net
613,00	245,20 / 40,00	367,80

**Position 6 - interior view (images similar)**

front view



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151171101

Page 14 of 19

pos	quantity	article code
-----	----------	--------------

7	1,00	2557	BiConnect
---	------	------	-----------

Receiver for motor/ receiver for RGB	: 2 : 1	BiRec MA, basic weinor BiConnect BiRec RGB-48V	208,00 332,00
receiver for tempura control	: 3 : weinor BiConnect BiEasy 15M Go! silver	BiRec HD, basic	591,00 169,00
learned on channel 1	: BiRec MA-K, basic	for order 151171101/3: Sottezza II OptiStretch engine left	
learned on channel 2	: weinor BiConnect BiRec MA with black cable	for order 151171101/4: VertiTex II Zip 112 engine left	
learned on channel 3	: BiConnect BiRec RGB-48V	for order 151171101/1: Terrazza Pure	
learned on channel 4	: BiRec HD, basic	for order 151171101/8	
learned on channel 5	: BiRec HD, basic	for order 151171101/8	
learned on channel 6	: BiRec HD, basic	for order 151171101/8	

value of goods	discount amount / %	net
1.300,00	520,00 / 40,00	780,00

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10  
**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code	
-----	----------	--------------	--

8	3,00	1950	Tempura
---	------	------	---------

Execution : Tempura 1,5 KW

Product use : private house

Utilisation : universal

width : 50 cm 521,00

with remote control BiConnect : Yes! Please remind the separate order!

designer receiver bar 330 mm : yes 45,00

operation : Birec remote receiver, dimmable  
Please remember separate entry of data

access : Hirschmann plug (standard)

Basic colour : WT029/10797 Approx. RAL 9010

:

value of goods	discount amount / %	net
1.698,00	679,20 / 40,00	1.018,80

999	1,00	127887-0000	net material cost surcharge
-----	------	-------------	-----------------------------

Pos 1 - Terrazza Pure - 103,36 GBP 192,19

Pos 2 - w17 easy - the full glass sliding door - 12,08 GBP

Pos 3 - Sottezza II OptiStretch - 39,82 GBP

Pos 5 - w17 easy - the full glass sliding door - 24,85 GBP

Pos 6 - GE W50-C - 12,08 GBP

value of goods	discount amount / %	net
192,19	0,00 / 0,00	192,19

value of goods	discount amount	net	VAT (0 %)	Total GBP
23.065,83	9.149,46	13.916,37	0,00	13.916,37

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151171101

Page 16 of 19

---

**pos quantity article code**

---

This offer is valid until 31.05.2022

delivery exw Cologne

payment: Direct debit / 3 days - 4% cash discount

mode of dispatch UK export

**weinor** Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

Glass dimensions		
<b>Position 1</b>	Terrazza Pure	<b>prepared for 10mm LSG</b>
quantity	form	width height
6	rectangle	785,8 2441
<b>Position 6</b>	GE W50-C	<b>prepared for 8mm (for cold use)</b>
quantity	form	width height
1	rectangle	1137 611
1	rectangle	1137 611

**Attention ! These glass dimensions are not part of an order confirmation but refer to this offer only**



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151171101

Page 18 of 19


pos quantity article code

Position 1 - exterior view (images similar)

isometric view



top view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151171101

Page 19 of 19


pos quantity article code

Position 1 - exterior view (images similar)


front view



side view left



side view right



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X