

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
Hampshire, Fareham

offer (release 11)

sale offer 151173005
customer: 165708
offer date 19.07.2022
reference: BREHAUT SO12994
contact person: William Abbott
E-Mail WAbbott@weinor.de
phone number: +49-221-59709-472
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

quantity	article code
----------	--------------

Offer version 4 of 26,07,22:

Width of LHS doors pos 3 to be 2660-70-60=2530mm

Change pos 4 to 2x 100x30x3mm RRO @ 2500mm

Width of LHS vertitex 5 to be 2660-13-30=2617mm Customer instruction to make it 2615mm.

Height of Superlite RHS pos 6 should be 645-320=325mm

Width of Superlite RHS pos 6 should be 2660-50-10=2600mm No box sections required on RHS.

Height of doors at front Pos 7 should be 2590-320-832=1438mm

Keyed lock handling both sides on the LHS doors LHS as seen from inside.

All fixed leaves to have operation so they open.

Remove the receivers from the heaters.

Offer version 3 of 25.07.2022

Height of RHS superlite has been recalculated as below:

645 -163(height of the RHS locking bar) -205 (height of the roof support) = 645 -368 =277mm

Offer version 2 of 21.07.2022::

Pos 7: actif leaf position of front door changed to RHS (seen from inside)

vertitex fabric changed to 7-217

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



Updated offer of 19.07.2022.

-In your order please precise height of front wall to adjust front door height, according our calculation front wall height is 671 mm, please confirm
 -RHS Superlite have been configured in height 645 mm, please precise RHS wall height
 -As we do not have 115X60 mm rectangular pipes which have to be added behind the posts, we have configured 2 no. 115 profile with 10 mm clip profil, side Ges have been adjusted accordingly.
 LHS vertical blind has been calculated in standard height and will cover existing wall, please let us know LHS blind height

weinor Ltd

Fabric we3-855 is faisable in vertitex Zip in case of maximal height 2200 mm, please let us know we go with height 2200mm and fabric we3-855 or let us know alternative fabric code from glasfiber collection

W17-easy door handle bars will be aligned

AS RGB light strips are only compatible with biconnect system and 15 channelled remote, pos 1 will be operated with Biconnect and the rest with Somfy IO

Dear sir or madam,

we are pleased to send you this offer.

Thank you for your query. We would like to offer following items, according to our general conditions of delivery and payment and subject to a concrete assessment of the technical feasibility.

Please be advised that this quote is based on a rough planning.

For the final order an exact site measuring with a detailed planning will be necessary. Therefore dimensions and prices may vary slightly.

We hope we have been of help with this offer and are pleased to issue the order.

Please feel free to contact us at the telephone number below if you have any question.

Kind regards

i.A. William Abbott

1 1,00 2740 Terrazza Pure

: **ATTENTION! Element is supplied without glass!**

Lastannahmen zur Dachauslegung Quick & Easy

- Lastsystem nach Typenstatik : Terrazza Typ 1
- Lastfall Norddeutsche Tiefebene : no
- Windzone : 1 und 2 Binnenland
- Gebäudehöhe : < 10m
- Product use : private house
- Permissible snow-bearing load : 750 N/m²
- abrutschende Schneelast : no
- Schneeanwehung : no

basic data

External dimensions	: 5100mm x 2660mm	Depth: wall connection profile up to INSIDE edge of post	6.426,00
Bottom edge gutter (mm)	: 2267,5	mm	
Bottom edge connection to wall (mm)	: 2362	mm	

weinor Ltd
 73 Cornhill
 GB-EC3V 3QQ London
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: 335 2381 16
 Company no.: 12193066
 UTR no.: 33431 24084
 EORI no.: GB335238116000

Domestic transfers:
 Commerzbank London
 Sort Code: 406201
 Account Number: 307 537 10

International transfers:
 Commerzbank London
 IBAN: GB51 COBA 4062 0130 7537 10
 Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

Top edge connection to wall (mm)	: 2590	mm
Basic colour	: WT029/10797	Approx. RAL 9010
Covering	: 10mm	prepared for 10mm LSG
Seals	: silicone-containing seals	
Connection to wall left?	: No wall connection on left	
Connection to wall right?	: No wall connection on right	

roof girder

Number of roof rafter	: 7	Piece	
rafter 205 open	: 3	Piece	
rafter 205 closed	: 2	Piece	
Colour LED strip in roof supports	: 3	Piece	1.323,00
Axial dimension rafter	: 839,2	mm	

Transom

Sum of transoms	: 0	Piece	
-----------------	-----	-------	--

gutter

Execution	: Version 2021		
Steel reinforcement for roof gutter	: 1	* Galvanised flat steel	447,00
Maximum spacing for posts when gutter has 1 x steel	: 5240	mm for 1 x steel in gutter	
Weight for roof gutter with steel	: 87,8	kg	

Pillar(s)

Number of posts	: 2		
Post type left	: Post outside		
Post position on the left	: 57,5	mm	
Post type right	: Post outside		
Post position on the right	: 57,5	mm	
Length of post	: 2600	mm	

Please note that the standard length for square posts is 2600mm!

Drain on left side?	: Drain through the left post
---------------------	-------------------------------

pos	quantity	article code		
	Number of post base plates 196x196	: 2	Piece	110,00
	Number of caps for post plate	: 2	Piece	70,00
	No. Complete drainage through square outside post	: 1	incl. downspout and 87° elbow	130,00
	Anz. Abfluss durch Pfosten variable VertiPlus	: 0	incl. downspout and 87° elbow	
Side elements				
	Doubling under left side roof support (locking bar)?	: yes		283,00
	Left locking bar version	: 163x50 locking bar option without a rectangular pipe up to the wall		
	Doubling under right side roof support (locking bar)?	: yes		283,00
	Right locking bar version	: 163x50 locking bar option under side rafter up until wall connection profile		
alignment products				
	Sottezza-Type	: Sottezza stretch/optistretch (alle variants)		
	Projection Sottezza [mm]	: 2570	mm	
	mounting plates Sottezza II left rafter	: Standard 66.5 DTS mounting plate		87,00
	mounting plates Sottezza II right rafter	: Standard 66.5 DTS mounting plate		87,00
	Distance from Sottezza to the wall	: 20	mm	
	Distance from Sottezza to the gutter	: 20	mm	
	projection of WGM TOP	: 0	mm	
	Left-hand wall	: 60x50 rectangular pipe + 60x20 rectangular pipe		110,00
	Right-hand wall	: 50x50 rectangular pipe		77,00
accessorie				
	Side mains connection (230 V)	: left		
	power adapter 48 V	: Piece		163,00
	with remote control BiConnect	: Yes! Please remind the separate order!		

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151173005

Page 5 of 20

pos	quantity	article code
-----	----------	--------------

	Number of leaf filters (length 2 m)	: 3	39,00
--	-------------------------------------	-----	-------

miscellaneous

Glasfläche [m2]	: 12,06	m ²
-----------------	---------	----------------

Note glass area	: The glass surface concern only the roof.
-----------------	--

value of goods	discount amount / %	net
9.635,00	3.854,00 / 40,00	5.781,00

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code	
-----	----------	--------------	--


2	1,00	2235	Sottezza II OptiStretch
---	------	------	-------------------------

Product use	:	private house	
Number of units	:	single unit	
width Terrazza [mm]	:	5100	mm
Distance centre to centre field	:	4878	mm
Width of cassette total [mm]	:	4914	mm
Projection [mm]	:	2570	mm
Basic colour	:	WT029/10797 Approx. RAL 9010	2.672,00
Cable clips along the back of the cassette	:	without cable clips along the back of the cassette	
type of control	:	ioHomeControl	123,00
Side of control (seen from the front)	:	left	
	:		
	:		
Hirschmann plug tight? control	:	Hirschmann plug not assembled	13,00
Type of engine	:	hand transmitter Situo 5 io Pure II	119,00
Side channel bracket	:	Motor Sfy Sunea50 io 25/17 RH ohne Zubehör	
brackets top plate	:	4	Piece
real-design	:	2	Piece
	:	WE3-855	my collections
colour of thread Saba	:		
Cardboard container	:	RAL 7001 Silver grey	
weight	:	edges reinforcement	
	:	79	kg

value of goods	discount amount / %	net
2.927,00	1.170,80 / 40,00	1.756,20

pos	quantity	article code
-----	----------	--------------

3	1,00	2851	w17 easy - the full glass sliding door LHS seen from outside
---	------	------	---



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

Your weinor team

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 2530 X 2267	1.914,00
type of floor rail	: standard floor rail without CleanCase with drainage holes	110,00
CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	
Selection of leaves + tracks	: 3-track with 3 leaves	

pos	quantity	article code	
		Position of active leaf?	: left, as seen from inside
		Direction of opening	: sliding to the right
		Glazing	: 10 mm toughened safety glass, clear
		Soft-Closing-System	: Soft-Closing-System standard
		handling	: lock case and hung bolt 196,00
		side of the handling	: handling on both sides
		Operation lockcase	: doorknob inside and outside
		type of knob	: Standard-knob; same-coloured as the construction
		leaf actuator	: leaf actuator opening and closing in sliding direction
		extra operation for the endleaf	: handle bar standard 111,00
		knob inside/ on both sides for the endleaf	: handling inside
		lock inside for endleaf	: installed Active door locks on the inside
		Version of profile cylinder?	: Standard by price list (With different key)
		Height of lock from bottom edge of guide track	: 1050 up to centre of profile cylinder (in mm)
		Basic colour	: WT029/10797 Approx. RAL 9010
		wall connection profile left	: yes 57,00
		wall connection profile right	: yes 57,00
		brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm 70,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		with floor gap sealing profile	: outside positioned floor gap sealing profile 62,50
		Cardboard container	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		extra charge glass pallet	: 1 x wooden pallet 232,00
		30 x 2 mm flat aluminium	: 2 Piece
		Length of 30 x 2 mm flat aluminium	: 3000 mm 48,00
		value of goods	discount amount / % net
		2.857,50	1.143,00 / 40,00 1.714,50



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151173005

Page 9 of 20

pos quantity article code

Position 3 - interior view (images similar)

front view



4 1,00 2844 Standard profiles in cut lengths
As a box section behind post

Basic colour : WT029/10797 Approx. RAL 9010
 100 x 30 x 3 mm rectangular pipes : 2 Piece
 Length of 100 x 30 x 3 mm rectangular pipe : 2500 mm 378,00

value of goods	discount amount / %	net
378,00	151,20 / 40,00	226,80

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

5	1,00	2070	VertiTex II Zip 112 LHS seen from outside
---	------	------	--

Product use	: private house	
Execution	: square cassette	
size of cassette	: cassette 112	
width [mm]	: 2615	mm
height [mm]	: 2348	mm
Base price	:	1.728,00
Basic colour	: WT029/10797 Approx. RAL 9010	
Casing fixing	: wall bracket Vertitex universal	
Number of housing brackets	: 3	Piece
Number of housing brackets 2	: 0	Piece
type of control	: ioHomeControl	123,00
Side of control (seen from the front)	: left	
electrical engine connection	: Hirschmann plug not assembled	13,00
control	: without control	
info about radio engine without hand transmitter	: A suitable hand-held transmitter is required to operate the remote-controlled motor! The awning cannot be opened or retracted without a transmitter	
Type of engine	: Motor Sfy Sunea50 io 25/17 RH ohne Zubehör	
Collection	: screens by weinor	
real-design	: WE7-217	jade river

The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.

Front side of fabric	: Konfektion 1	Front side of fabric outside (standard)
cloth type	: made without seams	
weight	: 28	kg



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151173005

Page 11 of 20


pos	quantity	article code	
	value of goods	discount amount / %	net
	1.864,00	745,60 / 40,00	1.118,40

Position 5 - exterior view (images similar)

front view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

6	1,00	2833	GE SUPER LITE w50-c RHS seen from outside
---	------	------	--


Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: ATTENTION! Element is supplied without glass!		
Frame profile	: blind frame section 35 w50-c		
Width of element [mm]	: 2600		
Height of element [mm]	: 325	mm	
Incline	: 0	Degree(s)	328,00
Number of vertical glass panels	: three-part		
Prepared for	: prepared for 8mm (for cold use)		
Basic colour	: WT029/10797 Approx. RAL 9010		
gap seal	: Gap seals for 8 mm glass, length 2500 mm		38,00
Cardboard container	: edges reinforcement		
highest glass weight	: 5 kg		

value of goods	discount amount / %	net
366,00	146,40 / 40,00	219,60


Position 6 - interior view (images similar)

front view



pos	quantity	article code
-----	----------	--------------

7	1,00	2851	w17 easy - the full glass sliding door Front between posts
---	------	------	---



Dear weinor partner,

Thank you for ordering a sliding glass wall w17 easy, which consists of various glass elements.

Please note:

Moisture on the glass elements can lead to visual conspicuities, such as condensation marks. Such visual conspicuities can only be avoided if the panes are delivered in a dry condition and it is essential to ensure that the glass elements are stored and transported in a dry condition during subsequent storage or transport to your customers.

If you discover any defects/damage upon delivery, you must notify us immediately and make a notation on the delivery note. Otherwise, the goods will be deemed to have been approved.

Please also note our information on glass in the download center in the specialist partner section.

Your weinor team

Please check your order for correctness of the amount and type of the necessary wall gap sealing profiles and of the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 4870 X 1438	2.790,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 5-track with 5 leaves	

pos	quantity	article code	
		Position of active leaf?	: right, as seen from inside
		Direction of opening	: sliding to the left
		Glazing	: 8 mm toughened safety glass, clear
		Soft-Closing-System	: Soft-Closing-System standard
		handling	: handle bar standard
		side of the handling	: handling inside
		leaf actuator	: leaf actuator opening and closing in sliding direction
		Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
		extra operation for the endleaf	: handle bar standard 111,00
		knob inside/ on both sides for the endleaf	: handling inside
		lock inside for endleaf	: installed Active door locks on the inside
		Height of knob From bottom edge of guide track (mm)	: 798 mm
		Basic colour	: WT029/10797 Approx. RAL 9010
		wall connection profile left	: yes 38,00
		wall connection profile right	: yes 38,00
		brush seal	: 4 x Brush profile transparent for 8 mm glass, length 2800 mm 124,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
		Cardboard container	: edges reinforcement
		packaging	: Export packaging/ glass pallet
		30 x 2 mm flat aluminium	: 2 Piece
		Length of 30 x 2 mm flat aluminium	: 5100 mm 96,00
		value of goods	discount amount / % net
		3.197,00	1.278,80 / 40,00 1.918,20



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151173005

Page 15 of 20

pos quantity article code

Position 7 - interior view (images similar)

front view



8 1,00 2557 BiConnect

receiver for RGB	: 1	weinor BiConnect BiRec RGB-48V	332,00
control	: weinor BiConnect BiEasy 15M Go! silver		169,00
learned on channel 1	: BiConnect BiRec RGB-48V	for order 151173005/1: Terrazza Pure	

value of goods	discount amount / %	net
501,00	200,40 / 40,00	300,60

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151173005

Page 16 of 20

pos quantity article code

9 3,00 1951 Tempura Quadra

Product use : private house

Utilisation : universal

width [mm] : 400 mm 565,00

Basic colour : WT029/10797 Approx. RAL 9010

operation : electric supply cable 10 m

access : Hirschmann plug (standard)

value of goods	discount amount / %	net
1.695,00	678,00 / 40,00	1.017,00

999 1,00 127887-0000 net material cost surcharge

Pos 1 - Terrazza Pure - 108,56 GBP

197,58

Pos 2 - Sottezza II OptiStretch - 39,02 GBP

Pos 3 - w17 easy - the full glass sliding door - 12,65 GBP

Pos 6 - GE SUPER LITE w50-c - 13,00 GBP

Pos 7 - w17 easy - the full glass sliding door - 24,35 GBP

value of goods	discount amount / %	net
197,58	0,00 / 0,00	197,58

value of goods	discount amount	net	VAT (0 %)	Total GBP
23.618,08	9.368,20	14.249,88	0,00	14.249,88

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

sale offer 151173005

Page 17 of 20

pos quantity article code

This offer is valid until 31.07.2022

delivery exw Cologne

payment: Direct debit / 3 days - 4% cash discount

mode of dispatch UK export

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

Glass dimensions		
Position 1	Terrazza Pure	prepared for 10mm LSG
quantity	form	width height
6	rectangle	769,2 2613
Position 6	GE SUPER LITE w50-c	prepared for 8mm (for cold use)
quantity	form	width height
3	rectangle	861 285

Attention ! These glass dimensions are not part of an order confirmation but refer to this offer only



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151173005

Page 19 of 20


pos quantity article code

Position 1 - exterior view (images similar)

isometric view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


sale offer 151173005

Page 20 of 20

pos quantity article code

Position 1 - exterior view (images similar)

front view



side view left



side view right



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X