

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

sales order no.: 202697068
reference: BREHAUT SO12994/151173005
Your order no.:
weinor customernumber: 165708
creation Date: 27.07.2022
weinor pers. in charge: William Abbott
phone / fax number: +49-221-59709-472
representat.: Chris Spickett
tel (representat.): 0044 (0) 7894443907



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 2 of 20

pos	quantity	article	price
-----	----------	---------	-------

Dear customer,

please find your order confirmation including your required dimensions.
 If ok please release your order in E-Shop on your own and can see immediately your delivery date.
 Thank you very much.

You can now also stop your order faster directly online.

pos	quantity	article	price
-----	----------	---------	-------

Please note:
 Order has been configured according last version of offer 151173005
 Please check all details and measurements before order release

Dear Customer,

We herewith confirm your order based on the dimensions specified by you.

IMPORTANT: With immediate effect, you can technically release your orders from the weinor E-shop yourself and will be provided with a delivery date immediately. Moreover, it is possible to stop orders in the weinor E-shop independently up to a specific production point.

Trust in fast and safe in the future: Orders possible via the weinor E-shop are processed faster. Additionally, errors are virtually ruled out. The system instantly checks and confirms your configuration for technical feasibility.

Please observe that we can only name a likely delivery date after your final release. Each change requires re-engineering, thus extending the delivery period.

Please also take into account that changes to an order after release cause costs which we may have to pass on to you.

Please send the release to our telefax no.: +49 221 59709-83602 or by E-mail:
 freigabe@weinor.de

Many thanks!

Your APPROVAL:
(Signature) (Date)

1	1	weinor Terrazza Pure	9.635,00
---	---	-----------------------------	-----------------

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 3 of 20

pos	quantity	article	price
.		: ATTENTION! Element is supplied without glass!	
Product use		: private house	
Permissible snow-bearing load		: 750 N/m ²	
basic data		1	
External dimensions		: 5100mm x 2660mm Depth: wall connection profile up to INSIDE edge of post	6.426,00
Bottom edge gutter (mm)		: 2267,5 mm	
Bottom edge connection to wall (mm)		: 2362 mm	
Top edge connection to wall (mm)		: 2590 mm	
Basic colour		: WT029/10797 Approx. RAL 9010	
Covering		: prepared for 10mm LSG	
Seals		: silicone-containing seals	
Connection to wall left?		: No wall connection on left	
Connection to wall right?		: No wall connection on right	
roof girder		1	
Number of roof rafter		: 7 Piece	
rafter 205 open		: 3 Piece	
rafter 205 closed		: 2 Piece	
Colour LED strip in roof supports		: 3 Piece	1.323,00
Axial dimension rafter		: 839,2 mm	
Transom		1	
Sum of transoms		: 0 Piece	
gutter		1	
Execution		: Version 2021	
Steel reinforcement for roof gutter		: 1 * Galvanised flat steel	447,00
Maximum spacing for posts when gutter has 1 x steel		: 5200 mm for 1 x steel in gutter	
Pillar(s)		1	
Number of posts		: 2	
Post type left		: Post outside	
Post position on the left		: 57,5 mm	
Post type right		: Post outside	
Post position on the right		: 57,5 mm	
Length of post		: 2600 mm	
Drain on left side?		: Drain through the left post	
Number of post base plates 196x196		: 2 Piece	110,00
Number of caps for post plate		: 2 Piece	70,00

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 5 of 20

pos	quantity	article	price
-----	----------	---------	-------

2	1	weinor Sottezza II OptiStretch	2.927,00
---	---	--------------------------------	----------

Product use	: private house		
Sales order Terrazza	: 202697068		
Posn. of the sales order for Terrazza	: 1		
Number of units	: 1 Field System		
width Terrazza [mm]	: 5100 mm		
Distance centre to centre	: 4878 mm		
Width of cassette total [mm]	: 4914 mm		
Projection [mm]	: 2570 mm		2.672,00
Basic colour	: WT029/10797 Approx. RAL 9010		
Cable clips along the back of the cassette	: without cable clips along the back of the cassette		
type of control	: Remote-controlled motor IO Homecontrol		123,00
Side of control (seen from the front)	: left		
Hirschmann plug tight?	: Hirschmann plug not assembled		13,00
control	: hand transmitter Situo 5 io Pure II		119,00
Type of engine	:		
Side channel bracket	: 4 Piece		
brackets top plate	: 2 Piece		
real-design	: WE3-855 my collections		
colour of thread Saba	: RAL 7001 Silver grey		
Cardboard container	: edges reinforcement		
weight	: 79 kg		

value of goods	discount amount / %	net
2.927,00	1.170,80 / 40,00	1.756,20

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 6 of 20

pos	quantity	article	price
-----	----------	---------	-------

3	1	weinor w17 easy - the full glass sliding door	2.857,50
----------	----------	--	-----------------

LHS seen from outside

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 2530 X 2267	1.914,00
type of floor rail	: standard floor rail without CleanCase with drainage holes	110,00
CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	
Selection of leaves + tracks	: 3-track with 3 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: lock case and hung bolt	196,00
side of the handling	: handling on both sides	
Operation lockcase	: doorknob inside and outside	
type of knob	: Standard-knob; same-coloured as the construction	
leaf actuator	: leaf actuator opening and closing in sliding direction	
extra operation for the endleaf	: handle bar standard	111,00
lock inside for endleaf	: installed Active door locks on the inside	
Version of profile cylinder?	: Standard by price list (With different key)	
Height of lock from bottom edge of guide track	: 1050 up to centre of profile cylinder (in mm)	
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	57,00
wall connection profile right	: yes	57,00
brush seal	: 2 x Brush profile transparent for 10 mm glass, length 2800 mm	70,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
with floor gap sealing profile	: outside positioned floor gap sealing profile	62,50
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 1 x wooden pallet	232,00
30 x 2 mm flat aluminium	: 2 Piece	
Length of 30 x 2 mm flat aluminium	: 3000 mm	48,00
weight	: 156 kg	



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 7 of 20


pos	quantity	article	value of goods	discount amount / %	net price
			2.857,50	1.143,00 / 40,00	1.714,50

Position 3 - interior view (images similar)


front view



Screenshot



Screenshot



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 8 of 20

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor Standard profiles in cut lengths	378,00
---	---	--	---------------

As a box section behind posts

Basic colour : WT029/10797 Approx. RAL 9010

100 x 30 x 3 mm rectangular pipes : 2 Piece

Length of 100 x 30 x 3 mm rectangular pipe	: 2500 mm	378,00
--	-----------	--------

	value of goods	discount amount / %	net
	378,00	151,20 / 40,00	226,80

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 9 of 20

pos	quantity	article	price
-----	----------	---------	-------

5	1	weinor VertiTex II Zip 112	1.864,00
---	---	----------------------------	----------

LHS seen from outside

Product use	: private house	
Execution	: square cassette	
size of cassette	: cassette 112	
width (mm)	: 2615 mm	
height [mm]	: 2348 mm	
Base price	:	1.728,00
Basic colour	: WT029/10797 Approx. RAL 9010	
Casing fixing	: wall bracket Vertitex universal	
Number of housing brackets	: 3 Piece	
type of control	: Remote-controlled motor IO Homecontrol	123,00
Side of control (seen from the front)	: left	
connection cable	: Hirschmann plug not assembled	13,00
control	: without control	
info about radio engine without hand transmitter	: A suitable hand-held transmitter is required to operate the remote-controlled motor! The awning cannot be opened or retracted without a transmitter	
Type of engine	:	
Collection	: screens by weinor	
real-design	: WE7-217	
Front side of fabric	: Konfektion 1 Front side of fabric outside (standard)	
cloth type	: made without seams	
Cardboard container	: edges reinforcement	
weight	: 28 kg	

value of goods	discount amount / %	net
1.864,00	745,60 / 40,00	1.118,40

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



Configuration details



weinor Ltd 73 Cornhill EC3V 3QQ London

customer:	165708	reference:	BREHAUT SO12994/151173005	Page 10 of 20
pos	quantity	article		price


Position 5 - exterior view (images similar)

front view


top view



Screenshot



Screenshot





Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 11 of 20

pos	quantity	article	price
6	1	weinor GE SUPER LITE w50-c	366,00


RHS seen from outside

.	: ATTENTION! Element is supplied without glass!	
Frame profile	: blind frame section 35 w50-c	
Width of element [mm]	: 2600	
Height of element [mm]	: 325 mm	
Incline	: 0 Degree(s)	328,00
Number of vertical glass panels	: three-part	
Prepared for	: prepared for 8mm GE	
Basic colour	: WT029/10797 Approx. RAL 9010	
gap seal	: Gap seals for 8 mm glass, length 2500 mm	38,00
Cardboard container	: edges reinforcement	
highest glass weight	: 5 kg	


value of goods	discount amount / %	net
366,00	146,40 / 40,00	219,60

Position 6 - interior view (images similar)

front view



Screenshot



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 12 of 20

pos	quantity	article	price
-----	----------	---------	-------

7	1	weinor w17 easy - the full glass sliding door	3.197,00
---	---	--	-----------------

Front/ between posts

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 4870 X 1438	2.790,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 5-track with 5 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 8 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling inside	
leaf actuator	: leaf actuator opening and closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
extra operation for the endleaf	: handle bar standard	111,00
lock inside for endleaf	: installed Active door locks on the inside	
Height of knob From bottom edge of guide track (mm)	: 798 mm	
Basic colour	: WT029/10797 Approx. RAL 9010	
wall connection profile left	: yes	38,00
wall connection profile right	: yes	38,00
brush seal	: 4 x Brush profile transparent for 8 mm glass, length 2800 mm	124,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
30 x 2 mm flat aluminium	: 2 Piece	
Length of 30 x 2 mm flat aluminium	: 5100 mm	96,00
weight	: 164,4 kg	



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 13 of 20


pos	quantity	article	value of goods	discount amount / %	net price
			3.197,00	1.278,80 / 40,00	1.918,20

Position 7 - interior view (images similar)


front view




Screenshot



Screenshot



Screenshot



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 14 of 20

pos	quantity	article	price
-----	----------	---------	-------

8	1	weinor BiConnect	501,00
----------	----------	-------------------------	---------------

deliver BiConnect separate?	: No; supply receiver and handheld remote control with awning		
shipment info	: The pre set receivers (except LED) and the handset will be packed with contract number 202697068 pos 1!		
receiver for RGB control	: 1 weinor BiConnect BiRec RGB-48V		332,00
learned on channel 1	: weinor BiConnect BiEasy 15M Go! silver		169,00
	: for order 202697068/1: Terrazza Pure		

	value of goods	discount amount / %	net
	501,00	200,40 / 40,00	300,60

9	3	weinor Tempura Quadra	1.695,00
----------	----------	------------------------------	-----------------

Product use	: private house		
Utilisation	: universal		
width [mm]	: 400 mm		565,00
Basic colour	: WT029/10797 Approx. RAL 9010		
operation	: electric supply cable 10 m		
access	: Hirschmann plug (standard)		
weight	: 4,4 kg		

	value of goods	discount amount / %	net
	1.695,00	678,00 / 40,00	1.017,00

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 15 of 20

pos	quantity	article	price
999	1	weinor Netto-Materialkostenzuschlag	197,58

price per unit : 197,58

Pos 1 - Terrazza Pure - 108,56 GBP
 Pos 2 - Sottezza II OptiStretch - 39,02 GBP
 Pos 3 - w17 easy - the full glass sliding door - 12,65 GBP
 Pos 6 - GE SUPER LITE w50-c - 13,00 GBP
 Pos 7 - w17 easy - the full glass sliding door - 24,35 GBP

At least one item from your order has been ordered for approval. The later valid net material cost surcharge cannot currently be calculated and may differ from the value specified here.

value of goods	discount amount / %	net
197,58	0,00 / 0,00	197,58

value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP
23.618,08	9.368,20	14.249,88	0,00	14.249,88

weinor Ltd
 73 Cornhill
 GB-EC3V 3QQ London
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: 335 2381 16
 Company no.: 12193066
 UTR no.: 33431 24084
 EORI no.: GB335238116000

Domestic transfers:
 Commerzbank London
 Sort Code: 406201
 Account Number: 307 537 10

International transfers:
 Commerzbank London
 IBAN: GB51 COBA 4062 0130 7537 10
 Swift: MIDLGB22 a/c COBAGB2X



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: BREHAUT SO12994/151173005

Page 16 of 20

isometric view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: BREHAUT SO12994/151173005

Page 17 of 20

front view



side view left



side view right







Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: BREHAUT SO12994/151173005

Page 18 of 20



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X




Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: BREHAUT SO12994/151173005

Page 19 of 20



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005

Page 20 of 20

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 22.8.2022.

Glass Dimensions

Position	1	Terrazza Pure	prepared for 10mm LSG		
quantity	form		Width	Height left	Height right
6	rectangle		769,2	2613	2613
Position	6	GE SUPER LITE w50-c	prepared for 8mm GE		
quantity	form		Width	Height left	Height right
3	rectangle		861	285	285