

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

sales order no.:	202697068
reference:	BREHAUT SO12994/151173005
Your order no.:	
weinor customernumber:	165708
creation Date:	27.07.2022
weinor pers. in charge:	William Abbott
phone / fax number:	+49-221-59709-472
representat.:	Chris Spickett
tel (representat.):	0044 (0) 7894443907

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005

Page 2 of 18

pos	quantity	article
-----	----------	---------

pos	quantity	article
-----	----------	---------

2. Order confirmation
- Changed Sottezza II fabric to 6-384 and Vertitex II fabric to 7-215.

As discussed, please check the attached sketch and check ALL dimensions of the order.
For example the vertitex on the side seems too small in the width or the height calculation are taken from top of the wall plate so we deducted the profile but please check before release !

Please note:

Order has been configured according last version of offer 151173005

Please check all details and measurements before order release

Dear Customer,

We herewith confirm your order based on the dimensions specified by you.

IMPORTANT: With immediate effect, you can technically release your orders from the weinor E-shop yourself and will be provided with a delivery date immediately. Moreover, it is possible to stop orders in the weinor E-shop independently up to a specific production point.

Trust in fast and safe in the future: Orders possible via the weinor E-shop are processed faster. Additionally, errors are virtually ruled out. The system instantly checks and confirms your configuration for technical feasibility.

Please observe that we can only name a likely delivery date after your final release. Each change requires re-engineering, thus extending the delivery period.

Please also take into account that changes to an order after release cause costs which we may have to pass on to you.

Please send the release to our telefax no.: +49 221 59709-83602 or by E-mail:
freigabe@weinor.de

Many thanks!

Your APPROVAL:
(Signature) (Date)

1	1	weinor Terrazza Pure
---	---	----------------------

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005

Page 3 of 18

pos	quantity	article
.		: ATTENTION! Element is supplied without glass!
Product use		: private house
Permissible snow-bearing load		: 750 N/m ²
basic data		1
External dimensions		: 5100mm x 2660mm Depth: wall connection profile up to INSIDE edge of post
Bottom edge gutter (mm)		: 2267,5 mm
Bottom edge connection to wall (mm)		: 2362 mm
Top edge connection to wall (mm)		: 2590 mm
Basic colour		: WT029/10797 Approx. RAL 9010
Covering		: prepared for 10mm LSG
Seals		: silicone-containing seals
Connection to wall left?		: No wall connection on left
Connection to wall right?		: No wall connection on right
roof girder		1
Number of roof rafter		: 7 Piece
rafter 205 open		: 3 Piece
rafter 205 closed		: 2 Piece
Colour LED strip in roof supports		: 3 Piece
Axial dimension rafter		: 839,2 mm
Transom		1
Sum of transoms		: 0 Piece
gutter		1
Execution		: Version 2021
Steel reinforcement for roof gutter		: 1 * Galvanised flat steel
Maximum spacing for posts when gutter has 1 x steel		: 5200 mm for 1 x steel in gutter
Pillar(s)		1
Number of posts		: 2
Post type left		: Post outside
Post position on the left		: 57,5 mm
Post type right		: Post outside
Post position on the right		: 57,5 mm
Length of post		: 2600 mm
Drain on left side?		: Drain through the left post
Number of post base plates 196x196		: 2 Piece
Number of caps for post plate		: 2 Piece

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005

Page 4 of 18

pos	quantity	article
		No. Complete drainage through square outside post : 1 incl. downspout and 87° elbow
		Side elements : 1
		Doubling under left side roof support (locking bar)? : yes
		Left locking bar version : 163x50 locking bar option without a rectangular pipe up to the wall
		Doubling under right side roof support (locking bar)? : yes
		Right locking bar version : 163x50 locking bar option under side rafter up until wall connection profile
		alignment products : 1
		Sottezza-Type : Sottezza stretch/optistretch (alle variants)
		mounting plates Sottezza II left rafter : Standard 66.5 DTS mounting plate
		mounting plates Sottezza II right rafter : Standard 66.5 DTS mounting plate
		Distance from Sottezza to the wall : 20 mm
		Distance from Sottezza to the gutter : 20 mm
		projection of WGM TOP : 0 mm
		Left-hand wall : 60x50 rectangular pipe + 60x20 rectangular pipe
		Right-hand wall : 50x50 rectangular pipe
		accessorie : 1
		Side mains connection (230 V) : Left
		power adapter 48 V : Piece
		With remote control BiConnect : Yes! Please remind the separate order!
		Information on BiConnect : The BiConnect has been done in 202697068 position 8!
		Number of leaf filters (length 2 m) : 3
		miscellaneous : 1
		: 12,06 m ²
		Note glass area : The glass surface concern only the roof.
		Weight [kg] : 399,98 kg

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005

Page 5 of 18

pos	quantity	article
-----	----------	---------

2	1	weinor Sottezza II OptiStretch
----------	----------	---------------------------------------

Product use	: private house
Anticipated delivery	: 24.10.2022
Sales order Terrazza	: 202697068
Posn. of the sales order for Terrazza	: 1
Number of units	: 1 Field System
width Terrazza [mm]	: 5100 mm
Distance centre to centre	: 4878 mm
Width of cassette total [mm]	: 4914 mm
Projection [mm]	: 2570 mm
Basic colour	: WT029/10797 Approx. RAL 9010
Cable clips along the back of the cassette	: without cable clips along the back of the cassette
type of control	: Remote-controlled motor IO Homecontrol
Side of control (seen from the front)	: Left
Hirschmann plug tight? control	: Hirschmann plug not assembled hand transmitter Situo 5 io Pure II
Type of engine	:
Side channel bracket	: 4 Piece
brackets top plate	: 2 Piece
real-design	: WE6-384 Weitex Classic my collections
colour of thread Saba	:
Cardboard container	: edges reinforcement
weight	: 86,34 kg

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005

Page 6 of 18

pos	quantity	article
3	1	weinor w17 easy - the full glass sliding door
		LHS seen from outside
.		: ATTENTION! Element is supplied with glass!
Product use		: private house
Width of element [mm]		: 2530 X 2267
type of floor rail		: standard floor rail without CleanCase with drainage holes
CleanCase left (from inside)		: no
CleanCase right (from inside)		: no
Selection of leaves + tracks		: 3-track with 3 leaves
Position of active leaf?		: left, as seen from inside
Direction of opening		: sliding to the right
Glazing		: 10 mm toughened safety glass, clear
Soft-Closing-System		: Standard Damper
handling		: lock case and hung bolt
side of the handling		: handling on both sides
Operation lockcase		: doorknob inside and outside
type of knob		: Standard-knob; same-coloured as the construction
leaf actuator		: leaf actuator opening and closing in sliding direction
extra operation for the endleaf		: handle bar standard
lock inside for endleaf		: installed Active door locks on the inside
Version of profile cylinder?		: Standard by price list (With different key)
Height of lock from bottom edge of guide track		: 1050 up to centre of profile cylinder (in mm)
Basic colour		: WT029/10797 Approx. RAL 9010
wall connection profile left		: yes
wall connection profile right		: yes
brush seal		: 2 x Brush profile transparent for 10 mm glass, length 2800 mm
Note		: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
with floor gap sealing profile		: outside positioned floor gap sealing profile
Cardboard container		: edges reinforcement
packaging		: Export packaging/ glass pallet
extra charge glass pallet		: 1 x wooden pallet
30 x 2 mm flat aluminium		: 2 Piece
Length of 30 x 2 mm flat aluminium		: 3000 mm
weight		: 161,82 kg



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: BREHAUT SO12994/151173005


Page 7 of 18

pos quantity


article

Position 3 - interior view (images similar)


front view



Screenshot



Screenshot



4 1

weinor Standard profiles in cut lengths

As a box section behind posts

Basic colour : WT029/10797 Approx. RAL 9010

100 x 30 x 3 mm rectangular pipes : 2 Piece

Length of 100 x 30 x 3 mm rectangular pipe : 2500 mm

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005

Page 8 of 18

pos	quantity	article
-----	----------	---------

5	1	weinor VertiTex II Zip 112
----------	----------	-----------------------------------

LHS seen from outside

Product use	: private house
Execution	: square cassette
size of cassette	: cassette 112
width (mm)	: 2615 mm
height [mm]	: 2348 mm
Base price	:
Basic colour	: WT029/10797 Approx. RAL 9010
Casing fixing	: wall bracket Vertitex universal
Number of housing brackets	: 3 Piece
type of control	: Remote-controlled motor IO Homecontrol
Side of control (seen from the front)	: Left
connection cable	: Hirschmann plug not assembled
control	: without control
info about radio engine without hand transmitter	: A suitable hand-held transmitter is required to operate the remote-controlled motor! The awning cannot be opened or retracted without a transmitter
Type of engine	:
Collection	: screens by weinor
real-design	: WE7-215
Front side of fabric	: Konfektion 1 Front side of fabric outside (standard)
cloth type	: made without seams
Cardboard container	: edges reinforcement
weight	: 42,3 kg



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: BREHAUT SO12994/151173005


Page 9 of 18

pos **quantity**


article

Position 5 - exterior view (images similar)


Screenshot



Screenshot



Screenshot





Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 10 of 18

pos	quantity	article
-----	----------	---------


6	1	weinor GE SUPER LITE w50-c
---	---	----------------------------

RHS seen from outside


- . : ATTENTION! Element is supplied without glass!
- Frame profile : blind frame section 35 w50-c
- Width of element [mm] : 2600
- Height of element [mm] : 325 mm
- Incline : 0 Degree(s)
- Number of vertical glass panels : three-part
- Prepared for : prepared for 8mm GE
- Basic colour : WT029/10797 Approx. RAL 9010
- gap seal : Gap seals for 8 mm glass, length 2200 mm
- Cardboard container : edges reinforcement
- highest glass weight : 5 kg
- weight : 12,92 kg

Position 6 - interior view (images similar)

front view



Screenshot



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005

Page 11 of 18

pos	quantity	article
-----	----------	---------

7	1	weinor w17 easy - the full glass sliding door
---	---	--

Front/ between posts

.	: ATTENTION! Element is supplied with glass!
Product use	: private house
Width of element [mm]	: 4870 X 1438
type of floor rail	: standard floor rail with CleanCase
CleanCase left (from inside)	: yes
CleanCase right (from inside)	: yes
Selection of leaves + tracks	: 5-track with 5 leaves
Position of active leaf?	: right, as seen from inside
Direction of opening	: sliding to the left
Glazing	: 8 mm toughened safety glass, clear
Soft-Closing-System	: Standard Damper
handling	: handle bar standard
side of the handling	: handling inside
leaf actuator	: leaf actuator opening and closing in sliding direction
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled
extra operation for the endleaf	: handle bar standard
lock inside for endleaf	: installed Active door locks on the inside
Height of knob From bottom edge of guide track (mm)	: 798 mm
Basic colour	: WT029/10797 Approx. RAL 9010
wall connection profile left	: yes
wall connection profile right	: yes
brush seal	: 4 x Brush profile transparent for 8 mm glass, length 2800 mm
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining
Cardboard container	: edges reinforcement
packaging	: Export packaging/ glass pallet
30 x 2 mm flat aluminium	: 2 Piece
Length of 30 x 2 mm flat aluminium	: 5100 mm
weight	: 221,84 kg

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005 Page 12 of 18


pos	quantity	article
-----	----------	---------

Position 7 - interior view (images similar)


front view




Screenshot



Screenshot



Screenshot



8 1 weinor BiConnect

- deliver BiConnect separate? : No; supply receiver and handheld remote control with awning
- shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 202697068 pos 1!
- receiver for RGB : 1 weinor BiConnect BiRec RGB-48V
- control : weinor BiConnect BiEasy 15M Go! silver
- learned on channel 1 : for order 202697068/1: Terrazza Pure

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005

Page 13 of 18

pos	quantity	article
9	3	weinor Tempura Quadra
Product use	:	private house
Utilisation	:	universal
width [mm]	:	400 mm
Basic colour	:	WT029/10797 Approx. RAL 9010
operation	:	electric supply cable 10 m
access	:	Hirschmann plug (standard)
weight	:	4,4 kg
999	1	weinor Netto-Materialkostenzuschlag



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: BREHAUT SO12994/151173005

Page 14 of 18

isometric view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: BREHAUT SO12994/151173005

Page 15 of 18

front view



side view left



side view right







Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: BREHAUT SO12994/151173005

Page 16 of 18



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X





Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: BREHAUT SO12994/151173005

Page 17 of 18



Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: BREHAUT SO12994/151173005

Page 18 of 18

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 23.1.2023.

Glass Dimensions

Position	1	Terrazza Pure	prepared for 10mm LSG		
quantity	form		Width	Height left	Height right
6	rectangle		769,2	2613	2613
Position	6	GE SUPER LITE w50-c	prepared for 8mm GE		
quantity	form		Width	Height left	Height right
3	rectangle		861	285	285