

Renson Outdoor

WHERE MAGIC HAPPENS



 **RENSON**[®]
Creating healthy spaces

CP Interiors

Rue des Pres. Tr. Est. 28

JE2 7QN Jersey

23/03/2022

Ref: Wilshin SO13008_SO13008

CP Interiors

Rue des Pres. Tr. Est. 28
JE2 7QN Jersey

23/03/2022

Ref: Wilshin SO13008_SO13008

Sales Quote

Project	Quote reference	RIO ID	Document ID
Wilshin SO13008	Wilshin SO13008_SO13008	AA00107025	20035695

CP Interiors

Rue des Pres. Tr. Est. 28
JE2 7QN Jersey

23/03/2022

Ref: Wilshin SO13008_SO13008

Sales quote content

Quote details	4
1 - Camargue	4
Price breakdown	4
Configuration details	5
Extra documentation	10
Warranty conditions & tips	10

Notes

Quote details

1 - Camargue

Price breakdown

Description	Quantity	Unit price	Total
Camargue	1x		25,306.00 GBP
Integrated Fixscreens to 3 sides	3x		8,921.00 GBP
3 Lineo Led	1x		2,892.00 GBP
UpDown Led : 2x Up RGB + Down White	1x		3,965.00 GBP
Total (excl. GST)			48,234.00 GBP

Quote details



Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

Span 2 (S2)

Infill S2

Yes

Infill S2

Fixscreen



Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

Pivot 2 (P2)

Infill P2

Yes

Infill P2

Fixscreen



Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

COMFORT

Lighting

Lineo Led (led blades)

Yes


Number of Lineo led

3

Color of Lineo led

Warm white

Quote details



LINEO LED

Integrated dimmable LED lighting in the blades with even distribution.

- The ideal basic lighting system
- Available in warm white and pure white
- Dimmable
- LED strip extends across the full length of the blade

Updown led

Sides with UpDown LED

Color led 'UP'

Color led 'DOWN'

Yes

Pivot 1, Pivot 2

RGB

Warm white



Updown Led

Integrated dimmable LED lighting on the inside of the frame. Upwards and/or downwards for direct and/or indirect lighting.

- Basic lighting and ambient lighting combined in a single light fitting
- Available in warm white, pure white and/or RGB
- Dimmable
- High-quality IP65 LEDs

Colomno led

No

Comfort & Design

Lineo Heat

No

Protecto

Yes

Position

P1, P2

Automation

Motor control

Somfy RTS


Transmitter

Yes

Transmitter

Telis 16 RTS Pure white

Quote details



Telis 16 RTS Pure


16-channel transmitter (incl. support)

Rain sensor

Yes

Rain sensor

Ceramic rain sensor 24V



Rain sensor kit

Ceramic rain sensor 24V 3M Outdoor

STYLING

Colors

Color structure and columns

Color type of the structure and the columns

Textured

Color of blades

Color blades

Same color as framework and columns

Type of fabrics

Fixscreen

Type of fabric Fixscreen/Linarte-Canvas

Fibreglass fabric Sergé


TECHNICAL SPECS

General

Choose the rotation direction

Sunprotection

Quote details



Blade rotation - Sunprotection

Columns

Column 1A

Mounting base

Invisible reinforced

Water drainage

Yes

Direction of water drainage

Pivot

Column 1B

Mounting base

Invisible reinforced

Water drainage

Yes

Water drainage direction

Pivot

Column 2A

Mounting base

Invisible reinforced

Water drainage

Yes

Water drainage direction

Pivot

Column 2B

Mounting base

Invisible reinforced

Water drainage

Yes

Water drainage direction

Pivot

Extra documentation

Warranty conditions & tips

GUARANTEE *



	Structural elements	Motors and electronic control	Coating gloss and colour	Coating adhesion	Fixscreen technology® (zips)	Crystal window in the full width
Camargue®	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Camargue® Skye	10 years**	2 years	5 years / 15 years*	10 years**	5 years	2 years
Algarve® Line	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Aero® Line	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Lapure®	5 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Façade elements	5 years	2 years	5 years / 15 years*	10 years**	-	-
Garden elements	5 years	2 years	5 years / 15 years*	10 years**	-	-

* Subject to registration and annual maintenance with the Renson® Maintenance Set

** In areas <500 m from a coastline: 5-year warranty on adhesion

*** 10-year warranty on the support structure and 5-year warranty on the mechanical parts



Register your patio cover within 15 days of installation and receive a



GUARANTEE



<http://www.renson-outdoor.com/GARANTIE>

*A 5-year guarantee applies to the colour and gloss of the coating. If you register the patio cover and annually clean and protect it with the Renson Maintenance Set, you get an extended coating warranty of up to 15 years.

Extra documentation

MAINTENANCE

EASY MAINTENANCE WITH THE RENSON MAINTENANCE SET

Your patio cover will be fully exposed to the elements for years - day in and day out. If you want to get the most out of your Renson® cover indefinitely, we recommend maintaining it regularly, i.e. once or twice a year. Regular maintenance will extend the lifespan of your cover. The following are important:

- The structure is made using powder coated aluminium. An annual cleaning with Renson Maintenance Set products will ensure that the intense colour is maintained for years, as well as providing extra protection from acid rain, sea air and UV radiation. For coastal or wooded areas, we recommend maintenance of your installations at least twice a year.
- The Renson 'Clean' is a concentrated product with strong cleaning and degreasing properties to deal with the most frequent kinds of natural filth, such as dust, oily precipitation, grease stains, moss, insect remains, etc. This product cannot be compared to other cleaning products on the market. It sinks deeply and 'lifts out' the dirt. Renson 'Clean' can also be used to clean polyester roof fabrics and vertical fibreglass screen fabrics. After cleaning, you must protect the aluminium structure with Renson 'Protect'. This leaves a protective film that allows the surface to be cleaned by simply wiping it down with a minimum amount of Renson 'Clean'. It also protects the aluminium from acid rain, sea air and UV radiation, and ensures the colour remains just as intense.
- Do not use either product in direct sunlight or in hot weather. The product's quick-drying action can leave stains on the structure or the fabric. Do not use corrosive or aggressive products, scouring pads or other scouring products. Do not use high-pressure equipment under any circumstances.

For more information about our outdoor products, you can consult [our brochure](#).