

Renson Outdoor

WHERE MAGIC HAPPENS



 **RENSON**[®]
Creating healthy spaces

CP Interiors

Rue des Pres. Tr. Est. 28

JE2 7QN Jersey

31/03/2022

Ref: Gilley SO13091_SO13091

CP Interiors

Rue des Pres. Tr. Est. 28
JE2 7QN Jersey

31/03/2022

Ref: Gilley SO13091_SO13091

Sales Quote

Project	Quote reference	RIO ID	Document ID
Gilley SO13091	Gilley SO13091_SO13091	AA00109539	

Quote details

1x	1 - Algarve	18,673.00	GBP
Total (excl. GST)		18,673.00	GBP

CP Interiors

Rue des Pres. Tr. Est. 28
JE2 7QN Jersey

31/03/2022

Ref: Gilley SO13091_SO13091

Sales quote content

Quote details	Error! Bookmark not defined.
1 - Algarve	Error! Bookmark not defined.
Configuration details	4
Extra documentation	7
Warranty conditions & tips	7

Notes

Quote details

Configuration details

STRUCTURE

Type

Algarve structure	Single
Roof design	Rotating blades

CONSTRUCTION

Dimensions

Span	4000mm
Finishing of the fixed blades	Pivot on the mm / inch
Pivot	4000mm
Passage height	2300mm

Construction method

Span 1	Freestanding
Span 2	Freestanding
Pivot 1	Freestanding
Pivot 2	Freestanding

Columns

Column 1A

Column type	Corner column
-------------	---------------

Column 1B

Column type	Corner column
-------------	---------------

Column 2A

Column type	Corner column
-------------	---------------

Column 2B

Column type	Corner column
-------------	---------------

COMFORT

Comfort & Design


Lineo Heat	No
------------	----

Automation

Motor

Motor control	Somfy RTS
Transmitter	Yes
Transmitter	Situo 5 RTS Pure II

Quote details



Situo 5 RTS Pure II

5-channel transmitter (incl. support)


Sensors

Rain sensor

Yes

Rain sensor

Ceramic rain sensor 24V



Rain sensor kit

Ceramic rain sensor 24V 3M Outdoor

STYLING

Colors

Color type of the structure and the columns

Textured

Color type of blades

Same color as framework and columns

TECHNICAL SPECS


General

Blade rotation

Sunprotection

Blade rotation - Sunprotection

Quote details



Columns

Column 1A

Mounting base Invisible reinforced

Water drainage in column Yes

Direction of water drainage Pivot

Column 1B

Mounting base Invisible reinforced

Water drainage in column Yes

Water drainage direction Pivot

Column 2A

Mounting base Invisible reinforced

Water drainage in column Yes

Water drainage direction Pivot

Column 2B

Mounting base Invisible reinforced

Water drainage in column Yes

Water drainage direction Pivot

Extra documentation

Warranty conditions & tips

GUARANTEE *



	Structural elements	Motors and electronic control	Coating gloss and colour	Coating adhesion	Fixscreen technology® (zips)	Crystal window in the full width
Camargue®	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Camargue® Skye	10 years**	2 years	5 years / 15 years*	10 years**	5 years	2 years
Algarve® Line	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Aero® Line	10 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Lapure®	5 years	2 years	5 years / 15 years*	10 years**	5 years	2 years
Façade elements	5 years	2 years	5 years / 15 years*	10 years**	-	-
Garden elements	5 years	2 years	5 years / 15 years*	10 years**	-	-

* Subject to registration and annual maintenance with the Renson® Maintenance Set

** In areas <500 m from a coastline: 5-year warranty on adhesion

*** 10-year warranty on the support structure and 5-year warranty on the mechanical parts



Register your patio cover within 15 days of installation and receive a



GUARANTEE



<http://www.renson-outdoor.com/GARANTIE>

*A 5-year guarantee applies to the colour and gloss of the coating. If you register the patio cover and annually clean and protect it with the Renson Maintenance Set, you get an extended coating warranty of up to 15 years.

Extra documentation

MAINTENANCE

EASY MAINTENANCE WITH THE RENSON MAINTENANCE SET

Your patio cover will be fully exposed to the elements for years - day in and day out. If you want to get the most out of your Renson® cover indefinitely, we recommend maintaining it regularly, i.e. once or twice a year. Regular maintenance will extend the lifespan of your cover. The following are important:

- The structure is made using powder coated aluminium. An annual cleaning with Renson Maintenance Set products will ensure that the intense colour is maintained for years, as well as providing extra protection from acid rain, sea air and UV radiation. For coastal or wooded areas, we recommend maintenance of your installations at least twice a year.
- The Renson 'Clean' is a concentrated product with strong cleaning and degreasing properties to deal with the most frequent kinds of natural filth, such as dust, oily precipitation, grease stains, moss, insect remains, etc. This product cannot be compared to other cleaning products on the market. It sinks deeply and 'lifts out' the dirt. Renson 'Clean' can also be used to clean polyester roof fabrics and vertical fibreglass screen fabrics. After cleaning, you must protect the aluminium structure with Renson 'Protect'. This leaves a protective film that allows the surface to be cleaned by simply wiping it down with a minimum amount of Renson 'Clean'. It also protects the aluminium from acid rain, sea air and UV radiation, and ensures the colour remains just as intense.
- Do not use either product in direct sunlight or in hot weather. The product's quick-drying action can leave stains on the structure or the fabric. Do not use corrosive or aggressive products, scouring pads or other scouring products. Do not use high-pressure equipment under any circumstances.

For more information about our outdoor products, you can consult [our brochure](#).