

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

DSV Road Ltd
(NO UPS)
10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham
NO UPS

ORDER CONFIRMATION (release 1)

sales order no.: 202712860 of 29.09.2022
customer: 165708
reference: SO13528
Your order no.: Hirani
contact person: William Abbott
E-Mail: WAbbott@weinor.de
phone number: +49-221-59709-472
representat.: 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article code
-----	----------	--------------

1	1,00	2070 VertiTex II Zip 112
---	------	--------------------------

Anticipated delivery	: 07.11.2022	
Product use	: private house	
Execution	: round cassette	
size of cassette	: cassette 112	
width (mm)	: 2770	mm
height [mm]	: 2290	mm
Base price	:	1.728,00
Basic colour	: WT029/71289 Approx. RAL 7016 Metallic	
Casing fixing	: wall bracket Vertitex universal	
Number of housing brackets	: 3	Piece
type of control	: Remote-controlled motor IO Homecontrol	123,00
Side of control (seen from the front)	: left	
connection cable	: Standard	
control	: hand transmitter Situo 5 io Pure II	119,00
Type of engine	: Motor Sfy Maestria+ 50 io 15/17 RH ohne Zubehör	

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202712860

Page 2 of 8

pos	quantity	article code
-----	----------	--------------

Note:

The drive end positions are preset at the factory to a centre position. Delete this presetting after installation. Please note the drive manufacturer's enclosed instructions. Adjust the drive end position correctly on site!

Caution! When setting the end position, make sure that the lower end position is not exceeded, as the fabric from the roller tube can become loose and can be damaged in this way!

Collection : screens by weinor
real-design : WE7-201 pearl grey-white

The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.



Front side of fabric : Konfektion 1 Front side of fabric outside (standard)

cloth type : made without seams

Cardboard container : edges reinforcement

weight : 30 kg

Small folds and / or cross marks can appear on the fabric during manufacture, transport or on the construction site.

You can carefully remove these with an industrial hot air dryer.

To do this, set the hot air dryer to max. 250 ° C. Keep a distance of at least 100 - 150 mm from the awning cover and swivel the hot air dryer.

This prevents the fabric from overheating or being damaged.

We use the Steinel HG 2120 E hot air dryer at a medium level and can recommend it.

value of goods	discount amount / %	net
1.970,00	788,00 / 40,00	1.182,00

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



weinor Ltd 73 Cornhill EC3V 3QQ London


customer: 165708 sales order 202712860

Page 3 of 8


pos quantity article code

Position 1 - exterior view (images similar)

front view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

2	1,00	2070	VertiTex II Zip 112
---	------	------	---------------------

Anticipated delivery	: 07.11.2022	
Product use	: private house	
Execution	: round cassette	
size of cassette	: cassette 112	
width (mm)	: 5660	mm
height [mm]	: 2290	mm
Base price	:	2.475,00
Basic colour	: WT029/71289 Approx. RAL 7016 Metallic	
Casing fixing	: wall bracket Vertitex universal	
Number of housing brackets	: 4	Piece
type of control	: Remote-controlled motor IO Homecontrol	123,00
Side of control (seen from the front)	: right	
connection cable	: Standard	
control	: without control	
info about radio engine without hand transmitter	: A suitable hand-held transmitter is required to operate the remote-controlled motor! The awning cannot be opened or retracted without a transmitter	
Type of engine	: Motor Sfy Maestria+ 50 io 15/17 RH ohne Zubehör	

Note:

The drive end positions are preset at the factory to a centre position. Delete this presetting after installation. Please note the drive manufacturer's enclosed instructions. Adjust the drive end position correctly on site!

Caution! When setting the end position, make sure that the lower end position is not exceeded, as the fabric from the roller tube can become loose and can be damaged in this way!

Collection	: screens by weinor	
real-design	: WE7-201	pearl grey-white

The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.





weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202712860

Page 5 of 8

pos quantity article code

Front side of fabric : Konfektion 1 Front side of fabric outside (standard)
cloth type : made without seams
 Cardboard container : edges reinforcement
 weight : 59 kg

Small folds and / or cross marks can appear on the fabric during manufacture, transport or on the construction site.

You can carefully remove these with an industrial hot air dryer.

To do this, set the hot air dryer to max. 250 ° C. Keep a distance of at least 100 - 150 mm from the awning cover and swivel the hot air dryer.

This prevents the fabric from overheating or being damaged.



We use the Steinel HG 2120 E hot air dryer at a medium level and can recommend it.

value of goods	discount amount / %	net
2.598,00	1.039,20 / 40,00	1.558,80

Position 2 - exterior view (images similar)

front view

top view



weinor Ltd
 73 Cornhill
 GB-EC3V 3QQ London
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: 335 2381 16
 Company no.: 12193066
 UTR no.: 33431 24084
 EORI no.: GB335238116000

Domestic transfers:
 Commerzbank London
 Sort Code: 406201
 Account Number: 307 537 10

International transfers:
 Commerzbank London
 IBAN: GB51 COBA 4062 0130 7537 10
 Swift: MIDLGB22 a/c COBAGB2X

pos	quantity	article code
-----	----------	--------------

3	1,00	2070	VertiTex II Zip 112
---	------	------	---------------------

Anticipated delivery	: 07.11.2022	
Product use	: private house	
Execution	: round cassette	
size of cassette	: cassette 112	
width (mm)	: 2110	mm
height [mm]	: 2290	mm
Base price	:	1.534,00
Basic colour	: WT029/71289 Approx. RAL 7016 Metallic	
Casing fixing	: wall bracket Vertitex universal	
Number of housing brackets	: 2	Piece
type of control	: Remote-controlled motor IO Homecontrol	123,00
Side of control (seen from the front)	: right	
connection cable	: Standard	
control	: without control	
info about radio engine without hand transmitter	: A suitable hand-held transmitter is required to operate the remote-controlled motor! The awning cannot be opened or retracted without a transmitter	
Type of engine	: Motor Sfy Maestria+ 50 io 10/17 ohne Zubehör	

Note:

The drive end positions are preset at the factory to a centre position. Delete this presetting after installation. Please note the drive manufacturer's enclosed instructions. Adjust the drive end position correctly on site!

Caution! When setting the end position, make sure that the lower end position is not exceeded, as the fabric from the roller tube can become loose and can be damaged in this way!

Collection	: screens by weinor	
real-design	: WE7-201	pearl grey-white

The Serge 600 and Serge 1% fabrics meet the European standard EN 13501, Class Cs3d0, which stands for low flammability and can therefore be classified as safe. According to the manufacturer Copaco, the fabrics may not meet the German B1 standard according to DIN4102-1 or the French M1 standard. However, they recommend that the goods should be used if German B1 conformity is not absolutely necessary.





weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202712860

Page 7 of 8

pos quantity article code

Front side of fabric : Konfektion 1 Front side of fabric outside (standard)
cloth type : made without seams
 Cardboard container : edges reinforcement
 weight : 23 kg

Small folds and / or cross marks can appear on the fabric during manufacture, transport or on the construction site.

You can carefully remove these with an industrial hot air dryer.

To do this, set the hot air dryer to max. 250 ° C. Keep a distance of at least 100 - 150 mm from the awning cover and swivel the hot air dryer.


This prevents the fabric from overheating or being damaged.

We use the Steinel HG 2120 E hot air dryer at a medium level and can recommend it.


value of goods	discount amount / %	net
1.657,00	662,80 / 40,00	994,20

Position 3 - exterior view (images similar)

front view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202712860

Page 8 of 8

pos	quantity	article code
-----	----------	--------------

999	1,00	127887-0000 net material cost surcharge
-----	------	---

price per unit : 0

price per unit : 0

value of goods	discount amount / %	net
0,00	0,00 / 0,00	0,00

value of goods	discount amount	net	VAT (0 %)	Total GBP
6.225,00	2.490,00	3.735,00	0,00	3.735,00

In addition, our General Terms of Delivery and Payment as per 12/2021, published under the link provided below are valid and we are happy to provide you with them free of charge upon request.

<https://www.weinor.com/terms-and-conditions/>

delivery exw Cologne
 payment: With direct debit 5% discount payment
 mode of dispatch UK export

weinor Ltd
 73 Cornhill
 GB-EC3V 3QQ London
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: 335 2381 16
 Company no.: 12193066
 UTR no.: 33431 24084
 EORI no.: GB335238116000

Domestic transfers:
 Commerzbank London
 Sort Code: 406201
 Account Number: 307 537 10

International transfers:
 Commerzbank London
 IBAN: GB51 COBA 4062 0130 7537 10
 Swift: MIDLGB22 a/c COBAGB2X