

## Quotation

<b>Quotation date</b>	18.01.2023	CP Interiors
<b>Quotation number</b>	20058459	St. Saviour
<b>Customer number</b>	1001334	28 Rue des Pres. Tr. Est.
<b>Your VAT number</b>		JE2 7QN JERSEY
<b>Currency</b>	GBP	JERSEY
<b>Project reference</b>	STOWER SO14133	
<b>Order reference</b>	SO14133	
<b>Validity from-to</b>	18.01.2023 - 17.02.2023	

**Incoterms** DAP  
Jersey

**Delivery address**

CP Interiors  
St. Saviour  
28 Rue des Pres. Tr. Est.  
JE2 7QN JERSEY  
JERSEY

## Overview

Material	Quantity	Net amount	VAT %
001000 ALG3CAN ALGARVE CANVAS	1,00 PC	17.212,80	
<b>Total before VAT</b>		<b>17.212,80</b>	
<b>VAT</b>		<b>0,00</b>	
<b>Total incl. VAT</b>		<b>17.212,80</b>	

Free of VAT, export

### PAYMENT INFORMATION

Payment term 30 days end of month

For questions or remarks regarding this document, please send an email to [outdoor-uk@renson.be](mailto:outdoor-uk@renson.be)

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

## Quotation

20058459

18.01.2023

### Detail

Item	Material	Unit price	Quantity	Gross amount	Discount %	Net amount
001000	ALG3CAN ALGARVE CANVAS		1,00 PC	28.688,00		17.212,80
	Commodity code	94069090				
	Algarve Canvas	7.497,00 GBP /	1 PC x 2,00	14.994,00		
	Algarve Line column	261,00 GBP /	1 PC x 4,00	1.044,00		
	Algarve Line reinforced mounting base	199,00 GBP /	1 PC x 4,00	796,00		
				<b>16.834,00</b>	<b>40</b>	<b>10.100,40</b>
	Linus wall double sided - railing	4.762,00 GBP /	1 PC x 1,00	4.762,00		
	Linus wall double sided - railing	5.112,00 GBP /	1 PC x 1,00	5.112,00		
				<b>9.874,00</b>	<b>40</b>	<b>5.924,40</b>
	UpDown Led : 2x Up White	1.782,00 GBP /	1 PC x 1,00	1.782,00		
				<b>1.782,00</b>	<b>40</b>	<b>1.069,20</b>
	Tahoma	198,00 GBP /	1 PC x 1,00	198,00		
				<b>198,00</b>	<b>40</b>	<b>118,80</b>
				<b>11.854,00</b>		<b>7.112,40</b>

### Configuration

#### Structure

##### Type

Central beam

Single with intermediate beam

Roof type: roof part 1

Canvas (fixed roof)

Roof type: roof part 2

Canvas (fixed roof)

##### Location

Location

Normal wind loads (standard)

Country of installation

United Kingdom

#### Construction

##### Dimensions

Span

6.000 mm

Symmetric roof parts

Asymmetry

Position central beam

3.000 mm

Pivot

5.500 mm

Passage height

2.600 mm

##### Construction method

Span 1

Freestanding

Span 2

Freestanding

Pivot 1

Freestanding

Pivot 2

Freestanding

##### Columns

Column type 1A

Corner column

Column type 1B

Corner column

Column type 2A

Corner column

Column type 2B

Corner column

##### Side infills

##### Span 2 (S2)

Infill S2 - left

Linus wall

Linus wall type S2.1

Double sided as railing

Height Linus S2.1

1.300 mm

##### Pivot 2 (P2)

Infill P2 - left

Linus wall

## Quotation

20058459

18.01.2023

Linus wall type P2.1	Double sided as railing
Height Linus P2.1	1.300 mm
<b>Comfort</b>	
<b>Lighting</b>	
Position UpDown LED roof 1	P1
Position UpDown LED roof 2	P2
Color led 'UP'	Warm white
<b>Automation</b>	
Voltage motor	230V
Motor control	Somfy IO
Renson Connect App	Yes
Is there a Tahoma account	No
Electrical certification	CE (Standard)
<b>Styling</b>	
<b>Design</b>	
Design	Standard design
<b>Colors</b>	
Color steel plate	RAL 9002
<b>Type of fabrics</b>	
Fabric code Canvas	CANVAS FABRIC 3% 3030 CHARCOAL
<b>Technical specs</b>	
<b>General</b>	
Drainage blade	To side P1 & P2
<b>Columns</b>	
Mounting base 1A	Invisible reinforced
Mounting base 1B	Invisible reinforced
Mounting base 2A	Invisible reinforced
Mounting base 2B	Invisible reinforced
Direction of water drainage 1A	Pivot
Direction of water drainage 1B	Pivot
Direction of water drainage 2A	Pivot
Direction of water drainage 2B	Pivot
Height water drainage 1A	66 mm
Height water drainage 1B	66 mm
Height water drainage 2A	66 mm
Height water drainage 2B	66 mm