

Please send
Deposit invoice



CP INTERIORS

Confirmed Rec'd
= will call in
Parrynd.
to order.

REF : SO14468

April 17, 2023

Mark Guillaume
46 Sydney Crill Park
Grande Route De La Cote
St Clement
JE2 6SY

Dear Mark Guillaume

As requested, we have pleasure in submitting our quotation for the following.

Description	QTY	Price
To Supply and Fit ,Bladed Roof Systems, Renson Camargue, with electric operation of louvres. Powder coated in colour of your choice. includes remote control. Aluminum profile from unit to gutter one side	1	£ 24,316.00
Fixscreen blind to one side with Mesh screen fabric <i>SC0102 fabric</i> <i>RAL 7037 frame</i>		
Size: 4m span x 2.850m pivot x passage height 2.6m		
OPTIONAL - To Supply and Fit Up/down LED lighting to Span sides - RGB up, warm white down	1	£ 3,817.00 <i>RAL 9010 blades</i>
Wiring and ground works not included,		
Subtotal :		£ 28,133.00
GST :		£ 1,406.65
Total :		£ 29,539.65

Please note these structure are designed as garden rooms and as such may not be completely water tight. As with all our custom orders, we require a deposit of 40% at the time of placing your order, 40% on delivery to the Island and 20% balance on completion. All prices are subject to GST.

Thank you for your enquiry and we hope you will find this quotation acceptable. Should you require any further information, please contact us.

Yours sincerely
Rachel

To accept the above quotation, please indicate which option is required, sign below and return this letter together with your deposit. Please note extract of our terms and conditions below.

.....
SIGNATURE

.....
DATE

Please note: This quotation is only valid for acceptance for 7 days. Our estimate does not include any electrical work or additional carpentry work to install the above unless otherwise specified. Please note there is a handling charge on customer own fabric of £5 per metre. Due to high costs of labour, pre-arranged missed fitting appointments will be charged on a time-wasted basis. Settlement is due on completion of works and an administration charge of £25 will be added per month if unpaid within 30 days. We reserve the right to charge for design, advice and liaison work carried out should an order not be placed. Goods remain the property of CP Interiors until full settlement is received. Should payment not be received we reserve the right to attend premises during working hours to remove goods and not be required to make good. Our full terms and conditions apply and are available on request.

As we no longer accept cheques, please do:

- Call us and pay by Card, we accept card transactions over the telephone and we will not charge you a handling fee.
- Bank details: Natwest, Sort Code 60-12-03, Account No 66577772 Carpet Protection (C.I) Ltd T/A CP Interiors


If you pay your deposit by BACS payment, please confirm the details of your order by returning a signed copy of this letter

Tel : (01534) 768141

www.cpinteriors.je

Rue des Pres Trading Estate, St Saviour, Jersey, JE2 7QN

* FINAL MEASURE



2290
~~2340~~
~~2250~~
 passage way



oo



Creating healthy spaces

NV RENSON ® Sunprotection-Screens SA

Quotation

Quotation date	04.05.2023	CP Interiors
Quotation number	20070016	St. Saviour
Customer number	1001334	28 Rue des Pres. Tr. Est.
Your VAT number		JE2 7QN JERSEY
Currency	GBP	JERSEY
Project reference	SO14468 Guillaume	
Order reference	ver 2	
Validity from-to	04.05.2023 - 03.06.2023	

Incoterms	DAP Jersey	Delivery address CP Interiors St. Saviour 28 Rue des Pres. Tr. Est. JE2 7QN JERSEY JERSEY
------------------	---------------	---

Overview

Material	Quantity	Net amount	VAT %
001000 CAM2 CAMARGUE	1,00 PC	10.144,80	

Total before VAT	10.144,80
VAT	0,00
Total incl. VAT	10.144,80

Free of VAT, export

PAYMENT INFORMATION

Payment term 30 days end of month

For questions or remarks regarding this document, please send an email to outdoor-uk@renson.be

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>



Creating healthy spaces
 NV RENSON® Sunprotection-Screens SA

Quotation

20070016

04.05.2023

Waterproof wall connection	Yes
Power socket	
Socket	No
Automation	
Country of installation	United Kingdom
Motor control	Somfy IO
Renson Connect App	Yes
Frost/Snow function	No
Transmitter	Situo 5 VA IO Pure <i>RTS?</i>
Voltage motor	230V
Electrical certification	CE (Standard)
Is there a Tahoma account	Yes
Styling	
Colors	
Color type frame and columns	Textured
Color code frame and columns	029/72184-TIGER RAL7037 FINE TEXTURE
Color type of roof blades	Matt
Color of roof blades	SA880F-AKZO BEL9010 MATT
Type of fabrics	
Type of fabric Fixscreen	Fibreglass fabric Bergé
Fabric code Fixscreen	FG-SC 0102 GREY-WHITE
Confection side	Confection side 1
Technical specs	
General	
Motor position	Pivot 2 (P2)
Blade rotation	Indirect sunlight
Columns	
Mounting base 1A	Invisible reinforced
Mounting holes in the col. 1A	Yes
Direction of water drainage 1A	Span
Height water drainage 1A	66 mm
Mounting base 2A	Invisible reinforced
Mounting holes in the col. 2A	No



Creating healthy spaces
 NV RENSON • Sunprotection-Screens SA

Quotation

20068053

17.04.2023

Detail

Item	Material	Unit price	Quantity	Gross amount	Discount %	Net amount
001000	CAM2 CAMARGUE		1,00 PC	21.376,00		12.825,60
	Commodity code	94069090	Prefabricated aluminum buildings, sun protection structures			
	Camargue	11.540,00 GBP /	1 PC x 1,00	11.540,00		
	Camargue Line column	530,00 GBP /	1 PC x 4,00 2	2.120,00		
	Camargue Line reinforced mounting base	187,00 GBP /	1 PC x 4,00 2	748,00		
				14.408,00	40	8.644,80
	Integrated Fixscreen	1.820,00 GBP /	1 PC x 1,00	1.820,00		
				1.820,00	40	1.092,00
	UpDown Led : 2x Up RGB + Down White	2.545,00 GBP /	1 PC x 1,00	2.545,00		
				2.545,00	40	1.527,00
	2 Colomno Led	1.453,00 GBP /	1 PC x 1,00	1.453,00		
				1.453,00	40	877,80
	Protecto	1.150,00 GBP /	1 PC x 1,00	1.150,00		
				1.150,00	40	690,00
				6.968,00		4.184,80

Handwritten notes and calculations:

- 1060 374
- 21186- 2
- 19461 x 1425
- 2730
- 3817
- 1125

Configuration

Structure

Type

Structure

Single

Location

Location

Normal wind loads (standard)

Structure strength

Standard

Construction

Type

Roof part

Roof part 1

Dimensions

Span

4.000 mm

Pivot

2.850 mm

Passage height

2.600 mm

Construction method

Span 1

Full wall

Span 2

Freestanding

Pivot 1

Freestanding

Pivot 2

Freestanding

Columns

Column type 1A

Corner column

Column type 1B

Corner column

Column type 2A

Corner column

Column type 2B

Corner column

Design Styles (TL)

Design Styles (SL)

Design Style

No

Side infills

Pivot 1 (P1)

Infill P1

Fixscreen

General specifications

Infill height Fixscreen

Passage height



Creating healthy spaces

NV RENSON® Sunprotection-Screens SA

Quotation

20068053

17.04.2023

Comfort

Lighting

Position UpDown led	Pivot 1 + 2
Color led 'UP'	RGB
Color led 'DOWN'	Warm white
Toggle Colomno LED 1A	Yes
Toggle Colomno LED 1B	Yes
Color Colomno LED	Warm white

Comfort & Design

Protecto on roof part 1	Yes
Protecto side	P1 & P2

Power socket

Socket	No
--------	----

Automation

Country of installation	United Kingdom
Motor control	Somfy IO ✓
Renson Connect App	No
Frost/Snow function	No
Voltage motor	230V
Electrical certification	CE (Standard)

Styling

Colors

Color type frame and columns	Textured
Color type of roof blades	Same color as framework

Type of fabrics

Type of fabric Fixscreen	Fibreglass fabric Sergé
Confection side	Confection side 1

Technical specs


General

Motor position	Pivot 2 (P2)
Blade rotation	Indirect sunlight

Columns

Mounting base 1A	Invisible reinforced
Mounting holes in the col. 1A	Yes
Direction of water drainage 1A	Span
Height water drainage 1A	66 mm
Mounting base 1B	Invisible reinforced
Mounting holes in the col. 1B	Yes
Water drainage direction 1B	Pivot
Height water drainage 1B	66 mm
Mounting base 2A	Invisible reinforced
Mounting holes in the col. 2A	No
Mounting base 2B	Invisible reinforced
Mounting holes in the col. 2B	Yes

isometric view



RENSON
£25,673

ARTANES
£21,903



SUN

SOUTH

CONCRETE

1.80

4000

Drainage at 45°

130

24

2856

Score pl.

14

~~2850~~
2850

~~130~~
130

HP

SP

House

What size is this

130

