



Delivered by DSV Road Limited



SO1CI-BX389

**Deliver**  
CP INTERIORS  
RUE DES PRESS TRADING EST  
JE2 7QPST SAVIOUR  
JERSEY

Contact charmain wilding  
Phone +44 (0) 1255 242242

Phone +441534768141  
Delv. --  
Delv. Time  
Ref 8118/24-44-1

**Shipper**  
WEINOR  
73 CORNHILL ROAD  
LONDON  
EC3V 3QQ

**DELIVERY ADVICE**

**Consignee**  
CP INTERIORS  
RUE DES PRESS TRADING EST  
JE2 7QPST SAVIOUR  
JERSEY

Date 2024-03-18  
Reference SOJE33-0551 SO1CI-BX389  
Terms FREE ON BOARD  
F.O.B.  
JERSEY  
Originating member EBOO

Coll. 2024-03-15/08:00-16:00  
Unit.no

Haulier -  
Reg.no. DSV2023

RECEIVED

20 MAR

SCANNED

6 Boxes  
Arrived  
20/3/24

DELIVERY ADVICE

SO14825  
O'Connell

All business is transacted according to trading conditions that exclude or limit the liability of the company in certain circumstances. A copy of the relevant set of conditions will be supplied upon request.

Marks & Nos	No.of	Pkg.	Contents	Weight	KG	Volume
	6	CLL	AWNINGS/PARTS	GW	314	1.624 CBM
				NW	314	
				EW	540	

DSV-EURPLL \_\_\_\_\_ pcs. RETURN TO DSV

# ASSOCIATED FREIGHT SERVICES LTD **AFS**

I N T E R N A T I O N A L F R E I G H T F O R W A R D

BX389

## DELIVERY ADDRESS

CP INTERIORS C/O DSV ROAD LIMITED  
10 BRUNEL WAY  
SEGENSWORTH INDUSTRIAL ESTATE  
FAREHAM, PO15 5TX  
United Kingdom

Our reference 8118/24-44-1

Your reference 202811256

Date 12/03/2024

## DELIVERY NOTE

### SHIPPER:

WEINOR LIMITED  
73 CORNHILL  
LONDON  
EC3 3QQ  
United Kingdom

Special Instructions: GOODS IN UK FREE CIRCULATION

Terms of Shipment:

Number of Packages: 6 CARTONS 550

Gross Weight: 314.000

Description of Goods: AWNINGS/PARTS

202811256

### RECEIVED:

DATE: .....

SIGNED: .....

PRINT: .....

PALLETS/CARTONS RECIEVED IN GOOD CONDITION

Subject to our terms and conditions, no claims for damages or shortages will be accepted unless made in writing within 7 days of delivery.

Unit 3E, Falcon Way off Central Way, Feltham, Middlesex TW14 0UQ

Tel: 020 8890 1066 - Fax: 020 8890 3398 - Email: info@afs-lon.co.uk - www.associatedfreight.co.uk


Registered office: Plaza Building, Lee High Road, London SE13 5PT - Registered in England No 2685525 - VAT No 584 4555 09

All goods are carried out in accordance with the latest standard trading conditions of BIFA

9425



BRITISH INTERNATIONAL  
FREIGHT ASSOCIATION




weinor Ltd 73 Cornhill EC3V 3QQ London

**C P Interiors**

**Rue Des Pres Trading Estate**

**GB-JE2 7QN St Saviour Jersey**



202811256

phone number: 0044-1534-768141  
 customer: 165708  
 representat: 654 Chris Spickett  
 tel (representat.): 0044 ( 0) 7894443907

**delivery note 223375022**

Date of Print: 06.03.2024

**delivery address**

DSV Road Ltd  
 (NO UPS)  
 10 Brunel Way, Segensworth Industrial Estate  
 GB-PO15 5TX Hampshire, Fareham

Großbritannien

NO UPS

sales order no.: 202811256  
 order date: 17.01.2024  
 reference: O'CONNOR SO14825  
 Your order no.:

pos	quantity	article code	
1	1	2671	<b>WGM TOP OptiStretch</b>
		Anticipated delivery	: 19.02.2024
		Number of packages	: 2
		distance centre to centre (mm)	: 5139 mm
		weight	: 130,12 kg
		Maximum package weight	: 83,12 kg
		External dimensions	: 5200X4500
2	1	2671	<b>WGM TOP OptiStretch</b>
		Anticipated delivery	: 19.02.2024
		Number of packages	: 2
		distance centre to centre (mm)	: 5139 mm
		weight	: 114,28 kg
		Maximum package weight	: 74,28 kg
		External dimensions	: 5200X4000

weinor Ltd  
 73 Cornhill  
 GB-EC3V 3QQ London  
 weinor.com

Managing Director  
 Tim Fulmer  
 General partner  
 Weinor Beteiligungsgesellschaft  
 KGaA

VAT no.: 355 238116  
 Company no.: 17193066  
 VTR no.: 3343174084  
 EOR no.: GB355238116000

**Domestic transfers:**  
 Commerzbank London  
 Sort Code 406201  
 Account Number 20753710

**International transfers:**  
 Commerzbank London  
 IBAN GB51 0000 4062 0130 7537 10  
 Swift: MIDL6622 DEU3303AG33






weinor Ltd 73 Cornhill EC3V 3DQ London

**C P Interiors**

**Rue Des Pres Trading Estate**

**GB-JE2 7QN St Saviour Jersey**



202811256

phone number: 0044-1534-768141  
 customer: 165708  
 representat: 654 Chris Spickett  
 tel (representat.): 0044 ( 0) 7894443907

**delivery note** 223375022  
 Date of Print: 06.03.2024

**delivery address**  
 DSV Road Ltd  
 (NO UPS)  
 10 Brunel Way, Segensworth Industrial Estate  
 GB-PO15 5TX Hampshire, Fareham

Großbritannien  
 NO UPS

sales order no.: 202811256  
 order date: 17.01.2024  
 reference: O'CONNOR SO14825  
 Your order no.:

pos	quantity	article code	
1	1	2671	WGM TOP OptiStretch
			Anticipated delivery : 19.02.2024
			Number of packages : 2
			distance centre to centre (mm) : 5139 mm
			weight : 130,12 kg
			Maximum package weight : 83,12 kg
			External dimensions : 5200X4500
2	1	2671	WGM TOP OptiStretch
			Anticipated delivery : 19.02.2024
			Number of packages : 2
			distance centre to centre (mm) : 5139 mm
			weight : 114,28 kg
			Maximum package weight : 74,28 kg
			External dimensions : 5200X4000

weinor Ltd  
 73 Cornhill  
 GB-EC3V 3DQ London  
 weinor.com

Managing Director  
 Tim Faldner  
 General partner  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: 335 2381 16  
 Company no.: 12193066  
 UTR no.: 3343124084  
 EORI no.: GB125230116000

**Domestic transfers:**  
 Commerzbank London  
 Sort Code 405201  
 Account Number 307 537 10

**International transfers:**  
 Commerzbank London  
 IBAN GB51 0531 4062 0000 0000 0000 0000  
 Swift BNDU3333 DE33333333

weinor Ltd 75 Cornhill EC3V 3QQ London

pos	quantity	article code	
3	1	2671	WGM TOP OptiStretch

Anticipated delivery : 19.02.2024  
 Number of packages : 2  
 distance centre to centre (mm) : 2144 mm  
 weight : 69,25999 kg  
 Maximum package weight : 35,26 kg  
 External dimensions : 2205X4000

mode of dispatch UK export

date \_\_\_\_\_ signature \_\_\_\_\_

delivery exw Cologne  
 weight 313,66 kg  
 package 6 Stk.

weinor Ltd  
 75 Cornhill  
 GB-EC3V 3QQ London  
 weinor.com

Managing Director  
 Tim Fuldner  
 General partner  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no: 335 739116  
 Company no: 12182066  
 UTR no: 3343124084  
 EORI no: G8335220116000

**Domestic transfers:**  
 Commerzbank London  
 Sort Code: 406201  
 Account Number: 307 33716

**International transfers:**  
 Commerzbank London  
 IBAN: GB51 0830 0000 0000 0000 0000  
 Swift: MIDLGB22 #/L COBAGE2X

75 Cornhill EC3V 3QQ London

weinor GmbH & Co. KG  
 Fax: +49(0) 221/597 09-898  
 E-mail: order@weinor.de

Quote/offer  Order

Customer name

CP INTERIORS

Customer number

1 6 5 7 0 8

weinor sales representative


Order number/reference

5014825 O'Connor

Order date

Customer requested delivery date

Different delivery address to normal/miscellaneous



WGM Top distance between centre lines: from centre to centre of side channel + 61 mm = cassette width. Multi-section units: see expl. drawings on p. 2.

Fixing/brackets	mm	quantity	mm	quantity	mm	quantity	quantity
Fixed support bracket top, complete	80		120		150		220
Adjustable support bracket top, complete			120-165	8	165-210		210-255
Adjustable support bracket top for multi-section units, complete				2			1
Special support bracket*	59-400		height				
Cross-shaped support bracket*	80-400		height				
Support bracket modern	80		120		150		220
Wall-mount angle bracket for lateral fixing 100 x 50 x 120 mm			Z-shaped bracket 50 x 100 x 120 mm				
Long angle bracket 200 x 100 x 5 x 120 mm			U profile for support bracket fins				
Base plate for support bracket 5 mm			Base plate for support bracket 10 mm				
Support bracket mounting plate for 110 roof support (Terrazza S)			Support bracket mounting plate for 150 roof support (Terrazza L)				
Support bracket mounting plate for Terrazza Pure 40 x 100 x 20 mm							
Wall bracket			Rafter assembly				
Fixing plate for multi-section unit			Retaining bracket for wind and sun sensor				
Wall connection roof, complete			Cable clip				
Side cover plate Form A**			Side cover plate Form B**				
First installation							

\* Caution: Please specify the height when ordering special or cross-shaped support brackets.  
 \*\* Are supplied in 3,000 mm length and have to be trimmed on site.

WGM Top Stretch  WGM Top OptiStretch

Quantity \_\_\_\_\_ Quantity 3

Supply front profile loose  
 Supply front profile assembled (standard)

Order suitable for Terrazza roof order no.

Number of units  1  2  3

Axial dimension A1 513.9 cm Projection B1 450 cm

Details only for multi-section units

Axial dimension A2 214.4 cm Projection B2 400 cm

Axial dimension A3 513.9 cm Projection B3 400 cm

Frame colour

RAL colour  Trend colour

Colour name RAL 7032 PEBBLE

Fabric

Fabric sewn with PTFE yarn

Pattern no. P8-374 Cloud

With BiConnect radio control

yes  no

Motor drive (viewed from the outside)

Motor left A3  Motor right A1 + A2

Becker (standard)  Becker test lead required  
 Somfy RTS motor  Somfy io-homecontrol® radio motor

Caution! The BiConnect radio control can only be delivered with Becker motor.

BiConnect radio control

BiConnect sensors

BiSens SW 230V  BiSens SWR 230V  
 BiSens SW Solar+

BiConnect radio transmitter

BiEasy 1M  BiEasy 5M  
 BiEasy 15M Go!  BiEasy 1MW-3V (wall transmitter, white)

The hand transmitter is available in two colours to choose from

black  silver

Somfy hand transmitter

<input type="checkbox"/> Situo 1 io Pure II	<input type="checkbox"/> Situo 1 RTS Pure II
<input type="checkbox"/> Situo 5 io Pure II	<input checked="" type="checkbox"/> Situo 5 RTS Pure II
<input type="checkbox"/> Situo 5 Variation A/M io Pure II	<input type="checkbox"/> Situo 1 Soliris RTS Pure II
	<input type="checkbox"/> Situo 5 Soliris RTS Pure II

Somfy controls (separate order form)

The order is placed according to the valid general terms of delivery and payment of weinor.

Signature \_\_\_\_\_

Quote/offer     Order

weinor GmbH & Co. KG  
Fax: +49(0)221/597 09-898  
E-mail: order@weinor.de

Order number/reference SO14825 O'Connor

Customer name

CP INTERIORS

Order date

Customer requested delivery date

Customer number

1 6 5 7 0 8

Different delivery address to normal/miscellaneous

weinor sales representative

The order is placed according to the valid general terms of delivery and payment of weinor.

Signature

\* The deduction dimension is increased by 2 cm for Somfy Eolis 3D WirFree io/RTS.  
Projection = width - (deduction dimension X + 2 cm).

 available  
 not available

Kubata/LED	Opal Design II/LED	Semina Life/LED	Cassita II/LED	I/K/N 2000	Semina	Topas	weinor PergoTex II/LED	Plaza Viva/LED	VertiTex II/WeiTop	WGM Top	Sottezza II/LED	LED/LED Design/3Spot	Tempura/Quadra	Terrazza Pure
------------	--------------------	-----------------	----------------	------------	--------	-------	------------------------	----------------	--------------------	---------	-----------------	----------------------	----------------	---------------

**System Somfy hard wired**

Sun and wind sensor (Soliris Smoove Uno) with control unit	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rain sensor Ondeis 230V AC	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**System Somfy io-homecontrol®**

Sunea io (drive for awnings, directly built-in)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Sunea io (drive for Valance Plus, directly built-in)	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**Radio transmitter and control system**

Hand transmitter Situo 1 io Pure II	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Hand transmitter Situo 5 io Pure II	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Hand transmitter Situo 5 Variation A/M io Pure II	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wall transmitter Smoove 1 io Pure Shine	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TaHomaSwitch	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**Sensors**

Eolis WireFree io (battery-operated, radio wind sensor)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Sunis WireFree io II (radio sun sensor for facade)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Lighting Receiver Variation io (dimnable) incl. power supply pack	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Lighting Receiver Variation on/off io (not dimnable)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Lighting Receiver Variation io 12V/24V RGBW (dimnable)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Power supply pack 24V 100 W	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Power supply pack 24V 240 W	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Radio control Awning Slim Receiver io Plug	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Heating Receiver Variation io 1.5 kW STAS3/STAK3 (dimnable)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wind sensor Eolis 3D WireFree io, white*	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**Accessories/radio receiver**

LED power supply pack KI-45700-A-DIM-C	•	•	•	•	•	•	•	•	•	•	•	•	•	•
--	---	---	---	---	---	---	---	---	---	---	---	---	---	---

**System Somfy RTS**

Somfy RTS motor upgrade (surcharge applies if installed directly into weinor awnings)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

**Radio transmitter and control system**

Hand transmitter Situo 1 RTS Pure II (1 channel)/Situo 5 RTS Pure II (5 channel)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Hand transmitter Situo 1 Soliris RTS Pure II (1 channel)/Situo 5 Soliris RTS Pure II (5 channel)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Hand transmitter Telis 16 RTS Pure (16 channel)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wall transmitter Smoove 1 RTS Pure Shine	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Chronis RTS smart, radio timer system to control the Tempura	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**Sensors**

Rain sensor Ondeis 230V AC	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Eolis Sensor RTS (radio wind sensor)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Soliris Sensor RTS (radio wind/sun sensor)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Soliris Sensor RTS with connection for rain sensor	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Wind sensor Eolis 3D WireFree RTS, white*	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**Radio receiver**

Lighting slim receiver RTS (version weinor, LED not dimnable)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Universal slim receiver RTS Plug (Valance Plus + VertiTex II)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Universal, external radio receiver RTS for retrofitting a wired drive with radio control option for surface mounting (can be combined with Eolis/Soliris sensor RTS)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Heating Slim Receiver RTS Plug, not dimnable	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**Accessories for wired drives (net price)**

Adjustment kit Becker with coupling element (for Becker and Somfy drives)	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Test run cable Somfy incl. adjustment kit for radio drives and wired drives (for Becker/Somfy)	•	•	•	•	•	•	•	•	•	•	•	•	•	•



So 14825 Paraid o' Connor

\* Axial dimension - minus 36.5mm from each side. Birds eye View

