

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

reference: Gilmour small Pure SO14819Q1
Your order no.: SO14819Q1
weinor customernumber: 165708
creation Date: 20.07.2023
weinor pers. in charge: William Abbott
phone / fax number: +49-221-59709-472
representat.: Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article	price
1	1	weinor Terrazza Pure	8.398,00

Product use	: private house		
Permissible snow-bearing load	: 750 N/m ²		
measurement	: 4500mm x 4000mm Depth: wall connection profile up to INSIDE edge of post		6.803,00
Bottom edge gutter (mm)	: 2135,5 mm		
Bottom edge connection to wall (mm)	: 2230 mm		
Top edge connection to wall (mm)	: 2458 mm		
Base colour	: WT029/90147 Approx. RAL 9007 Metallic		
Covering	: prepared for 10mm LSG		
Seals	: silicone-containing seals		
Connection to wall left?	: No wall connection on left		
Connection to wall right?	: No wall connection on right		
Number of roof supports rafter 205 closed	: 6 Piece		
Axial dimension rafter	: 887 mm		
Version	: Version 2021		
Steel reinforcement in gutter	: 1 * Galvanised flat steel		407,00
Maximum spacing for posts when gutter has 1 x steel	: 4700 mm for 1 x steel in gutter		
Number of posts	: 2		
Post type left	: External post		
Post position on the left	: 57,5 mm		
Post type right	: External post		
Post position on the right	: 57,5 mm		
Length of post	: 2600 mm		

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Gilmour small Pure SO14819Q1 Page 2 of 8

pos	quantity	article	price
		Drain on left side? : Drain through the left post	
		Drain on right side? : Drain through the right post	
		Number of post base plates : 2 Piece	
		196x196	
		No. Complete drainage through square outside post : 2 incl. downspout and 87° elbow	136,00
		Frame widener under side roof support for Terrazza Pure, left version of frame widener, left : yes	344,00
		: 163x50 locking bar option under side rafter up until wall connection profile	
		Frame widener under side roof support for Terrazza Pure, right version of frame widener, right : yes	344,00
		: 163x50 locking bar option under side rafter up until wall connection profile	
		mounting plates Sottezza II left rafter : Standard 66.5 DTS mounting plate	90,00
		mounting plates Sottezza II right rafter : Standard 66.5 DTS mounting plate	90,00
		Distance Sottezza to wall : 20 mm	
		Distance Sottezza to gutter : 20 mm	
		projection of WGM TOP : 0 mm	
		Left-hand wall : 90x50 rectangular pipe	92,00
		Right-hand wall : 90x50 rectangular pipe	92,00
		With remote control BiConnectWith remote control BiConnect : no	
		Tension rod in outer left roof panel? : yes	
		Tension rod in outer right roof panel? : yes	
		Number of tension rods : 2 Piece	
		weight (kg) : 212,5 kg	
		value of goods	net
		8.398,00	3.359,20 / 40,00 5.038,80

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Gilmour small Pure SO14819Q1 Page 3 of 8

pos	quantity	article	price
-----	----------	---------	-------

2	1	weinor w17 easy - the full glass sliding door	3.664,00
---	---	---	----------

Product use	: private house	
Width x height [mm]	: 3940 X 2136	2.978,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: handle bar standard	
side of the handling	: handling inside	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob From bottom edge of guide track (mm)	: 1050 mm	
Base colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	60,00
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	111,00
gap seal	: 1 x Spaltdichtungen für 10 mm Glas, Länge 2800 mm	29,00
Cardboard packaging	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 2 x wooden pallet	486,00
weight	: 230,1 kg	

value of goods	discount amount / %	net
3.664,00	1.465,60 / 40,00	2.198,40

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Gilmour small Pure SO14819Q1 Page 4 of 8

pos	quantity	article	price
-----	----------	---------	-------

3	1	weinor w17 easy - the full glass sliding door	3.178,00
---	---	---	----------

Product use	: private house	
Width x height [mm]	: 3940 X 2136	2.978,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: handle bar standard	
side of the handling	: handling inside	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob From bottom edge of guide track (mm)	: 1050 mm	
Base colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile right	: yes	60,00
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	111,00
gap seal	: 1 x Spaltdichtungen für 10 mm Glas, Länge 2800 mm	29,00
Cardboard packaging	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 230,1 kg	

	value of goods	discount amount / %	net
	3.178,00	1.271,20 / 40,00	1.906,80

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Gilmour small Pure SO14819Q1 Page 5 of 8

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor w17 easy - the full glass sliding door	3.586,00
---	---	---	----------

Product use	: private house		
Width x height [mm]	: 4270 X 2136		3.380,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Selection of leaves + tracks	: 5-track with 5 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height of knob From bottom edge of guide track (mm)	: 1050 mm		
Base colour	: WT029/90147 Approx. RAL 9007 Metallic		
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm		148,00
gap seal	: 2 x Spaltdichtungen für 10 mm Glas, Länge 2800 mm		58,00
Cardboard packaging	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 249,4 kg		

value of goods	discount amount / %	net
3.586,00	1.434,40 / 40,00	2.151,60

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Gilmour small Pure SO14819Q1 Page 6 of 8

pos	quantity	article	price
-----	----------	---------	-------

6	1	weinor Sottezza II OptiStretch	2.976,00
---	---	--------------------------------	----------

Product use	: private house	
Sales order Terrazza	: 503716981	
Posn. of the sales order for Terrazza	: 1	
Number of panels	: single unit	
Width of Terrazza [mm]	: 4500 mm	
Distance centre to centre field	: 4278 mm	
Width of cassette total [mm]	: 4314 mm	
Projection [mm]	: 3910 mm	2.962,00
Base colour	: WT029/90147 Approx. RAL 9007 Metallic	
Cable clips along the back of the cassette	: without cable clips along the back of the cassette	
type of control	: motor (Becker)	
Side of control (seen from the front)	: Left	
With remote control BiConnect	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 503716981 position 7!	
Hirschmann plug tight?	: Hirschmann plug not assembled	14,00
type of motor	:	
Side channel bracket	: 4 Piece	
brackets top plate	: 2 Piece	
colour of parts	:	
Colour, cassette	:	
colour front rail	:	
Colour, side channel	:	
colour of guide rail end caps	:	
colour of guide bar brackets	:	
real-design	: WE3-509	
colour of thread Saba	: RAL 7001 Silver grey	
Cardboard packaging	: edges reinforcement	
weight	: 73 kg	

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Gilmour small Pure SO14819Q1 Page 7 of 8

pos	quantity	article			price
		value of goods	discount amount / %		net
		2.976,00	1.190,40 / 40,00		1.785,60

7 1 weinor BiConnect 243,00

deliver BiConnect separate?	:	No; supply receiver and handheld remote control with awning			
shipment info	:	The pre set receivers (except LED) and the handset will be packed with contract number 503716981 pos 6!			
receiver for motor	:	1 BiRec MA, basic			116,00
control	:	BiConnect BiEasy 5M (silver version)			127,00
learned on channel 1	:	BiRec MA-K, basic for order 503716981/6: Sottezza II OptiStretch engine left			

		value of goods	discount amount / %		net
		243,00	97,20 / 40,00		145,80

999 1 weinor Netto-Materialkostenzuschlag 238,97

price per unit	:	Pos 1 - Terrazza Pure - 144,00 GBP Pos 2 - w17 easy - the full glass sliding door - 19,70 GBP Pos 3 - w17 easy - the full glass sliding door - 19,70 GBP Pos 4 - w17 easy - the full glass sliding door - 21,35 GBP Pos 6 - Sottezza II OptiStretch - 34,22 GBP			238,97
----------------	---	---	--	--	--------

At least one item from your order has been ordered for approval. The later valid net material cost surcharge cannot currently be calculated and may differ from the value specified here.

		value of goods	discount amount / %		net
		238,97	0,00 / 0,00		238,97

value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP
22.283,97	8.818,00	13.465,97	0,00	13.465,97

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Gilmour small Pure SO14819Q1

Page 8 of 8

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 20.7.2023.

Glass Dimensions

Position	1	Terrazza Pure	prepared for 10mm LSG		
			Width	Height left	Height right
quantity	form				
5	rectangle		817	3954	3954

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X