

PLAN								
DOOR TYPE	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6	Type 7	Type 8
DOOR REFERENCE	D01-00F	D02-00F	D03-00F	D04-00F	D05-01F	D06-01F	D07-01F	D08-00F
COMMENTS	New uPVC door x1 Trimvent TV90 HL 5000EA S25 Vent or Similar Approved New door to achieve min U - Value of 1.4w/m²K Door Openable Area = 1.5m²	New Front door (Style TBC by Client) x1 Trimvent TV90 HL 5000EA S25 Vent or Similar Approved New door to achieve min U - Value of 1.4w/m²K Door Openable Area = 1.85m²	New Garage door (Style TBC by Client) x1 Trimvent TV90 HL 5000EA S25 Vent or Similar Approved Door Openable Area = 9.8m²	Existing door New Garage door (Style TBC by Client) Door Openable Area = 1.3m²	New uPVC door with glazed side panel x1 Trimvent TV90 HL 5000EA S25 Vent or Similar Approved New door to achieve min U - Value of 1.4w/m²K Door Openable Area = 1.67m²	New uPVC sliding door x1 Trimvent TV90 HL 5000EA S25 Vent or Similar Approved New door to achieve min U - Value of 1.4w/m²K Door Openable Area = 4.8m²	New uPVC sliding door x1 Trimvent TV90 HL 5000EA S25 Vent or Similar Approved New door to achieve min U - Value of 1.4w/m²K Door Openable Area = 2.9m²	New uPVC door x1 Trimvent TV90 HL 5000EA S25 Vent or Similar Approved New door to achieve min U - Value of 1.4w/m²K Door Openable Area = 1.38m²
TOTAL NUMBER	01	01	01	01	01	01	01	01

NOTES

Figured dimensions only are to be taken from this drawing. All dimensions are to be checked on site before any work is put in hand. If in doubt, seek confirmation.

This drawing must be read in conjunction with all other architects detail drawings, schedules and specifications.

All drawings are to be read in conjunction with relevant drawings from other consultants. In the case of inconsistencies, seek confirmation.

This drawing must not be copied in whole or in part without the prior written permission of Axis Mason Ltd.

© Copyright Axis Mason Ltd

Rev	Description	Dwn	Ckd	Date
B1	Building Control	JG	JHG	26/05/2022

Client:	Mr & Mrs Daggett
Project:	Oakleigh
Drawing Title:	Proposed External Door Schedule

AXIS MASON		Somerville House, Phillips Street St. Helier, Jersey, JE2 4SW 01534 870 137 WWW.AXISMASON.COM	
LONDON	GLASGOW	JERSEY	GDANSK DUBLIN
Scale @ A1:	1:50	Date:	MAY 2022
Project:	MB	Issue Status:	BUILDING CONTROL
Job No:	3810	Drawing No:	801
Revision:	B1		