

18-4-24

Premier checked

18 APR

4xboxes

SCANNED

SO15145 Holmcraft

(curtains)

1xbox - Master bed

3x box - Cinema room

CURTAIN ORDER FORM WEBSITE

COMPANY CP Interiors		CUSTOMER: HOLLYCROFT		ORDER REF: SO15145		CONTACT NAME: Rach	
FABRIC DETAILS: Warwick Flatiron Silver			FABRIC WIDTH: 138cm	FABRIC REPEAT:	QUANTITY: 43m	RAILROAD:	
COLOUR OF LINING IVORY OR ALMOND							
DATE : 03/04/23	PC PREMIUM LINING:	PC STANDARD LINING:	PC BLACKOUT LINING: YES	PC INTERLINING:	PC SATIN FLEECE LINING:		
TRIM/BRAID /BORDER :	BORDER SIZE:	TOP:	BOTTOM:	LEADING EDGE:	RTN EDGE:		

ALL MEASUREMENTS MUST BE IN METRIC		PAIR 1	PAIR 2	PAIR 3
PAIR		MASTER BED PAIR W38 & W39	MASTER BED PAIR W40 & W41	
SINGLE				
WIDTHS PER CURTAIN				
OVERALL DROP		2244mm	2254mm	
HOOK HEIGHT EYE DROP				
TRACK SIZE		4475mm excluding + extra 4 pockets to wrap motor	5050mm excluding extra 4 pockets and extra 20mm each side	
OVERLAPS & RETURNS				

ADDITIONAL INFORMATION:

MASTER BED PAIR W38 & W39 - This is for an electric curtain wall to wall with a Right hand motor. Please + add an additional 4 pockets to wrap motor on RHS, 4475mm width is excluding + 4 extra pockets on right side of pair.
 MASTER BED PAIR W40 & W41 This is for an electric curtain (not wall to wall) with a Left hand motor. Please + add an additional 4 pockets to wrap motor on LHS + 20mm fabric on the final wave so the fabric goes back to touch the wall and the track cannot be seen side on. On right side of the pair please ONLY + add 20mm fabric to the final wave so the fabric goes back to the wall. 5050mm width is excluding + 4 extra pockets on left side of pair + 20mm fabric overhang each side. PLEASE CALL IF UNSURE. Will send sketch. Please continue to work on and dispatch items when ready as more items are pending final measures. 60/120mm (double fullness) wave. Silent Gliss Headed tape (with double pocket) fitted to top of fabric.

INTERLINED - HANDSEWN			
LINED - HANDSEWN			
LINED - MACHINE			
HEADING PENCIL			
HEADING TRIPLE PINCH			
HEADING DOUBLE PINCH			
DEPTH OF BUCKRAM:			
SINGLE PLEAT & CARTRIDGE PLEAT(CIRCUMFERENCE OF PLEAT IN CM)			
CARTRIDGE FILLED OR UNFILLED			
HEADING WAVE	60MM		
INVISIBLE WAVE			

*Tamara checked
04/04/24*

CURTAIN ORDER FORM WEBSITE

COMPANY CP INTERIORS		CUSTOMER: HOLLYCROFT		ORDER REF: S015145		CONTACT NAME: Rach	
FABRIC DETAILS: ANDREW MARTIN VINCE CHARCOAL			FABRIC WIDTH: 140cm	FABRIC REPEAT:		QUANTITY: 24.9M	RAILROAD:
COLOUR OF LINING IVORY OR ALMOND							
DATE :		PC PREMIUM LINING:	PC STANDARD LINING:	PC BLACKOUT LINING: YES	PC INTERLINING:		PC SATIN FLEECE LINING:
TRIM/BRAID /BORDER :		BORDER SIZE:	TOP:	BOTTOM:	LEADING EDGE:		RTN EDGE:
ALL MEASUREMENTS MUST BE IN METRIC		PAIR 1		PAIR 2		PAIR 3	
PAIR		W08 CINEMA ROOM LEFT PAIR		W09 CINEMA ROOM RIGHT PAIR			
SINGLE							
WIDTHS PER CURTAIN							
OVERALL DROP		2324mm		2099mm			
HOOK HEIGHT EYE DROP							
TRACK SIZE		2980mm (excluding extra 4 pockets motor side + 20mm non motor side)		2190mm (excluding extra 4 pockets motor side + 20mm non motor side)			
OVERLAPS & RETURNS							
ADDITIONAL INFORMATION: 60/120mm (double fullness) wave. Silent Gliss headed tape (with double pocket) fitted to top of fabric. Left pair W08 has Left Motor so please + add 4 pockets to left hand side of pair to wrap motor + 20mm on final wave to right hand side of this pair so fabric goes back to touch wall and track cannot be seen side on. Right Pair W09 has right motor so please + add 4 pockets to right hand side of pair to wrap motor and + 20mm on final wave on left hand side of pair so fabric touches wall and track cannot be seen side on. SEE DRAWING, PLEASE CALL IF UNSURE.							
INTERLINED - HANDSEWN							
LINED - HANDSEWN				YES		YES	
LINED - MACHINE							
HEADING PENCIL							
HEADING TRIPLE PINCH							
HEADING DOUBLE PINCH							
DEPTH OF BUCKRAM:							
SINGLE PLEAT & CARTRIDGE PLEAT(CIRCUMFERENCE OF PLEAT IN CM)							
CARTRIDGE FILLED OR UNFILLED							
HEADING WAVE		60MM					
INVISIBLE WAVE							
THIS ORDER INCLUDES ON A SEPARATE SHEET (PLEASE TICK APPROPRIATE BOX)				CURTAINS			

*Tawara checked
04/04/24*