

Quotation

Quotation date	17.01.2024	CP Interiors
Quotation number	20094704	St. Saviour
Customer number	1001334	28 Rue des Pres. Tr. Est.
Your VAT number		JE2 7QN JERSEY
Currency	GBP	JERSEY
Project reference	SALTY DOG SO15311	
Order reference	SO15311	
Validity from-to	17.01.2024 - 16.02.2024	

Incoterms	DAP Jersey	Delivery address CP Interiors St. Saviour 28 Rue des Pres. Tr. Est. JE2 7QN JERSEY JERSEY
------------------	---------------	---

Overview

Material	Quantity	Net amount	VAT %
002000 ALG3 ALGARVE	1,00 PC	8.733,00	
003000 ALG3 ALGARVE	1,00 PC	12.895,20	

Total before VAT	21.628,20
VAT	0,00
Total incl. VAT	21.628,20

Free of VAT, export

PAYMENT INFORMATION

Payment term 30 days end of month

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

For questions or remarks regarding this document, please send an email to info@renson.be

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

Quotation

20094704

17.01.2024

Detail

Item	Material	Unit price	Quantity	Gross amount	Discount %	Net amount
002000	ALG3 ALGARVE		1,00 PC	14.555,00		8.733,00
	Commodity code	94069090	Prefabricated aluminum buildings, sun protection structures			
	Algarve	9.255,00 GBP /	1 PC	9.255,00		
	Algarve Line column	265,00 GBP /	1 PC x 4,00	1.060,00		
	Algarve Line reinforced mounting base	187,00 GBP /	1 PC x 2,00	374,00		
				10.689,00	40	6.413,40
	Glass panel	653,00 GBP /	1 PC x 4,00	2.612,00		
	Glass 4-rails	698,00 GBP /	1 PC	698,00		
				3.310,00	40	1.986,00
	Adapter profile	250,00 GBP /	1 PC	250,00		
	Rain sensor	241,00 GBP /	1 PC	241,00		
	Situo 1 IO Pure II - 1-channel transmitter	65,00 GBP /	1 PC	65,00		
				556,00	40	333,60
	SVG for SERVICE		ALG3_1_ROOF_PART			
	Structure					
	Type					
	Central beam		Single			
	Roof type: roof part 1		Rotating blades			
	Location					
	Structure version		Standard version			
	Country of installation		United Kingdom			
	Construction					
	Dimensions					
	Span		3.500 mm			
	Pivot		3.650 mm			
	Passage height		2.300 mm			
	Construction method					
	Span 1		Freestanding			
	Span 2		Freestanding			
	Pivot 1		Freestanding			
	Pivot 2		Freestanding			
	Columns					
	Column type 1A		Corner column			
	Column type 1B		Corner column			
	Column type 2A		Corner column			
	Column type 2B		Corner column			
	Side infills					
	Pivot 1 (P1)					
	Infill P1 - left		Glass sliding panels			
	Number of glass panels		1x4			
	Opening direction P1		Opening left to right			
	ADAPTER PROFILE P1		Yes			
	Infill height P1.1		Passage height			
	General specifications					
	Glass included		Yes			
	Type glas		Clear glass			
	Comfort					

Quotation

20094704

17.01.2024

Automation

Voltage motor	230V
Motor control	Somfy IO
Renson Connect App	No
Frost/Snow function	Yes
Electrical certification	CE (Standard)
Transmitter	Situo 1 io Pure II
Rain sensor	Ceramic rain sensor

Styling

Design

Design	Standard design
--------	-----------------

Colors

Color category framework	Standard colors
Color category blades	Standard colors

Technical specs

General

Motor position	Pivot 1 (P1)
Drainage blade	Non-motor side
Blade rotation	Indirect sunlight

Columns

Mounting base 2B	Visible
Mounting base 2A	Invisible reinforced
Mounting base 1B	Visible
Mounting base 1A	Invisible reinforced
Direction of water drainage 1B	Pivot
Direction of water drainage 2A	Pivot
Direction of water drainage 2B	Pivot
Direction of water drainage 1A	Pivot
Height water drainage 1B	66 mm
Height water drainage 2A	66 mm
Height water drainage 2B	66 mm
Height water drainage 1A	66 mm

003000 ALG3 1,00 PC 21.492,00 12.895,20

ALGARVE

Commodity code 94069090

Prefabricated aluminum buildings, sun protection structures

Algarve	13.580,00	GBP	/	1	PC			13.580,00		
Algarve Line column	265,00	GBP	/	1	PC	x	4,00	1.060,00		
Algarve Line reinforced mounting base	187,00	GBP	/	1	PC	x	2,00	374,00		
								15.014,00	40	9.008,40
Glass panel	653,00	GBP	/	1	PC	x	8,00	5.224,00		
Glass 4-rails	698,00	GBP	/	1	PC			698,00		
								5.922,00	40	3.553,20
Adapter profile	250,00	GBP	/	1	PC			250,00		
Rain sensor	241,00	GBP	/	1	PC			241,00		
Situo 1 IO Pure II - 1-channel transmitter	65,00	GBP	/	1	PC			65,00		
								556,00	40	333,60

SVG for SERVICE

ALG3_1_ROOF_PART

Structure

Type

Central beam	Single
Roof type: roof part 1	Rotating blades

Location

Structure version	Standard version
Country of installation	United Kingdom
<u>Construction</u>	
Dimensions	
Span	3.500 mm
Pivot	6.055 mm
Passage height	2.300 mm
Construction method	
Span 1	Freestanding
Span 2	Freestanding
Pivot 1	Freestanding
Pivot 2	Freestanding
Columns	
Column type 1A	Corner column
Column type 1B	Corner column
Column type 2A	Corner column
Column type 2B	Corner column
<u>Side infills</u>	
Pivot 1 (P1)	
Infill P1 - left	Glass sliding panels
Number of glass panels	2x4
Opening direction P1	Sliding open from the middle
ADAPTER PROFILE P1	Yes
Infill height P1.1	Passage height
General specifications	
Glass included	Yes
Type glas	Clear glass
<u>Comfort</u>	
Automation	
Voltage motor	230V
Motor control	Somfy IO
Renson Connect App	No
Frost/Snow function	Yes
Electrical certification	CE (Standard)
Transmitter	Situo 1 io Pure II
Rain sensor	Ceramic rain sensor
<u>Styling</u>	
Design	
Design	Standard design
Colors	
Color category framework	Standard colors
Color category blades	Standard colors
<u>Technical specs</u>	
General	
Motor position	Pivot 1 (P1)
Drainage blade	Non-motor side
Blade rotation	Indirect sunlight
Columns	
Mounting base 2B	Visible
Mounting base 2A	Invisible reinforced
Mounting base 1B	Visible
Mounting base 1A	Invisible reinforced
Direction of water drainage 1B	Pivot
Direction of water drainage 2A	Pivot

Quotation

20094704

17.01.2024

Direction of water drainage 2B	Pivot
Direction of water drainage 1A	Pivot
Height water drainage 1B	66 mm
Height water drainage 2A	66 mm
Height water drainage 2B	66 mm
Height water drainage 1A	66 mm
