

QUOTE

RIO/AA00715843



QUOTE

RIO/AA00715843

Contact Details



CP Interiors



Rue des Pres. Tr. Est. 28 , JE2 7QN Jersey



Rachel Baugh



01534 768141



rachel@cpinteriors.je



www.cpinteriors.je

Project



Click or tap here to enter text.



Posner Interiors SO15723Q1



98 George Ln, London E18 1AD, United Kingdom



James Posner



[+44 20 8989 8354](tel:+442089898354)



info@posnerinteriors.com

Request date:

02/12/2024



Why choose Renson?



DURABLE QUALITY

With every new development, Renson strives for the highest quality standards and maximum lifespan of the products. This guarantees durable quality.



MINIMALIST DESIGN

Every Renson solution unites technology and aesthetics. We can achieve a visual, high-quality whole as an architectural eye-catcher or through optimal integration.



FAR-REACHING PERSONALISATION

We can offer a wide range of options in each product group, and a choice between colours and finishes is the basis for a personal interpretation of your improved living comfort.



EASE OF USE AND MAINTENANCE

A more comfortable, healthier and easier life. That's our ambition. And this includes minimal maintenance and exceptional user-friendliness.



QUOTE

RIO/AA00715843

Content

Summary	5
Overview	6
1 - Camargue	6
Structure details	6
Configuration details	7
Guarantee	13
Maintenance	14
Sales conditions	15



QUOTE

RIO/AA00715843

Summary

Overview		
Product	Quantity	Total
1 - Camargue Modular aluminium patio cover with rotatable blades and integrated side elements 4000 x 5500 x 2630 mm	1x	31,031.00 GBP
Total (excl. VAT)		31,031.00 GBP
Extra costs		
Delivery, chargeable at cost (price TBC)	1	N/A
		N/A
Total (excl. VAT)		31,031.00 GBP
VAT 20.00%		6,206.20 GBP
Total (incl. VAT)		37,237.20 GBP

QUOTE

RIO/AA00715843

Overview

1 - Camargue

Overview 1.1 - 4000 x 5500 x 2600 mm	
Product	Quantity
Camargue	1x
Camargue Line column	2x
Camargue Line reinforced mounting base	2x
Integrated Fixscreen	1x
UpDown Led : 2x Up RGB + Down White	2x
Protecto	1x
Rain sensor	1x
Situo 5 IO VAR Pure II - 5-channel transmitter	1x
Watertight wall connection (installation profile)	1x
Loggia Panels	2x

QUOTE

RIO/AA00715843

Configuration details

CAMARGUE

STRUCTURE

Type

Camargue structure	Single
--------------------	--------

Location

Structure version according to wind- and snow loads	Standard version
---	------------------

CONSTRUCTION

Dimensions

Span C1	4000 mm
Pivot C1	5500 mm
Passage height	2632 mm (+260mm)

Construction

Span 1	Freestanding
Span 2	Full wall
Pivot 1	Freestanding
Pivot 2	Freestanding

Columns

Column 1A

Column type	No column
-------------	-----------

Column 1B

Column type	No column
-------------	-----------

Column 2A

Column type	Corner column
Overlength	0 mm

Column 2B

Column type	Corner column
Overlength	0 mm

SIDE INFILLS

Span 1 (S1)

Infill S1	Fixscreen
-----------	-----------

QUOTE

RIO/AA00715843



Integrated Fixscreen for Camargue & Camargue Skye

Integrated into the cover profile

- Minimal design
- Screen box hidden in the cover's support structure
- Side channels integrated into columns (Camargue, Camargue Skye)
- Can be seamlessly integrated even after first installation
- High wind resistance

COMFORT

Lighting

Updown led	Yes
Sides with UpDown LED	UPDOWN_P1, UPDOWN_P2, UPDOWN_S1, UPDOWN_S2
Color led 'UP'	RGB
Color led 'DOWN'	Warm white



Updown Led

Integrated dimmable LED lighting on the inside of the frame Upwards and/or downwards for direct and/or indirect lighting

- Basic lighting and ambient lighting combined in a single light fitting
- Available in warm white, pure white and/or RGB
- Dimmable
- High-quality IP65 LEDs

Lineo blades / Socket

Protecto	Yes
Position	PROTECTO_P1, PROTECTO_P2

QUOTE

RIO/AA00715843



Protecto Camargue

Protection profile between the gutter and the blades

- Protection from wind, drifting rain, and snow between the gutter and the blades
- Maintains continuous contact with the blades thanks to a concealed hinge system
- Coated in the colour of the frame and columns
- Back orders are possible for already installed covers

Automation

Motor control	Somfy io
Renson Connect app	Yes
Is there already a Tahoma account at this location?	Yes
Remote	Yes
Transmitter	Situo 5 VAR IO Pure II
Rain sensor	Yes
Rain sensor	Ceramic rain sensor 24V

STYLING

Colours

Color structure and columns

Colour type of the structure and the columns	Matt
Colour category	Standard colours (see colour guide)
Colour code frame	AE30014900520 - AXALTA RAL9005 MATT 

Colour of roof blades

Color roof blades	Same colour as the frame and columns
-------------------	--------------------------------------

Type of fabrics

Fixscreen

Type of fabric Fixscreen/Linarte-Canvas	Fibreglass fabric Sergé
Fabric code Fixscreen	GV-6060 - GV-SC 6060 RAL 9005

TECHNICAL SPECS

General

Blade rotation	Indirect sunlight
----------------	-------------------

Columns

Column 2A

Mounting base	Invisible reinforced
---------------	----------------------

QUOTE

RIO/AA00715843

Water drainage	Yes
Water drainage direction	Downwards
Column 2B	
Mounting base	Invisible reinforced
Water drainage	Yes
Water drainage direction	Downwards

Configuration details

OUTDOOR LOGGIA PANELS

GENERAL

General

General

Model	Camargue
Position	Pivot

CONSTRUCTION

Configuration

Configuration of the wall

Wall type	Sliding panels
Configuration type	Customized

Wall composition

Wall composition

Number of panels	2 pcs
Sliding hardware inclusive	Yes
Number of rails	3 pcs
Rail length	Custom (please calculate the required clearance yourself)
Rail length	5350 mm
Bottom rail type	Flexguide Evo
Number of stoppers	4 pcs

DIMENSIONS

Dimensions

Enter the dimensions

Panel width	919 mm
Installation height (H)	2632 mm

STYLING

Styling

Panels

Do all panels have the same fillings?	Yes
Type of Outdoor Loggia panels	Paro

Material

Infill Loggia in:	Aluminium
-------------------	-----------

QUOTE

RIO/AA00715843

Colours

Colour Loggia frame

Color type frame	Matt
Colour category	Standard colours (see colour guide)
Colour frame	AE30014900520 - AXALTA RAL9005 MATT 

Colour of the Loggia alu blades

Color blades	Same colour as Loggia frame
--------------	-----------------------------

OPTIONS

Options

Standard equipment with position lock (no surcharge)	No
Rubber bumps	Yes

QUOTE

RIO/AA00715843

Guarantee

	Structural elements	Motors and electronic control	Coating gloss and colour	Coating adhesion	Fixscreen technology® (zips)	Crystal window in the full width
Amani®	10 years	5 years	5 years / 15 years*	10 years**	5 years	-
Camargue®	10 years	5 years	5 years / 15 years*	10 years**	5 years	2 years
Camargue® Skye	10 years**	5 years	5 years / 15 years*	10 years**	5 years	2 years
Algarve® Line	10 years	5 years	5 years / 15 years*	10 years**	5 years	2 years
Aero® Line	10 years	5 years	5 years / 15 years*	10 years**	5 years	2 years
Lapure®	5 years	5 years	5 years / 15 years*	10 years**	5 years	2 years
Façade elements	5 years	5 years	5 years / 15 years*	10 years**	-	-
Garden elements	5 years	5 years	5 years / 15 years*	10 years**	-	-

* Subject to registration and annual maintenance with the Renson® Maintenance Set

** In areas <500 m from a coastline: 5-year warranty on adhesion

*** 10-year warranty on the support structure and 5-year warranty on the mechanical parts

Maintenance

EASY MAINTENANCE WITH THE RENSON MAINTENANCE SET

Your patio cover will be fully exposed to the elements for years - day after day. If you want to get the most out of your Renson® cover indefinitely, we recommend maintaining it regularly, i.e. once or twice a year. Regular maintenance will extend the lifespan of your cover. The following are important:

- The structure is made using powder coated aluminium. An annual cleaning with Renson Maintenance Set products will ensure that the intense colour is maintained for years, as well as providing extra protection from acid rain, sea air and UV radiation. For coastal or wooded areas, we recommend maintenance of your installations at least twice a year.
- Renson 'Clean' is a concentrated product with strong cleaning and degreasing properties to deal with the most common kinds of natural dirt, such as dust, oily precipitation, grease stains, moss, insect remains, etc. This product cannot be compared to other cleaning products on the market. It penetrates deeply and 'lifts out' the dirt. Renson 'Clean' can also be used to clean polyester roof fabrics and vertical fibreglass screen fabrics. After cleaning, you must protect the aluminium structure with Renson 'Protect'. This leaves a protective film that allows the surface to be cleaned by simply wiping it down with a minimum amount of Renson 'Clean'. It also protects the aluminium from acid rain, sea air and UV radiation, and ensures the colour retains its intensity.
- Do not use either product in direct sunlight or in hot weather. The product's quick-drying action can leave stains on the structure or fabric. Do not use corrosive or abrasive products, scouring pads or other scouring products. Do not use high-pressure equipment under any circumstances.

For more information about our outdoor products, you can consult [our brochure](#).



Register your patio cover within 15 days of installation and receive a

15*
YEARS
GUARANTEE



<https://www.renson-outdoor.com/en-gb/canopy-guarantee-1>

**A 5-year guarantee applies to the colour and gloss of the coating. If you register the patio cover and annually clean and protect it with the Renson Maintenance Set, you get an extended coating warranty of up to 15 years.*

QUOTE

RIO/AA00715843

Sales conditions

All Renson patio covers offer guaranteed quality. Different guarantee periods apply when your patio cover is supplied and fitted by an approved Renson dealer. Camargue structure 10 years, other items ie loggia, electrics are 5 years. Labour not included

All measurements and specs have been specified by Posner Interiors. A full drawing and quote will be provided prior to order to be checked and signed off

Agreement

Name:
Signature:
Date of Agreement: