

Order confirmation

Confirmation date	17.12.2024	CP Interiors
Order number	122350	St. Saviour
Customer number	1001334	28 Rue des Pres. Tr. Est.
Your VAT number	GB126326432	JE2 7QN JERSEY
Currency	GBP	JERSEY
Project reference	POSNER 2	
Order reference	SO15273Q1	
Latest delivery date	07.02.2025	

Incoterms DAP
Delivered at Place
CHIGWELL

Delivery address
Posner Interiors C/O CP Interiors
James Posner
2 Stradbroke Drive
CHIGWELL
Essex
IG7 5QX
UNITED KINGDOM

Overview

Material	Quantity	Total net	VAT %
001000 CAM2 CAMARGUE	1,00 PC	16.838,40	
002000 LOGGIAOD LOGGIA OUTDOOR	1,00 PC	1.557,00	
904000 1000013 Deviating address fee	1,00 PC	83,00	
Total before VAT		18.478,40	
VAT		0,00	
Total incl. VAT		18.478,40	

Free of VAT, export

PAYMENT INFORMATION

Payment term 30 days end of month

For questions or remarks regarding this document, please send an email to outdoor-export@renson.be

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

Order confirmation

122350

17.12.2024

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
001000	CAM2 CAMARGUE		1,00 PC	27.864,00		16.838,40
	Commodity code	94069090	Prefabricated aluminum buildings, sun protection structures			
	Camargue	16.710,00 GBP / 1	PC x 1,00	16.710,00		
	Camargue Line column	530,00 GBP / 1	PC x 2,00	1.060,00		
	Camargue Line reinforced mounting base	187,00 GBP / 1	PC x 2,00	374,00		
				18.144,00	40	10.886,40
	Integrated Fixscreen	2.230,00 GBP / 1	PC x 1,00	2.230,00		
				2.230,00	40	1.338,00
	UpDown Led : 2x Up RGB + Down White	2.545,00 GBP / 1	PC x 2,00	5.090,00		
				5.090,00	40	3.054,00
	Protecto	1.150,00 GBP / 1	PC x 1,00	1.150,00		
	Rain sensor	240,00 GBP / 1	PC x 1,00	240,00		
	Situo 5 IO VAR Pure II - 5-channel transmitter	145,00 GBP / 1	PC x 1,00	145,00		
	Watertight wall connection (installation profile)	565,00 GBP / 1	PC x 1,00	565,00		
				2.100,00	40	1.260,00
	RAL surcharge		x 1,00	300,00		300,00
	Structure					
	Type					
	Structure	Single				
	Location					
	Structure version	Standard version				
	Construction					
	Type					
	Roof part	Roof part 1				
	Dimensions					
	Span	4.000 mm				
	Pivot	5.500 mm				
	Passage height	2.630 mm				
	Construction method					
	Span 1	Freestanding				
	Span 2	Full wall				
	Pivot 1	Freestanding				
	Pivot 2	Freestanding				
	Columns					
	Column type 2A	Corner column				
	Column type 2B	Corner column				
	Design Styles (TL)					
	Design Styles (SL)					
	Design Style	No				
	Side infills					
	Span 1 (S1)					
	Infill S1	Fixscreen				
	General specifications					
	Infill height Fixscreen	Passage height				
	Comfort					
	Lighting					
	Position UpDown led	P1, P2, S1, S2				

Order confirmation

122350

17.12.2024

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
	Color led 'UP'	RGB				
	Color led 'DOWN'	Warm white				
	Comfort & Design					
	Protecto on roof part 1	Yes				
	Protecto side	P1 & P2				
	Waterproof wall connection	Yes				
	Power socket					
	Socket	No				
	Automation					
	Country of installation	United Kingdom				
	Motor control	Somfy IO				
	Renson Connect App	Yes				
	Frost/Snow function	No				
	Transmitter	Situo 5 VAR IO Pure				
	Rain sensor	Ceramic rain sensor				
	Voltage motor	230V				
	Electrical certification	CE (Standard)				
	Is there a Tahoma account	Yes				
	Styling					
	Colors					
	Color type frame and columns	Matt				
	Color category framework	Standard colors				
	Color code frame and columns	AE30014900520-AXALTA RAL9005 MATT				
	Color type of blades	Same color as framework				
	Color category blades	Standard colors				
	Color of roof blades	AE30014900520-AXALTA RAL9005 MATT				
	Type of fabrics					
	Type of fabric Fixscreen	Fibreglass fabric Sergé				
	Fabric code Fixscreen	GV-SC 6060 RAL 9005				
	Confection side	Confection side 1				
	Technical specs					
	General					
	Motor position	Pivot 1 (P1)				
	Blade rotation	Indirect sunlight				
	Columns					
	Mounting base 2A	Invisible reinforced				
	Mounting holes in the col. 2A	Yes				
	Water drainage direction 2A	Downwards				
	Mounting base 2B	Invisible reinforced				
	Mounting holes in the col. 2B	Yes				
	Water drainage direction 2B	Downwards				
002000	LOGGIAOD		1,00 PC	2.595,00		1.557,00
	LOGGIA OUTDOOR					
	Commodity code	76169990				
	Loggia rail	165,00 GBP /	1 PC x 3,00	495,00		
	Panel Paro	1.050,00 GBP /	1 PC x 2,00	2.100,00		
				2.595,00	40	1.557,00
	PRICE UPDATE 2	OLD				

Order confirmation

122350

17.12.2024

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
	PRICE UPDATE 1	OLD				
	General					
	Model	Camargue				
	Position	Pivot				
	Construction					
	Wall type	Sliding panels				
	Configuration type	Customized				
	Number of panels	2 PC				
	Sliding hardware inclusive	Yes				
	Number of rails	3 PC				
	Rail length	Custom				
	Rail length	5.350 mm				
	Type of bottom rail Loggia	Flexguide				
	Number of stoppers	4 PC				
	Dimensions					
	Passage height	2.630 mm				
	Panel width	916 mm				
	Styling					
	Design					
	Panels same fillings	Yes				
	Type of Loggia panels	Paro				
	Infill Panels	Aluminium				
	Colors					
	Color type loggia frame	Matt				
	Color Loggia frame	AE30014900520-AXALTA RAL9005 MATT				
	Color type of blades	Same color as framework				
	Color code Loggia blades	AE30014900520-AXALTA RAL9005 MATT				
	Options					
	Locks	No				
	Rubber bumps	Yes				
904000	1000013		1,00 PC	83,00		83,00
	Deviating address fee					
	Price service	100,00 EUR / 1 PC		83,00		83,00