

ID	DG01	DG02	WG01	WG02	WG03	WG04
Location						
External View						
W x H Size	1,650x2,100	7,200x2,100	1,300x1,700	1,500x1,100	1,500x1,100	1,225x1,170
Purge Ventilation Area (m2)	2.9	12.5	1.6	1.2	1.2	1.1
Background Ventilation Area (trickle Vents mm2)	None	None	2500	2500	2500	none
Overall Window Area (m2)	3.47	15.12	2.21	1.65	1.65	1.43
U-Value W/m2K (minimum)	1.60	1.60	1.60	1.60	1.60	1.60
Required For Fire Escape Y / N	YES					
Comments / Additional Requirements	Door to be openable from internally without the use of a key, for fire escape purposes.	Stacking sliding / folding door				New window in existing living room

External Door & Window Schedule

ID	RL01	RL02	RL03
Location	Ext sitting	Ext dining	Ext kitchen
External View			
Overall W x H Size	1,000x3,000	1,000x3,000	1,000x3,000
Overall rooflight area	3.00	3.00	3.00
U-Value W/m2K (minimum)	1.70	1.70	1.70
Purge Ventilation Area (m2)	N/A	N/A	N/A
Background Ventilation Area (trickle Vents mm2)	N/A	N/A	N/A
Comments / Additional Requirements	Fixed shut roof light. Configuration & details subject to Client approval.	Fixed shut roof light. Configuration & details subject to Client approval.	Fixed shut roof light. Configuration & details subject to Client approval.

Rooflight Schedule

**Note:**  
This document and its design content is copyright ©. It shall be read in conjunction with all other associated project information including models, specifications, schedules and related consultants documents. Do not scale from documents. All dimensions to be checked on site. Immediately report any discrepancies, errors or omissions on this document to the Originator. If in doubt ASK.

Rev	Amendments	Date

Client

Building Control

<p>La Chasse Studio · La Rue de la Vallée · St Mary · Jersey · JE3 3DL Tel. 01534 486050 · www.godelarchitects.com · enquiry@godelarchitects.com</p>			Job Title		
			South Ridge House		
<p>Scale @ A2</p>			Drawing		
			Window, Door & Rooflight Schedule		
Drawn:	Checked:	Date:	Job No.	Dwg No.	Rev.
			1518	105	