



Copy

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

C P Sunblinds

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

Ferryspeed
FAO CP Sunblinds
Venture Park/ Ackworth Road
GB-PO3 5JT Portsmouth/ Hampshire

ORDER CONFIRMATION (release 1)

sales order no.: 202044584
customer: 165708
order date: 01.02.2016
reference: Ferguson
contact person: Jürgen Büchel
E-Mail: order@weinor.de
phone number: +44-2085051818
representat.: 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos quantity article code

Dear customer,

please find your order confirmation including your required dimensions.

If ok please fax back the first page with an ok and release sign.

Then the product will be manufactured and we will give you a delivery date.

Please fax to : +49 (0) 221 - 5 9 7 0 9 8 3 6 0 2 or email: freigabe@weinor.de

Thank you very much.

YOUR RELEASE :
(sign) (date)

1 1,00 2709 Terrazza Originale / Plus

. : **ATTENTION! Element is supplied without glass!**
 Permissible snow-bearing load : 750 N/m²
 Roofsystem : Terrazza L Originale
 External dimensions : 4000mm x 3450mm Depth: wall up to INSIDE 3.339,00
 edge of post
 Bottom edge gutter (mm) : 2100 mm
 Bottom edge connection to wall : 3159 mm
 (mm)
 Top edge connection to wall (mm) : 3356 mm

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 40620130266480

Copy

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202044584

Page 2 of 9

pos	quantity	article code
-----	----------	--------------

Pitch of roof [°]	: 15	°
Info	:	
basic colour	: RAL 9016 white	
Covering	: 10mm	prepared for 10mm LSG
Information about roofing	: Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!	
Base element	: 101	Type A pent roof
Seals	: silicone-containing seals	
Connection to wall left?	: No wall connection on left	
Connection to wall right?	: No wall connection on right	
Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: Yes, statics for GEs (side elements others than w50-c Lite)	
Roof support type, inner roof supports	: 150 roof girder without steel	
weight rafter	: 12,1	kg
Transom over all roof panels	: yes	
Further transoms across all roof sections	: no	
Axial dimension rafter	: 978,5	mm
Number of posts	: 2	Piece
Post position on the left	: 53	mm
Post position on the right	: 53	mm
Maximum spacing for posts when gutter has 1 x steel	: 5200	mm for 1 x steel in gutter
Length of post	: 3000	

Attention !

With a pole length of more than 2400 mm statics are not calculated.

You will find the details how to calculate on the spread sheet concerning statics.

Do you want to switch to the statically non automatically defined area ?

Steel reinforcement for roof gutter	: 1	* Galvanised flat steel	260,00
Weight for roof gutter with steel	: 68,8	kg	
Post attachment left	: Affix using standard post plates		
Post attachment right	: Affix using standard post plates		
Number of post base plates	: 2	Piece	52,00

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 40620130266480

Copy

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202044584

Page 3 of 9

pos	quantity	article code
-----	----------	--------------

Number of caps for standard post plate	: 2	Piece	68,00
Drain on left side?	: Drain through the left post, incl. downspout with 87° bend; with drilled post		
Distance 'Pa - centre of drilled drain hole to bottom edge of gutter	: 2030	mm	
Drain on right side?	: Drain through the right post, incl. downspout with 87° bend; with drilled post		
Distance 'Pa - centre of drilled drain hole to bottom edge of gutter	: 2030	mm	
Number of drains through posts incl. down pipes with bends 87°	: 2	incl. downspout and 87° elbow	234,00
Number of leaf filters (length 2 m)	: 2	Piece	24,00
Projection Sottezza (mm)	: 3481,4	mm	
Projection Sottezza II (all variants) (mm)	: 3484,7	mm	
The specified length does not account for 40 mm spacing from the wall or 20 mm from the guttering.			
Failure of WGM 2030/1030	: 3689	mm	
The specified length does not account for 20 mm spacing from the wall or a 30 mm overhang over the end of the roof support.			
:			
Left-hand wall	: Rectangular pipe 50x30		69,00
Left-hand post	: Clip profile 50x10		49,10
:			
:			
Weight [kg]	: 186,25	kg	

value of goods	discount amount / %	net
4.095,10	1.638,04 / 40,00	2.457,06

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Copy

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202044584

Page 4 of 9

pos	quantity	article code
-----	----------	--------------

2	1,00	2836	W50-C Classic side element
---	------	------	----------------------------

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

. : **ATTENTION! Element is supplied without glass!**

. :

geometrical shape : trapezium

Frame profile : blind frame section 59 w50-c

Height of element on left (mm), as seen from the inside : 164,5 mm

Height of element on right (mm), as seen from the inside : 1075,5 mm

Width of element [mm] : 3400 X 1075,5 1.344,00

Installation side : right

Note : The wall connection profile will be delivered with the roof

Number of vertical glass panels : four parts

GE reinforcement : yes

Prepared for : prepared for 8mm GE

Wind load bracket : yes, with wind load profile

Wind load bracket position : inside (bolted)

basic colour : RAL 9016 white

Cardboard packaging : edges reinforcement
air cushion around the package

value of goods	discount amount / %	net
1.344,00	537,60 / 40,00	806,40

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Copy

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202044584

Page 5 of 9

pos	quantity	article code
-----	----------	--------------

3	1,00	2829	GE W50-C
---	------	------	----------

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	:	ATTENTION! Element is supplied without glass!	
	:		
geometrical shape	:	rectangle	
Frame profile	:	blind frame section 59 w50-c	
Width of element [mm]	:	3400 X 2100	600,00
Installation side	:	0	
Number of vertical glass panels	:	four parts	609,00
GE reinforcement	:	0	
Prepared for	:	prepared for 8mm GE	
Note wind support bracket	:	Bitte beachten Sie: Bei den von Ihnen gewählten Elementabmessungen ist ein Windlastträger statisch notwendig. Bei Wegfall des Windlastträgers muss das Element bauseits unterstützt werden oder es ist eine bauseitige Statik zu führen.	
basic colour	:	RAL 9016 white	
Cardboard packaging	:	edges reinforcement air cushion around the package	

value of goods	discount amount / %	net
1.209,00	483,60 / 40,00	725,40

4	1,00	2844	Standardprofile in Zuschnitt
---	------	------	------------------------------

basic colour	:	RAL 9016 white	
50 x 2 mm flat aluminium	:	1	Piece
Length of 50 x 2 mm flat aluminium	:	3450	mm 36,00

value of goods	discount amount / %	net
36,00	14,40 / 40,00	21,60

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Copy

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202044584

Page 6 of 9

pos quantity article code

value of goods	discount amount	net	VAT (0 %)	Total GBP
6.684,10	2.673,64	4.010,46	0,00	4.010,46

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Copy

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202044584

Page 7 of 9

This order confirmation is according to the current terms of payment and delivery.

Dear Sir or Madam,
due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

delivery exw Cologne
payment: Direct debit / 10 days -3% cash discount
mode of dispatch UK export

Important information:

From now on all invoices from weinor will only be sent by e-mail.

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80



Copy


weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202044584


Page 8 of 9

Exterior View (Image similar)

side view left



side view right




front view



top view



isometric view



weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Copy

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202044584

Page 9 of 9

Glass dimensions

Position 1 Terrazza Originale / Plus **prepared for 10mm LSG**

quantity	form	width	height
8	rectangle	934	1779

Position 2 W50-C Classic side element **prepared for 8mm GE**

quantity	form	width	height left	height right
1	trapezium right	780	766	975
1	trapezium right	798	538	752
1	trapezium right	798	311	525
1	trapezium right	780	88	297

Position 3 GE W50-C **prepared for 8mm GE**

quantity	form	width	height
1	rectangle	780	2011
1	rectangle	798	2011
1	rectangle	798	2011
1	rectangle	780	2011

