

Quote Request CP Interiors

Customer	CP Interiors	External Code	RENSON.134872
Your reference	Gilmour Screens SO15661	Web ID	2301080
File number		Creation date	30-04-2024 10:38
Terms of delivery		Requested by	Rachel Allo
Desired departure date		Requested on	15-05-2024 12:08

Invoice Address CP Interiors (00000), Rue des Pres. Tr. Est. 28 St. Saviour - JE JE2 7QN Jersey

Delivery Address CP Interiors (00000), Rue des Pres. Tr. Est. 28 St. Saviour - JE JE2 7QN Jersey

Project address

1xSIDE LH, 1xSIDE RH, 1xFRONT RH (AS OUTSIDE).

Number	Description
1	<p>Line number: 1</p> <p>Product: Fixscreen 100 Slim Installation method 7 Freestanding</p> <p>Type of installation: 7B: Surface-mounted or recessed - With reversed box and side channels</p> <p>Family: Complete system</p> <p>Colours: Monocolor</p> <p>Basic colour: Colour code from list</p> <p>Colour code: STR0166.RAL 7004 Fine texture</p> <p>Special treatment: Seaside Quality A</p> <p>Colour sealing strip: Grey</p> <p>Colour end piece bottom bar: Grey</p> <p>Colour of PVC rails: Grey</p> <p>Side channels left: Deep side channel (D)</p> <p>Base plate side channel left: 0°</p> <p>Side channels right: Deep side channel (D)</p> <p>Base plate side channel right: 0°</p> <p>Bottom bar: Standard bottom bar</p> <p>Voltage: 220-240V</p> <p>Control screen: Somfy IO Radio-controlled</p> <p>Hirschmann plug: Without Hirschmann plug</p> <p>Length of cable: 10 meters</p> <p>Cable passage: H: Sideways up</p> <p>Control side screen: Left</p> <p>Type of fabric: Fibreglass fabric Sergé</p> <p>Fabric code: GV-6060.GV-SC6060 RAL 9005</p> <p>Confection: Confection 1</p> <p>Measures: Standard dimensions under warranty</p> <p>Width: 3280 mm</p> <p>Height: 2235 mm</p> <p>Extra length side channels: No extra length side channels</p> <p>Crystal window: Without crystal window in the full width</p> <p>Plaster profile: Without plaster profile</p> <p>Printing: Without printing</p> <p>Follow-up order: Yes</p> <p>Order number: 30628</p> <p>Reference on label: Reference on label</p> <p>Reference: GILMOUR SO15661</p>

*checked with Ben
15/05*


	<p>Side guiding channels packed separately: Yes Project number: SO15661</p>
1	<p>Line number: 2 Product: Fixscreen 100 Slim Installation method 7 Freestanding Type of installation: 7B: Surface-mounted or recessed - With reversed box and side channels Family: Complete system Colours: Monocolor Basic colour: Colour code from list Colour code: STR0166.RAL 7004 Fine texture Special treatment: Seaside Quality A Colour sealing strip: Grey Colour end piece bottom bar: Grey Colour of PVC rails: Grey Side channels left: Deep side channel (D) Base plate side channel left: 0° Side channels right: Deep side channel (D) Base plate side channel right: 0° Bottom bar: Standard bottom bar Voltage: 220-240V Control screen: Somfy IO Radio-controlled Hirschmann plug: Without Hirschmann plug Length of cable: 10 meters Cable passage: H: Sideways up Control side screen: Right Type of fabric: Fibreglass fabric Sergé Fabric code: GV-6060.GV-SC6060 RAL 9005 Confection: Confection 1 Measures: Standard dimensions under warranty Width: 3280 mm Height: 2235 mm Extra length side channels: No extra length side channels Crystal window: Without crystal window in the full width Plaster profile: Without plaster profile Printing: Without printing Follow-up order: Yes Order number: 30628 Reference on label: Reference on label Reference: GILMOUR</p>
	<p>Side guiding channels packed separately: Yes Project number: SO15661</p>
1	<p>Line number: 3 Product: Fixscreen 100 Slim Installation method 7 Freestanding Type of installation: 7B: Surface-mounted or recessed - With reversed box and side channels Family: Complete system Colours: Monocolor Basic colour: Colour code from list Colour code: STR0166.RAL 7004 Fine texture Special treatment: Seaside Quality A Colour sealing strip: Grey Colour end piece bottom bar: Grey Colour of PVC rails: Grey Side channels left: Deep side channel (D) Base plate side channel left: 0° Side channels right: Deep side channel (D) Base plate side channel right: 0° Bottom bar: Standard bottom bar Voltage: 220-240V Control screen: Somfy IO Radio-controlled Hirschmann plug: Without Hirschmann plug Length of cable: 10 meters</p>

Cable passage: H: Sideways up
Control side screen: Right
Type of fabric: Fibreglass fabric Sergé
Fabric code: GV-6060.GV-SC6060 RAL 9005
Confection: Confection 1
Measures: Standard dimensions under warranty
Width: 4290 mm
Height: 2235 mm
Extra length side channels: No extra length side channels
Crystal window: Without crystal window in the full width
Plaster profile: Without plaster profile
Printing: Without printing
Follow-up order: Yes
Order number: 30628
Reference on label: Reference on label
Reference: GILMOUR SO15661
Side guiding channels packed separately: Yes
Project number: SO15661


Cable passage

The position of the cable throughput depends on the product choice and the selected assembly situation. Look towards your screen from the point of view in which you would demount the fabric roller. That sight of view will define the position of the motor left or right. Each position has a well-specified code and can be positioned either on the left or on the right:


Code	Feed type
A	Back cover bottom
B	Back cover up
F	Upper site back
G	Sideways down
H	Sideways up
I	Backside middle
J	Sideways middle
K	Through side channel
N	Front high
V	Upper site front
W	Sideways



Fixscreen 100 IM1



Fixscreen 100 Slim IM7B (F)





CP INTERIORS

