



Delivered by DSV Road Limited



SO1CI-BZO60

Deliver
CP INTERIORS
RUE DES PRESS TRADING EST
JE2 7QPST SAVIOUR
JERSEY

Contact charmain wilding
Phone +44 (0) 1255 242242

Phone +441534768141
Delv. --
Delv. Time
Ref 134872

Shipper
RENSON SUNPROTECTIVE SCREENS
KALKHOEVSTRAAT 45 GATE 5
BE-8790 WAREGEM
BELGIUM

DELIVERY ADVICE

Consignee
CP INTERIORS
RUE DES PRESS TRADING EST
JE2 7QPST SAVIOUR
JERSEY

Date 2024-06-27
Reference SOJE33-0744 SO1CI-BZO60
Terms FREE ON BOARD
F.O.B.
JERSEY
Originating member EBOO

Coll. 2024-06-27/08:00-16:00
Unit.no DSV2045

Haulier TBA -
Reg.no. DSV2045

3x Boxes
Arrived 28.6.24
Gilmour

RECEIVED

28 JUN 2024

SCANNED

DELIVERY ADVICE

SO15661

Gilmour

All business is transacted according to trading conditions that exclude or limit the liability of the company in certain circumstances. A copy of the relevant set of conditions will be supplied upon request.

Marks & Nos	No.of	Pkg.	Contents	Weight	KG	Volume
	1	IPL	SCREEN PROTECTION	GW	321	1.485 CBM
				NW	321	
				EW	494	

DSV-EURPLL ____ pcs. RETURN TO DSV

CUSTOMER NBR 134872
 PROD. NUMBER 63-0858 63-0859

Webid:2301080



DELIVERY ADDRESS

CP Interiors Via DSV Road LTD
 10 Brunel Way
 SEGNSWORTH EAST IND ESTATE
 Fareham, Hampshire, PO15 5TX
 United Kingdom
 DELIVERY NOTE : UK-60/20335

CP Interiors
 Rue des Pres. Tr. Est. 28
 St. Saviour
 JE2 7QN Jersey
 Jersey

1 PLE

Customer	Date confirm.	Prod.nr.	TAX	Page	eReps2301080			
134872	15 05 24	630858	0.00%	1	EXPECTED SHIPPING DATE 21/6/2024			
Order details					Size	Length	Ordered	Reference
<p>The current worldwide crisis in the supply of raw materials may possibly have an impact on the initial delivery or execution deadlines. However, changes in the aforementioned deadlines shall in no event constitute grounds for cancellation or compensation.</p> <p>RF01 Gilmour Screens SO15661 00000999 Transportation charges - cost to be advised - assumed delivery to UK port for onward - shipment</p> <p>630858- Fixscreen- 100 Slim F IM7 B - Windproof vertical screen - Freestanding, hidden installation in front/above the ccase - With reversed box and side channels - 5-year guarantee on the Fixscreen- technology - Box (HxD): 150x110 mm - Wind resistance up to 60 km/h - Seaside Quality A - Colour: STR 0166 - STR 0166 - 029/73205 - RAL 7004 Fine texture - Colour of PVC rail left : Grey - Colour of PVC rail right : Grey - Colour sealing strip : Grey - Colour end piece bottom bar : Grey - Voltage : 220-240V - Control screen : Somfy IO Radio-controlled - Length of cable : 10 meters - Control side screen : Left - Cable passage motor : H: Sideways up - Type of fabric : Fibreglass fabric Serge - Fabric code : GV-SC6060 RAL 9005 - Confection : Confection 1 - Side channel left : Deep side channel (D) - 0° - Side channel right : Deep side channel (D) - 0°</p>					3280x2235mm	1	GILMOUR	
					<p>-> Warranty number : 60203350100001 -> ** REF. : GILMOUR SO15661</p>			

1150

DELIVERY ADDRESS

 As invoice address

CP Interiors
 Rue des Pres. Tr. Est. 28
 St. Saviour
 JE2 7QN Jersey
 Jersey

ORDER CONFIRMATION : UK-60/20335

FIT ASAP!!!!

Customer	Date confirm.	Prod.nr.	TAX	Page	EXPECTED SHIPPING DATE 21/6/2024	eReps2301080
134872	15.05.24	630858	0,00%	1		

Order details	Sizes Length	Ordered	Unit Price	%	Net	GBP
<p>The current worldwide crisis in the supply of raw materials may possibly have an impact on the initial delivery or execution deadlines. However, changes in the aforementioned deadlines shall in no event constitute grounds for cancellation or compensation.</p>						
RF01 Gilmour Screens S015661 630858- Fixscreen@ 100 Slim F IM7 B - Windproof vertical screen - Freestanding, hidden installation in front/above the cons - With reversed box and side channels - 5-year guarantee on the Fixscreen@ technology - Box HxD : 150x110 mm - Wind resistance up to 60 km/h - Seaside Quality A - Colour: STR 0166 - STR 0166 - 029/73205 - RAL 7004 Fine texture - Colour of PVC rail left : Grey - Colour of PVC rail right : Grey - Colour sealing strip : Grey - Colour end piece bottom bar : Grey - Voltage : 220-240V - Control screen : Somfy IO Radio-controlled - Length of cable : 10 meters - Control side screen : Left - Cable passage motor : H: Sideways up - Type of fabric : Fibreglass fabric Sergé - Fabric code : GV-SC6060 RAL 9005 - Confection : Confection 1 - Side channel left : Deep side channel D - 0° - Side channel right : Deep side channel D - 0° - Extra length side channels : No extra length side chann - Bottom bar : Standard bottom bar - L-profile : Without plaster profile	3280x2235mm	1	2.088,22	40,00	1.252,93	
'-> Warranty number : 60203350100001 '-> ** REF.: GILMOUR S015661						

DELIVERY ADDRESS

 As invoice address

CP Interiors
 Rue des Pres. Tr. Est. 28
 St. Saviour
 JE2 7QN Jersey
 Jersey

ORDER CONFIRMATION : UK-60/20335

Customer	Date confirm.	Prod.nr.	TAX	Page	eReps2301080	
134872	15.05.24	630858	0,00%	3	EXPECTED SHIPPING DATE 21/6/2024	

Order details	Size	Ordered	Unit Price	%	Net	GBP
	Length					
630858- Fixscreen® 100 Slim F IM7 B - Printing : Without printing - Crystal window : Without crystal window in - Fabric roller Ø83 - Channels packed separately : Yes - Seaside Quality A - Labelling 00000999 Transportation charges - cost to be advsied - assumed delivery to UK port for onward - shipment PAYABLE 30 DAYS END OF MONTH The delivery and payment terms are an integral part of our contract. See next page or visit www.rensonuk.net/terms-and-conditions.html		1				

CO=COLOUR - RAL = +- RAL

TOTAL AMOUNT TAX EXCL.	3.962,18 GBP
------------------------	--------------


If this confirmation does not correspond to what you have ordered, please let us know immediately.
 In case you change or cancel your order, it will incur costs as fabrication has already started.

Cable passage: H: Sideways up
Control side screen: Right
Type of fabric: Fibreglass fabric Sergé
Fabric code: GV-6060.GV-SC6060 RAL 9005
Confection: Confection 1
Measures: Standard dimensions under warranty
Width: 4290 mm
Height: 2235 mm
Extra length side channels: No extra length side channels
Crystal window: Without crystal window in the full width
Plaster profile: Without plaster profile
Printing: Without printing
Follow-up order: Yes
Order number: 30628
Reference on label: Reference on label
Reference: GILMOUR SO15661
Side guiding channels packed separately: Yes
Project number: SO15661


Cable passage

The position of the cable throughput depends on the product choice and the selected assembly situation. Look towards your screen from the point of view in which you would demount the fabric roller. That sight of view will define the position of the motor left or right. Each position has a well-specified code and can be positioned either on the left or on the right:


Code	Feed type
A	Back cover bottom
B	Back cover up
F	Upper site back
G	Sideways down
H	Sideways up
I	Backside middle
J	Sideways middle
K	Through side channel
N	Front high
V	Upper site front
W	Sideways



Fixscreen 100 IM1



Fixscreen 100 Slim IM7B (F)



Quote Request CP Interiors

Customer	CP Interiors	External Code	RENSON.134872
Your reference	Gilmour Screens SO15661	Web ID	2301080
File number		Creation date	30-04-2024 10:38
Terms of delivery		Requested by	Rachel Allo
Desired departure date		Requested on	15-05-2024 12:08

Invoice Address CP Interiors (00000), Rue des Pres. Tr. Est. 28 St. Saviour - JE JE2 7QN Jersey

Delivery Address CP Interiors (00000), Rue des Pres. Tr. Est. 28 St. Saviour - JE JE2 7QN Jersey

Project address

1xSIDE LH, 1xSIDE RH, 1xFRONT RH (AS OUTSIDE).

Number	Description
1	<p>Line number: 1</p> <p>Product: Fixscreen 100 Slim Installation method 7 Freestanding</p> <p>Type of installation: 7B: Surface-mounted or recessed - With reversed box and side channels</p> <p>Family: Complete system</p> <p>Colours: Monocolor</p> <p>Basic colour: Colour code from list</p> <p>Colour code: STR0166.RAL 7004 Fine texture</p> <p>Special treatment: Seaside Quality A</p> <p>Colour sealing strip: Grey</p> <p>Colour end piece bottom bar: Grey</p> <p>Colour of PVC rails: Grey</p> <p>Side channels left: Deep side channel (D)</p> <p>Base plate side channel left: 0°</p> <p>Side channels right: Deep side channel (D)</p> <p>Base plate side channel right: 0°</p> <p>Bottom bar: Standard bottom bar</p> <p>Voltage: 220-240V</p> <p>Control screen: Somfy IO Radio-controlled</p> <p>Hirschmann plug: Without Hirschmann plug</p> <p>Length of cable: 10 meters</p> <p>Cable passage: H: Sideways up</p> <p>Control side screen: Left</p> <p>Type of fabric: Fibreglass fabric Sergé</p> <p>Fabric code: GV-6060.GV-SC6060 RAL 9005</p> <p>Confection: Confection 1</p> <p>Measures: Standard dimensions under warranty</p> <p>Width: 3280 mm</p> <p>Height: 2235 mm</p> <p>Extra length side channels: No extra length side channels</p> <p>Crystal window: Without crystal window in the full width</p> <p>Plaster profile: Without plaster profile</p> <p>Printing: Without printing</p> <p>Follow-up order: Yes</p> <p>Order number: 30628</p> <p>Reference on label: Reference on label</p> <p>Reference: GILMOUR SO15661</p>

*checked with Ben
15/05*

CUSTOMER NBR 134872
 PROD. NUMBER 63-0858 63-0859



Webid:2301080

DELIVERY ADDRESS

CP Interiors Via DSV Road LTD
 10 Brunel Way
 SEGENSWORTH EAST IND ESTATE
 Fareham, Hampshire, PO15 5TX
 United Kingdom
 DELIVERY NOTE : UK-60/20335

CP Interiors
 Rue des Pres. Tr. Est. 28
 St. Saviour
 JE2 7QN Jersey
 Jersey

Customer	Date confirm.	Prod.nr.	TAX	Page	eReps2301080					
134872	15.05.24	630858	0,00%	2	EXPECTED SHIPPING DATE 21/6/2024					
Order details					Sizes	Ordered	ZoReference			
630858- Fixscreen- 100 Slim F IM7 B					Length					
- Extra length side channels : No extra length side chann										
- Bottom bar : Standard bottom bar										
- L-profile : Without plaster profile										
630859- Fixscreen- 100 Slim F IM7 B					3280x2235mm	1				GILMOUR
- Windproof vertical screen					!-> Warranty number : 60200350100002					
- Freestanding, hidden installation in front/above the cons					!-> ** REF.: GILMOUR					
- With reversed box and side channels					4290x2235mm	1				GILMOUR
- 5-year guarantee on the Fixscreen- technology					!-> Warranty number : 60200350100003					
- Box (HxD): 150x110 mm					!-> ** REF.: GILMOUR S015661					
- Wind resistance up to 60 km/h										
- Seaside Quality A										
- Colour: STR 0166										
- STR 0166 - 029/73205 - RAL 7004 Fine texture										
- Colour of PVC rail left : Grey										
- Colour of PVC rail right : Grey										
- Colour sealing strip : Grey										
- Colour end piece bottom bar : Grey										
- Voltage : 220-240V										
- Control screen : Somfy IO Radio-controlled										
- Length of cable : 10 meters										
- Control side screen : Right										
- Cable passage motor : H: Sideways up										
- Type of fabric : Fibreglass fabric Sergé										
- Fabric code : GV-SC6060 RAL 9005										
- Confection : Confection 1										
- Side channel left : Deep side channel (D)										
- 0°										
- Side channel right : Deep side channel (D)										
- 0°										
- Extra length side channels : No extra length side chann										
- Bottom bar : Standard bottom bar										
- L-profile : Without plaster profile										