

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

DSV Road Ltd
(NO UPS)
10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham
NO UPS

ORDER CONFIRMATION (release 1)

sales order no.: 202846070 of 18.06.2024
customer: 165708
reference: Morton
Your order no.: SO15783
contact person: William Abbott
E-Mail: WAbbott@weinor.de
phone number: +49-221-59709-472
representat.: 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article code
-----	----------	--------------

1	1,00	3460	Smaila
---	------	------	--------

Anticipated delivery : 15.07.2024
Product use : private house

basic data

width (mm)	: 4250	mm	
Projection [mm]	: 3000	mm	2.924,00
Basic colour	: WT029/70786 Sparkling Iron Effect		
Decorative end cap colour	: coloured as the construction		
wall connection	: with wall connection		94,00
no. of arms	: 2	Piece	
insulation [mm]	: 0	mm	

attachment

bracket type 1	: all bracket 260 mm		
number of brackets 1	: 2	Piece	88,00

Force 1 means the pull-out force per upper fastener F(B).

Force 1 means the pull-out force per front fastener F(B).

Force 1 means the shear force per front fastener F(S).

FB1 Force 1 per fixing point	: 3688	N
------------------------------	--------	---

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Földner
General partner:
Weinor-Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 30753710

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202846070

Page 2 of 3

pos	quantity	article code
-----	----------	--------------

M = Torque per folding arm	: 774	Nm
----------------------------	-------	----

Please note that your selected awning configuration results in the following forces per upper fixing point (pull-out, lateral and/or shear forces). These must be accounted for by using suitable fixings.

bracket position left	: 425	Shift range from 390 mm to 460 mm
-----------------------	-------	-----------------------------------

bracket position right	: 425	Shift range from 390 mm to 460 mm
------------------------	-------	-----------------------------------

Volant Plus

valance plus yes/no	: with valance plus
---------------------	---------------------

type of operation valance plus	: Solar motor
--------------------------------	---------------

valance plus motor end position preset to drive [cm]	: 100	cm
--	-------	----

Operation side of valance plus	: as awning
--------------------------------	-------------

Depth of valance plus	: 100	cm	1.021,00
-----------------------	-------	----	----------

Requested pattern, valance plus	: FE86-2171-177	pebble Soltis 86
---------------------------------	-----------------	------------------

operation

type of control	: Remote-controlled motor IO Homecontrol	133,00
-----------------	--	--------

Side of control (seen from the front)	: right
---------------------------------------	---------

electrical engine connection	: 100703-0000 Kabel 3G1 L3000 OE/Hipro
------------------------------	--

control	: hand transmitter Situo 5 io Variation A/M II by weinor	162,00
---------	--	--------

Hirschmann plug?	: Hirschmann plug not assembled	14,00
------------------	---------------------------------	-------

Type of engine	: Motor Sfy Sunea60 io 55/17 -ohne Zubehör
----------------	--

Somfy radio wind sensor io	: with Somfy Eolis 3D WireFree io; black housing	193,00
----------------------------	--	--------

Dessin

real-design	: WE3-720	my collections
-------------	-----------	----------------

colour of thread Saba	: dark grey
-----------------------	-------------

Cardboard container	: edges reinforcement
---------------------	-----------------------

weight	: 90	kg
--------	------	----

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Földner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 sales order 202846070

Page 3 of 3

pos	quantity	article code
-----	----------	--------------

value of goods	discount amount / %	net
4.629,00	1.851,60 / 40,00	2.777,40

value of goods	discount amount	net	VAT (0 %)	Total GBP
4.629,00	1.851,60	2.777,40	0,00	2.777,40

In addition, our General Terms of Delivery and Payment as per 12/2021, published under the link provided below are valid and we are happy to provide you with them free of charge upon request.

<https://www.weinor.com/terms-and-conditions/>

delivery exw Cologne
 payment: With direct debit 5% discount payment
 mode of dispatch UK export

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jerseyreference: Morton
Your order no.: SO15783
weinor customernumber: 165708
creation Date: 18.06.2024
weinor pers. in charge: William Abbott
phone / fax number: +49-221-59709-472
representat.: Chris Spickett
tel (representat.): 0044 (0) 7894443907*Valance checked
18/06/24*

pos	quantity	article	price
1	1	weinor Smaila	4.629,00
		Product use : private house	
		width (mm) : 4250 mm ✓	
		Projection [mm] : 3000 mm ✓	2.924,00
		Basic colour : WT029/70786 Sparkling Iron Effect ✓	
		Decorative end cap colour : coloured as the construction	
		wall connection : with wall connection	94,00
		no. of arms : 2 Piece	
		insulation [mm] : 0 mm	
		bracket type 1 : all-bracket-260 mm	
		number of brackets 1 : 2 Piece	88,00
		FB1 Force 1 per fixing point : 3688 N	
		M = Torque per folding arm : 774 Nm	
		bracket position left : 425 Shift range from 390 mm to 460 mm	
		bracket position right : 425 Shift range from 390 mm to 460 mm	
		valance plus yes/no : with valance plus ✓	
		type of operation valance plus : Solar motor ✓	
		valance plus motor end position : 100 cm ✓	
		preset to drive [cm]	
		Operation side of valance plus : as awning	
		Depth of valance plus : 100 cm ✓	1.021,00
		Requested pattern, valance plus : FE86-2171-177 pebble Soltis 86 ✓	
		type of control : Remote-controlled motor IO Homecontrol ✓	133,00
		Side of control (seen from the front) : right ✓	
		electrical engine connection : 100703-0000 Kabel 3G1 L3000 OE/Hipro	
		control : hand transmitter Situo 5 io Variation A/M II by weinor ✓	162,00

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.comManaging Director:
Tim Földner
General partner:
Weinor Beteiligungs-GmbH
KölnVAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer:	165708	reference:	Morton	Page 2 of 2	
pos	quantity	article			price
Hirschmann plug?		: Hirschmann plug not assembled			14,00
Type of engine		:			
Somfy radio wind sensor io real-design		: with Somfy Eolis 3D WireFree io; black housing ✓ : WE3-720 my collections			193,00
colour of thread Saba		: dark grey			
Cardboard container weight		: edges reinforcement : 90 kg			
			value of goods	discount amount / %	net
			4.629,00	1.851,60 / 40,00	2.777,40
value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP	
4.629,00	1.851,60	2.777,40	0,00	2.777,40	



CP INTERIORS

Mr. Peter Morton

Crew Quarters
Le Mont De Ouaisne
St Brelade
JE3 8AW


Date	Reference	Your Contact
04-06-2024	SO15783	Rachel
Customer Ref.		

Quote

Our Price Promise to you

We are so confident our pricing is competitive, that we will beat any written quotation for equivalent product by 5%

Supply & Fit/Supply Only

Location	Description	QTY	Price
	<p>Awning / Canopy, Ground Floor 4.25m x 3m. Electrically Operated with Somfy IO motor, powder coated frame in WT Trend colour WT029/70786 Sparkling Iron Effect with matching end caps. Acrylic fabric WE3-720 Flint. Dropdown valance FE86-2171-177 boulder-Soltis 86 - maximum valance drop 1m. Includes vibration sensor and remote control.</p> <p>excludes wiring and electrical works,</p> 	1	£ 6,945.00

Confirmed colours via email (has seen samples) 18/06

Terms : 50% deposit due with order, 50% on completion

BACS Payment	
Bank:	NatWest
Sort Code:	60 12 03
Account No:	66577772
Carpet Protection (C.I) Ltd T/A CP Interiors	

Phone and Card Payment
Payment can be made in person or by phone.
If phone, please call us on 01534 768141 and have your card details ready.
Note, we do not accept American Express or Cheque payments.

Subtotal :	£ 6,945.00
GST :	£ 347.25
Total :	£ 7,292.25

Please note: This quotation is only valid for acceptance for 7 days. Our estimate does not include any electrical work or additional carpentry work to install the above unless otherwise specified. Please note there is a handling charge on customer own fabric of £5 per metre. Due to high costs of labour, pre-arranged missed fitting appointments will be charged on a time-wasted basis. Settlement is due on completion of works and an administration charge of £25 will be added per month if unpaid within 30 days. We reserve the right to charge for design, advice and liaison work carried out should an order not be placed. Goods remain the property of CP Interiors until full settlement is received. Should payment not be received we reserve the right to attend premises during working hours to remove goods and not be required to make good. Our full terms and conditions apply and are available on request.

Handwritten signature

Mr. Peter Morton
 Crew Quarters
 Le Mont De Ouaisne
 St Brelade
 JE3 8AW

Date	Reference	Your Contact
04-06-2024	SO15783	Rachel
Customer Ref.		

Quote

Our Price Promise to you
 We are so confident our pricing is competitive, that we will beat any written quotation for equivalent product by 5%

Supply & Fit/Supply Only

Location	Description	QTY	Price
	<p>Awning / Canopy, Ground Floor 4.25m x 3m. Electrically Operated with Somfy IO motor, powder coated frame in WT Trend colour WT029/70786 Sparkling Iron Effect with matching end caps. Acrylic fabric WE3-720 Flint. Dropdown valance FE86-2171-177 boulder-Soltis 86 - maximum valance drop 1m. Includes vibration sensor and remote control. . excludes wiring and electrical works,</p> 	1	£ 6,945.00

*Dep. £3646-13.
 Paid by cheque.*

Terms : 50% deposit due with order, 50% on completion

BACS Payment	
Bank:	NatWest
Sort Code:	60 12 03
Account No:	66577772
Carpet Protection (C.I) Ltd T/A CP Interiors	

Phone and Card Payment
Payment can be made in person or by phone. If phone, please call us on 01534 768141 and have your card details ready. Note, we do not accept American Express or Cheque payments.

Subtotal :	£ 6,945.00
GST :	£ 347.25
Total :	£ 7,292.25

Please note: This quotation is only valid for acceptance for 7 days. Our estimate does not include any electrical work or additional carpentry work to install the above unless otherwise specified. Please note there is a handling charge on customer own fabric of £5 per metre. Due to high costs of labour, pre-arranged missed fitting appointments will be charged on a time-wasted basis. Settlement is due on completion of works and an administration charge of £25 will be added per month if unpaid within 30 days. We reserve the right to charge for design, advice and liaison work carried out should an order not be placed. Goods remain the property of CP Interiors until full settlement is received. Should payment not be received we reserve the right to attend premises during working hours to remove goods and not be required to make good. Our full terms and conditions apply and are available on request.

