

Order confirmation

Confirmation date	27.08.2024	CP Interiors
Order number	91660	St. Saviour
Customer number	1001334	28 Rue des Pres. Tr. Est.
Your VAT number		JE2 7QN JERSEY
Currency	GBP	JERSEY
Project reference	TURNER - EAGLES REST SO15843	
Order reference	SO15843_COPY__COPY1_COPY1	
Latest delivery date	23.10.2024	

Incoterms	DAP Jersey	Delivery address CP Interiors St. Saviour 28 Rue des Pres. Tr. Est. JE2 7QN JERSEY JERSEY
------------------	---------------	---

Overview

Material	Quantity	Total net	VAT %
001000 CAM2 CAMARGUE	1,00 PC	15.866,52	
002000 CAM2 CAMARGUE	1,00 PC	22.438,05	
003000 CAM2 CAMARGUE	1,00 PC	15.681,84	
004000 GLASSSP GLASS SLIDING PANELS	1,00 PC	1.203,84	
005000 GLASSSP GLASS SLIDING PANELS	1,00 PC	1.203,84	
006000 LOGGIAOD LOGGIA OUTDOOR	1,00 PC	4.816,50	
007000 LOGGIAOD LOGGIA OUTDOOR	1,00 PC	1.989,30	
904000 1000009 Special product configuration fee	1,00 PC	216,00	

Total before VAT	63.415,89
VAT	0,00
Total incl. VAT	63.415,89

Free of VAT, export

PAYMENT INFORMATION

Payment term 30 days end of month

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

For questions or remarks regarding this document, please send an email to outdoor-export@renson.be

The General Terms and Conditions of Sale are integral part of our agreement. See Professional Portal at <http://www.renson.eu/>

Order confirmation

91660

27.08.2024

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
001000	CAM2 CAMARGUE		1,00 PC	26.656,00		15.866,52
	Commodity code 94069090	Prefabricated aluminum buildings, sun protection structures				
	Pivot = 1550mm. Extra discount: 388,44£ Price for 4 L profiles 40 x 30 x 2 = 4 x 168,15£ net					
	Camargue	10.080,00 GBP / 1	PC x 1,00	10.080,00		
	Camargue Line column	530,00 GBP / 1	PC x 4,00	2.120,00		
	Camargue Line reinforced mounting base	187,00 GBP / 1	PC x 4,00	748,00		
				12.948,00	40	7.768,80
	Integrated Fixscreen	1.410,00 GBP / 1	PC x 1,00	1.410,00		
	Integrated Fixscreen	2.430,00 GBP / 1	PC x 1,00	2.430,00		
				3.840,00	43	2.188,80
	Glass panel	653,00 GBP / 1	PC x 5,00	3.265,00		
	Glass 5-rails	833,00 GBP / 1	PC x 1,00	833,00		
				4.098,00	43	2.335,86
	UpDown Led : 1x Up RGB + Down White	1.510,00 GBP / 1	PC x 1,00	1.510,00		
	UpDown Led : 2x Up RGB + Down White	2.545,00 GBP / 1	PC x 1,00	2.545,00		
				4.055,00	43	2.311,35
	Protecto	1.150,00 GBP / 1	PC x 1,00	1.150,00		
	Eolis io wind sensor 230V	180,00 GBP / 1	PC x 1,00	180,00		
	Rain sensor	240,00 GBP / 1	PC x 1,00	240,00		
	Situo 5 IO VAR Pure II - 5-channel transmitter	145,00 GBP / 1	PC x 1,00	145,00		
				1.715,00	43	977,55
	Product surcharge	672,60 GBP				672,60
	Extra discount - net	-388,44 GBP				-388,44
	Structure					
	Type					
	Structure	3-parts coupled at span side				
	Location					
	Structure version	Standard version				
	Dimensions					
	Symmetrical structure	No				
	Construction					
	Type					
	Roof part	Roof part 1				
	Dimensions					
	Span	4.500 mm				
	Pivot	1.800 mm				
	Passage height	2.440 mm				
	Construction method					
	Span 1	Connection beam				
	Span 2	Freestanding				
	Pivot 1	Freestanding				
	Pivot 2	Freestanding				
	Columns					
	Column type 1A	Corner column				
	Column type 1B	Corner column				

Order confirmation

91660

27.08.2024

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
	Column type 2A	Corner column				
	Column type 2B	Corner column				
	Design Styles (TL)					
	Design Styles (SL)					
	Design Style	No				
	Side infills					
	Span 2 (S2)					
	Infill S2	Glass panels & Fixscreen				
	Opening direction S2	Opening left to right				
	Number of glass panels	1x5				
	Height glass sliding panels S2	Passage height				
	Pivot 2 (P2)					
	Infill P2	Fixscreen				
	General specifications					
	Infill height Fixscreen	Passage height				
	Glass included	Yes				
	Type glas	Clear glass				
	Comfort					
	Lighting					
	Position UpDown led	P1, P2, S2				
	Color led 'UP'	RGB				
	Color led 'DOWN'	Warm white				
	Comfort & Design					
	Protecto on roof part 1	Yes				
	Protecto side	P1 & P2				
	Power socket					
	Socket	No				
	Automation					
	Country of installation	United Kingdom				
	Motor control	Somfy IO				
	Renson Connect App	No				
	Frost/Snow function	No				
	Transmitter	Situo 5 VAR IO Pure				
	Wind sensor	Eolis wired wind sensor io				
	Rain sensor	Ceramic rain sensor				
	Voltage motor	230V				
	Electrical certification	CE (Standard)				
	Styling					
	Colors					
	Color type frame and columns	Textured				
	Color category framework	Standard colors				
	Color code frame and columns	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX				
	Color type of blades	Same color as framework				
	Color category blades	Standard colors				
	Color of roof blades	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX				
	Type of fabrics					
	Type of fabric Fixscreen	Fibreglass fabric Sergé				
	Fabric code Fixscreen	FG-SC 0606 BRONZE				
	Confection side	Confection side 1				
	Technical specs					

Order confirmation

91660

27.08.2024

General

Motor position Pivot 1 (P1)
Blade rotation Direct sunlight

Columns

Mounting base 1A Invisible reinforced
Mounting holes in the col. 1A Yes
Mounting base 1B Invisible reinforced
Mounting holes in the col. 1B Yes
Water drainage direction 1B Pivot
Height water drainage 1B 66 mm (2.60")
Mounting base 2A Invisible reinforced
Mounting holes in the col. 2A Yes
Mounting base 2B Invisible reinforced
Mounting holes in the col. 2B Yes
Water drainage direction 2B Pivot
Height water drainage 2B 66 mm (2.60")

002000 CAM2 1,00 PC 39.365,00 22.438,05

CAMARGUE

Commodity code 94069090

Prefabricated aluminum buildings, sun protection structures

Extra discount: 632,22£

Camargue	19.640,00	GBP	/	1	PC	x	1,00	19.640,00		
Camargue Line column	530,00	GBP	/	1	PC	x	2,00	1.060,00		
Camargue Line reinforced mounting base	187,00	GBP	/	1	PC	x	2,00	374,00		
								21.074,00	40	12.644,40
Integrated Fixscreen	3.145,00	GBP	/	1	PC	x	1,00	3.145,00		
								3.145,00	43	1.792,65
Glass panel	653,00	GBP	/	1	PC	x	8,00	5.224,00		
Glass 4-rails	698,00	GBP	/	1	PC	x	1,00	698,00		
								5.922,00	43	3.375,54
UpDown Led : 2x Up RGB + Down White	2.545,00	GBP	/	1	PC	x	1,00	2.545,00		
								2.545,00	43	1.450,65
Protecto	1.150,00	GBP	/	1	PC	x	1,00	1.150,00		
Rain sensor	240,00	GBP	/	1	PC	x	1,00	240,00		
								1.390,00	43	792,30
Lineo Heat with 2 heaters	2.246,00	GBP	/	1	PC	x	2,00	4.492,00		
Lineo Heat receiver	369,00	GBP	/	1	PC	x	2,00	738,00		
Drilling jig	59,00	GBP	/	1	PC	x	1,00	59,00		
								5.289,00	43	3.014,73
Extra discount - net	-632,22	GBP								-632,22

Structure

Type

Structure 3-parts coupled at span side

Location

Structure version Standard version

Dimensions

Symmetrical structure No

Construction

Type

Roof part Roof part 2

Dimensions

Span 4.500 mm

Order confirmation

91660

27.08.2024

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
	Pivot	6.050 mm				
	Passage height	2.440 mm				
	Construction method					
	Span 1	Connection beam				
	Span 2	Coupled to connection beam				
	Pivot 1	Freestanding				
	Pivot 2	Freestanding				
	Columns					
	Column type 1A	Column coupled field				
	Column type 1B	Column coupled field				
	Column type 2A	Corner column				
	Column type 2B	Corner column				
	Design Styles (TL)					
	Design Styles (SL)					
	Design Style	No				
	Side infills					
	Pivot 2 (P2)					
	Infill P2	Glass panels & Fixscreen				
	Opening direction P2	Sliding open from the middle				
	Number of glass panels	2x4				
	Height glass sliding panels P2	Passage height				
	General specifications					
	Infill height Fixscreen	Passage height				
	Glass included	Yes				
	Type glas	Clear glass				
	Comfort					
	Lighting					
	Position UpDown led	Pivot 1 + 2				
	Color led 'UP'	RGB				
	Color led 'DOWN'	Warm white				
	Comfort & Design					
	Lineo Heat receiver	Yes				
	Protecto on roof part 1	Yes				
	Lineo Heat	Yes				
	Number of Lineo Heat blades	2				
	Type Lineo Heat 1	2 heaters				
	Type Lineo Heat 2	2 heaters				
	Protecto side	P1 & P2				
	Drilling jig	Yes				
	Power socket					
	Socket	No				
	Automation					
	Country of installation	United Kingdom				
	Motor control	Somfy IO				
	Rain sensor	Ceramic rain sensor				
	Voltage motor	230V				
	Electrical certification	CE (Standard)				
	Styling					
	Colors					
	Color type frame and columns	Textured				

Order confirmation

91660

27.08.2024

Color category framework	Standard colors
Color code frame and columns	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX
Color type of blades	Same color as framework
Color category blades	Standard colors
Color of roof blades	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX
Color of the ceramic glass	Black
Type of fabrics	
Type of fabric Fixscreen	Fibreglass fabric Sergé
Fabric code Fixscreen	FG-SC 0606 BRONZE
Confection side	Confection side 1

Technical specs

General

Motor position	Pivot 1 (P1)
Blade rotation	Direct sunlight

Columns

Mounting base 2A	Invisible reinforced
Mounting holes in the col. 2A	Yes
Mounting base 2B	Invisible reinforced
Mounting holes in the col. 2B	Yes
Water drainage direction 2B	Pivot
Height water drainage 2B	66 mm (2.60")

003000	CAM2							1,00 PC	27.512,00		15.681,84
	CAMARGUE										
	Commodity code	94069090									
	Pivot = 1400mm.										
	Extra discount: 345,42£										
	Camargue	10.080,00	GBP	/	1	PC	x	1,00	10.080,00		
	Camargue Line column	530,00	GBP	/	1	PC	x	2,00	1.060,00		
	Camargue Line reinforced mounting base	187,00	GBP	/	1	PC	x	2,00	374,00		
									11.514,00	40	6.908,40
	Integrated Fixscreen	1.410,00	GBP	/	1	PC	x	1,00	1.410,00		
	Integrated Fixscreen	2.430,00	GBP	/	1	PC	x	1,00	2.430,00		
									3.840,00	43	2.188,80
	Glass panel	653,00	GBP	/	1	PC	x	5,00	3.265,00		
	Glass 5-rails	833,00	GBP	/	1	PC	x	1,00	833,00		
									4.098,00	43	2.335,86
	UpDown Led : 1x Up RGB + Down White	1.510,00	GBP	/	1	PC	x	1,00	1.510,00		
	UpDown Led : 2x Up RGB + Down White	2.545,00	GBP	/	1	PC	x	1,00	2.545,00		
									4.055,00	43	2.311,35
	Protecto	1.150,00	GBP	/	1	PC	x	1,00	1.150,00		
	Rain sensor	240,00	GBP	/	1	PC	x	1,00	240,00		
									1.390,00	43	792,30
	Lineo Heat with 2 heaters	2.246,00	GBP	/	1	PC	x	1,00	2.246,00		
	Lineo Heat receiver	369,00	GBP	/	1	PC	x	1,00	369,00		
									2.615,00	43	1.490,55
	Extra discount - net	-345,42	GBP								-345,42
	Structure										
	Type										
	Structure								3-parts coupled at span side		
	Location										
	Structure version								Standard version		

Order confirmation

91660

27.08.2024

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
Dimensions						
	Symmetrical structure	No				
Construction						
Type						
	Roof part	Roof part 3				
Dimensions						
	Span	4.500 mm				
	Pivot	1.650 mm				
	Passage height	2.440 mm				
Construction method						
	Span 1	Freestanding				
	Span 2	Coupled to connection beam				
	Pivot 1	Freestanding				
	Pivot 2	Freestanding				
Columns						
	Column type 1A	Column coupled field				
	Column type 1B	Column coupled field				
	Column type 2A	Corner column				
	Column type 2B	Corner column				
Design Styles (TL)						
Design Styles (SL)						
	Design Style	No				
Side infills						
Span 1 (S1)						
	Infill S1	Glass panels & Fixscreen				
	Opening direction S1	Opening right to left				
	Number of glass panels	1x5				
	Height glass sliding panels S1	Passage height				
Pivot 2 (P2)						
	Infill P2	Fixscreen				
General specifications						
	Infill height Fixscreen	Passage height				
	Glass included	Yes				
	Type glas	Clear glass				
Comfort						
Lighting						
	Position UpDown led	P1, P2, S1				
	Color led 'UP'	RGB				
	Color led 'DOWN'	Warm white				
Comfort & Design						
	Lineo Heat receiver	Yes				
	Lineo Heat	Yes				
	Protecto on roof part 1	Yes				
	Number of Lineo Heat blades	1				
	Type Lineo Heat 1	2 heaters				
	Protecto side	P1 & P2				
Power socket						
	Socket	No				
Automation						
	Country of installation	United Kingdom				

Order confirmation

91660

27.08.2024

Motor control	Somfy IO
Rain sensor	Ceramic rain sensor
Voltage motor	230V
Electrical certification	CE (Standard)
Styling	
Colors	
Color type frame and columns	Textured
Color category framework	Standard colors
Color code frame and columns	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX
Color type of blades	Same color as framework
Color category blades	Standard colors
Color of roof blades	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX
Color of the ceramic glass	Black
Type of fabrics	
Type of fabric Fixscreen	Fibreglass fabric Sergé
Fabric code Fixscreen	FG-SC 0606 BRONZE
Confection side	Confection side 1
Technical specs	
General	
Motor position	Pivot 1 (P1)
Blade rotation	Direct sunlight
Columns	
Mounting base 2A	Invisible reinforced
Mounting holes in the col. 2A	Yes
Mounting base 2B	Invisible reinforced
Mounting holes in the col. 2B	Yes
Water drainage direction 2B	Pivot
Height water drainage 2B	66 mm (2.60")

004000 GLASSSP 1,00 PC 2.522,00 1.203,84

GLASS SLIDING PANELS

Commodity code 70071980 safety glass sliding pannels

Two glass panels adjusted to fit free width of 1250mm.

Promo discount: 75,66£

Price deduction of 1 glass panel: 233,7£

Glass panel	653,00	GBP	/	1	PC	x	3,00	1.959,00		
Glass 3-rails	563,00	GBP	/	1	PC	x	1,00	563,00		
								2.522,00	40	1.513,20
Product minus price	-233,70	GBP								-233,70
Promo action	-75,66	GBP	/	1	PC					-75,66

General

Model Camargue

Position Pivot

Construction

Dimensions

Width 1.760 mm

Height 2.440 mm

Construction method

Opening direction Opening right to left

Number of glass panels 3

Glass included Yes

Type glas Clear glass

Height of the handle 1.100 mm

Order confirmation

91660

27.08.2024

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
Styling						
	Color type	Textured				
	Color category framework	Standard colors				
	Color code frame and columns	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX				
005000	GLASSSP GLASS SLIDING PANELS		1,00 PC	2.522,00		1.203,84
	Commodity code	70071980	safety glass sliding pannels			
	Two glass panels adjusted to fit free width of 1250mm.					
	Promo discount: 75,66£					
	Price deduction for 1 glass panel: 233,7£					
	Glass panel	653,00 GBP /	1 PC x 3,00	1.959,00		
	Glass 3-rails	563,00 GBP /	1 PC x 1,00	563,00		
				2.522,00	40	1.513,20
	Product minus price	-233,70 GBP				-233,70
	Promo action	-75,66 GBP /	1 PC			-75,66
General						
	Model	Camargue				
	Position	Pivot				
Construction						
Dimensions						
	Width	1.760 mm				
	Height	2.440 mm				
Construction method						
	Opening direction	Opening left to right				
	Number of glass panels	3				
	Glass included	Yes				
	Type glas	Clear glass				
	Height of the handle	1.100 mm				
Styling						
	Color type	Textured				
	Color category framework	Standard colors				
	Color code frame and columns	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX				
006000	LOGGIAOD LOGGIA OUTDOOR		1,00 PC	8.450,00		4.816,50
	Commodity code	76169990				
	Promo discount: 253,5£					
	Panel Paro Privacy	1.690,00 GBP /	1 PC x 5,00	8.450,00		
				8.450,00	40	5.070,00
	Promo action	-253,50 GBP /	1 PC			-253,50
General						
	Model	Camargue				
	Position	Pivot				
Construction						
	Wall type	Sliding panels				
	Configuration type	Customized				
	Number of panels	5 PC				

Order confirmation

91660

27.08.2024

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
	Sliding hardware inclusive	No				
	Dimensions					
	Panel width	1.178 mm				
	Panel height	2.420 mm				
	Styling					
	Design					
	Panels same fillings	Yes				
	Type of Loggia panels	Paro privacy.				
	Infill Panels	Aluminium				
	Colors					
	Color type loggia frame	Textured				
	Color Loggia frame	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX				
	Color type of blades	Same color as framework				
	Color code Loggia blades	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX				
	Options					
	Locks	No				
007000	LOGGIAOD LOGGIA OUTDOOR		1,00 PC	3.490,00		1.989,30
	Commodity code 76169990					
	Promo discount: 104,7€					
	Panel Paro Privacy	1.745,00 GBP /	1 PC x 2,00	3.490,00		
				3.490,00	40	2.094,00
	Promo action	-104,70 GBP /	1 PC			-104,70
	General					
	Model	Camargue				
	Position	Pivot				
	Construction					
	Wall type	Sliding panels				
	Configuration type	Customized				
	Number of panels	2 PC				
	Sliding hardware inclusive	No				
	Dimensions					
	Panel width	1.240 mm				
	Panel height	2.420 mm				
	Styling					
	Design					
	Panels same fillings	Yes				
	Type of Loggia panels	Paro privacy.				
	Infill Panels	Aluminium				
	Colors					
	Color type loggia frame	Textured				
	Color Loggia frame	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX				
	Color type of blades	Same color as framework				
	Color code Loggia blades	AE03058801920-AXALTA RAL8019 FINE TEXTURE COATEX				
	Options					
	Locks	No				

Order confirmation

91660

27.08.2024

Detail

Item	Material	Unit price gross	Quantity	Total gross	Discount %	Total net
904000	1000009		1,00 PC	216,00		216,00
	Special product configuration fee					
	Customized solution fee for adjusting the pivot dimensions, the width of the glass panels.					
	Net price	216,00 GBP / 1 PC		216,00		216,00