

(2)

Premier grade
Hettich
36x 501674
Sub 931674 - 2 (quantity)

FLOORING

Hettich Second floor

Boxes 14 Roller

RECEIVED
25 OCT 2024
SCANNED

Arrived 25-10-24

Tropical Blinds Ltd

Unit 6 and 7 Five Arches Business Est
off Maidstone Road
Sidcup
Kent DA14 5AE
T: 020 8269 6400
F: 020 8269 6401

**Order Acknowledgement**

Cust Order No : HETTICH SECOND FLOOR SO1
Order Date : 11/10/2024
Order No : 927994
Account Ref : CPS007
Despatch method : DHL Economy
Delivery Date : 22/10/2024
Carriage Type : DHL Economy Select

Order to :

C.P Interiors
Rue Des Pres Trading Estate
St. Saviour
Jersey
Channel Islands
JE2 7QN

Deliver to :

C.P Interiors
Rue Des Pres Trading Estate
St Saviour
Jersey
Channel Islands
JE2 7QN

Type	Colour	Width	Drop	Quantity	Unit Price	Disc %	Net
Roller - With Cass H/box SW/Sprng	Perspective FR DO 3% Arctic White R/F	600	3050	1	202.75	51.92	113.93
32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal					34.21		
Circular Bottom Rail - White - 5m, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain							
Tidy - Clear (Louvolute)							

Measurement: Fabric Size Spec. Ins:

Install Height: 4200.00

Roller - With Cass H/box SW/Sprng	Perspective FR DO 3% Arctic White R/F	1950	3050	1	410.20	51.92	238.29
32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal					85.41		
Circular Bottom Rail - White - 5m, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain							
Tidy - Clear (Louvolute)							

Measurement: Fabric Size Spec. Ins:

Install Height: 4200.00

Roller - With Cass H/box SW/Sprng	Perspective FR DO 3% Arctic White R/F	525	3050	1	170.91	51.92	94.47
32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal					25.59		
Circular Bottom Rail - White - 5m, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain							
Tidy - Clear (Louvolute)							

Measurement: Blind Size Spec. Ins:

Install Height: 4200.00

Roller - With Cass H/box	Perspective FR DO 3% Arctic White R/F	2270	3050	1	488.13	51.92	290.42
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal					115.91		
Circular Bottom Rail - White - 5m, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain							
Tidy - Clear (Louvolute)							

Measurement: Fabric Size Spec. Ins:

Roller - With Cass H/box SW/Sprng	Perspective FR DO 3% Arctic White R/F	1500	3050	1	332.13	51.92	192.56
32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail - White - 5m, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					68.36		

Measurement: Fabric Size Spec. Ins:

Install Height: 4200.00

Roller - With Cass H/box SW/Sprng	Perspective FR DO 3% Arctic White R/F	550	3050	1	170.91	51.92	94.47
32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail - White - 5m, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					25.59		

Measurement: Fabric Size Spec. Ins:

Install Height: 4200.00

Roller - With Cass H/box SW/Sprng	Perspective FR DO 3% Arctic White R/F	2260	3050	1	488.13	51.92	290.42
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail - White - 5m, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					115.91		

Measurement: Fabric Size Spec. Ins:

Install Height: 4200.00

Roller - With Cass H/box SW/Sprng	Perspective FR DO 3% Arctic White R/F	600	3050	1	202.75	51.92	113.93
32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail - White - 5m, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					34.21		

Measurement: Fabric Size Spec. Ins:

Install Height: 4200.00

Roller - With Cass H/box SW/Sprng	Perspective FR DO 3% Arctic White R/F	1500	3050	1	332.13	51.92	192.56
32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail - White - 5m, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					68.36		

Measurement: Fabric Size Spec. Ins:

Install Height: 4200.00

If a Premium carriage service is requested (Pre Noon, Pre 10.30, Saturday or Saturday Pre Noon) the relevant charge will be applied to your invoice. Goods delivered to the following areas: Cornwall, Dyfed, Powys, Anglesey, Gwynedd, Scotland, Isle of Wight, Isle of Man, Isle of Scilly, Channel Isles, Northern Ireland and Republic of Ireland will be subject to a carriage charge as detailed on Page 2 of our trade price list. These carriage charges may not appear on your order acknowledgement but will be applied to your invoice

Net Price :	£2374.23
VAT :	£0.00
Total :	£2374.23

Unit 6 and 7 Five Arches Business Est
off Maidstone Road
Sidcup
Kent
DA14 5AE
Tel: 020 8269 6400 Fax: 020 8269 6401

Vat No: 324 0532 02
Cust Order No: HETTICH SECOND FLOOR SO15923
Order Date: 03/10/2024
Order No: 4495508
Cust Ref:
Account Ref: CPS007
Despatch Method: DHL Economy

Order To:
C.P Interiors 2
Rue Des Pres Trading Estate
St Saviour
Jersey
Channel Islands
JE2 7QN

Deliver To:
C.P Interiors
Rue Des Pres Trading Estate
St Saviour
Jersey
Channel Islands
JE2 7QN

Type	Colour	Width	Drop	Quantity	Unit Price	Disc %	Net
1. Roller - With Cass H/box SW/SprngPerspective FR DO 3% Arctic White R/F (L) 32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail White - 5m, Right Hand Control, White, Silver No. 10 Metal Operating Chain, No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No.10 Chain Connector - Grey For Metal Chain, Not Applicable Measurement: Fabric Size ✓ Spec. ins: Chain Length: 2000 ✓ Location: Fitting ins:		600 ✓	3050 ✓	1	202.75	51.92	113.93
2. Roller - With Cass H/box SW/SprngPerspective FR DO 3% Arctic White R/F (L) ✓ 32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail ✓ White - 5m, Right Hand Control, White, Silver No. 10 Metal Operating Chain, No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No.10 Chain Connector - Grey For Metal Chain, Not Applicable Measurement: Fabric Size ✓ Spec. ins: Chain Length: 2000 ✓ Location: Fitting ins:		1950 ✓	3050 ✓	1	410.20	51.92	238.29
3. Roller - With Cass H/box SW/SprngPerspective FR DO 3% Arctic White R/F (L) ✓ 32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail ✓ White - 5m, Right Hand Control, White, Silver No. 10 Metal Operating Chain, No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No.10 Chain Connector - Grey For Metal Chain, Not Applicable Measurement: Blind Size ✓ Spec. ins: Chain Length: 2000 ✓ Location: Fitting ins:		525 ✓	3050 ✓	1	170.91	51.92	94.47
4. Roller - With Cass H/box SW/SprngPerspective FR DO 3% Arctic White R/F (L) ✓ 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail ✓ White - 5m, Right Hand Control, White, Continuous Metal Chain Silver, No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Cord or Chain Tidy - Clear (Louvolute), Not Applicable Measurement: Fabric Size ✓ Spec. ins: Chain to be 2000mm long as the other ones on this order (office blinds) ✓ Location: Fitting ins:		2270 ✓	3050 ✓	1	488.13	51.92	290.42
5. Roller - With Cass H/box SW/SprngPerspective FR DO 3% Arctic White R/F (L) ✓ 32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail ✓ White - 5m, Right Hand Control, White, Silver No. 10 Metal Operating Chain, No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No.10 Chain Connector - Grey For Metal Chain, Not Applicable Measurement: Fabric Size ✓ Spec. ins: Chain Length: 2000 ✓ Location: Fitting ins:		600 ✓	3050 ✓	1	202.75	51.92	113.93
6. Roller - With Cass H/box SW/SprngPerspective FR DO 3% Arctic White R/F (L) ✓ 32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail ✓ White - 5m, Right Hand Control, White, Silver No. 10 Metal Operating Chain, No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No.10 Chain Connector - Grey For Metal Chain, Not Applicable Measurement: Fabric Size ✓ Spec. ins: Chain Length: 2000 ✓ Location: Fitting ins:		1960 ✓	3050 ✓	1	410.20	51.92	238.29
7. Roller - With Cass H/box SW/SprngPerspective FR DO 3% Arctic White R/F (L) ✓ 32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail ✓ White - 5m, Right Hand Control, White, Silver No. 10 Metal Operating Chain, No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No.10 Chain Connector - Grey For Metal Chain, Not Applicable Measurement: Fabric Size ✓ Spec. ins: Chain Length: 2000 ✓ Location: Fitting ins:		600 ✓	3050 ✓	1	202.75	51.92	113.93
8. Roller - With Cass H/box SW/SprngPerspective FR DO 3% Arctic White R/F (L) ✓ 32mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Face Bracket - White, Metal Circular Bottom Rail ✓ White - 5m, Right Hand Control, White, Silver No. 10 Metal Operating Chain, No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No.10 Chain Connector - Grey For Metal Chain, Not Applicable Measurement: Fabric Size ✓ Spec. ins: Chain Length: 2000 ✓ Location: Fitting ins:		1500 ✓	3050 ✓	1	332.13	51.92	192.56