



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

C P Sunblinds

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

reference: Mackie
 Your order no.:
 weinor customernumber: 165708
 creation Date: 28.04.2014
 weinor pers. in charge: William Abbott
 phone / fax number: +49-221-59709-472
 representat.: Chris Spickett
 tel (representat.): 0044 (0) 7894443907

pos	quantity	article
-----	----------	---------

1	1	weinor Opal Design II LED
---	---	----------------------------------

living room

width (cm) : 650 cm
 Projection [cm] : 250 cm
 Base colour : WT029/70786 Sparkling Iron Effect
 version tilting arm : Arm with LongLife technology and high-tech belt
 Number of lamps (total) : 11 Piece
 no. of arms : 2 arms
 bracket type 1 : Ceiling bracket universal compl. OPAL2001
 number of brackets 1 : 3 Piece
 bracket position left 1st array : 56,6 cm
 bracket position centre 1st array : 325 cm
 bracket position right 1st array : 56,6 cm
 type of control : engine
 side of control : Left
 With remote control BiConnectWith : **Yes! Please remind the separate order!**
 remote control BiConnect

Information on BiConnect : The BiConnect has been done in 201895692 position 2!
 electrical engine connection : **Motor kabel 1300 Stas3/C-Plug**
 light receiver : with remote-controlled receiver for lighting
 type of motor : Motor L50/17 C PS+ for 78 shaft -without cable
 real-design : WE4-208 br.grey-thin yellow stripe
 Glue fabric? : no, sewn fabric
 Cardboard packaging : edges reinforcement
 weight : 107,82 kg



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 2 of 13

pos	quantity	article
-----	----------	---------

2	1	weinor BiConnect
---	---	------------------

deliver BiConnect separate?	: No; supply receiver and handheld remote control with awning
shipment info	: The pre set receivers (except LED) and the handset will be packed with contract number 201895692 pos 1!
Receiver for motor/light control	: 1 BiRec MLED, basic : BiConnect BiEasy 5M (silver version)
learned on channel 1	: BiRec MLED, basic for order 201895692/1: Opal Design II LED engine left
learned on channel 2	: BiRec MLED, basic for order 201895692/1: Opal Design II LED



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 3 of 13

pos	quantity	article
-----	----------	---------

3	1	weinor Opal Design II LED
----------	----------	----------------------------------

Kitchen

width (cm) : 751 cm
 Number of panels : 2-pads
 type of joining : Jockey cover
 Width of section 1 [cm] : 375,5 cm
 Width of section 2 [cm] : 375,5 cm
 Projection [cm] : 290 cm
 Base colour : WT029/70786 Sparkling Iron Effect
 version tilting arm : Arm with LongLife technology and high-tech belt
 Number of lamps (total) : 12 Piece
 no. of arms : 4 arms
 bracket type 1 : wall fixing 150 mm Opal Design II
 number of brackets 1 : 4 Piece
 bracket position left 1st array : 16,5 cm
 bracket position right 1st array : 44,1 cm
 bracket position left 2nd array : 44,1 cm
 bracket position right 2nd array : 16,5 cm
 type of control : engine
 side of control : Left
 With remote control BiConnectWith : **Yes! Please remind the separate order!**
 remote control BiConnect

Information on BiConnect : The BiConnect has been done in 201895692 position 5!
 electrical engine connection : **Motorkabel 1300 Stab3/C-Plug**
 Info Agido : Agido is not compatible to BiConnect.
 light receiver : with remote-controlled receiver for lighting
 type of motor : Motor L80/11 C PS+ f. 78erWe OHNE Kabel
 real-design : WE4-208 br.grey-thin yellow stripe
 Glue fabric? : no, sewn fabric
 Cardboard packaging : edges reinforcement
 weight : 148,34 kg



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 4 of 13

pos	quantity	article
-----	----------	---------

4	3	weinor Tempura
----------	----------	-----------------------

Version : Tempura 1,5 KW
 Utilisation : for type Opal
 width : 50 cm
 With remote control BiConnectWith remote control BiConnect : **Yes! Please remind the separate order!**

Information on BiConnect handling access : The BiConnect has been done in 201895692 position 5!
 : radio control
 : Hirschmann plug (ext. Radio receiver for heater)
 Base colour : WT029/70786 Sparkling Iron Effect
 colour cover cap BiConnect : WT029/70786 Sparkling Iron Effect
 Colour of plastic small parts : grey, white, mottled
 weight : 2,00 kg

5	1	weinor BiConnect
----------	----------	-------------------------

deliver BiConnect separate? shipment info : No; supply receiver and handheld remote control with awning
 : The pre set receivers (except LED) and the handset will be packed with contract number 201895692 pos 3!
 Receiver for motor/light receiver for tempura control : 1 BiRec MLED, basic
 : 3 BiRec HD, basic
 : BiConnect BiEasy 5M (silver version)
 learned on channel 1 : BiRec MLED, basic for order 201895692/3: Opal Design II LED engine left
 learned on channel 2 : BiRec MLED, basic for order 201895692/3: Opal Design II LED
 learned on channel 3 : BiRec HD, basic for order 201895692/4
 learned on channel 4 : BiRec HD, basic for order 201895692/4
 learned on channel 5 : BiRec HD, basic for order 201895692/4



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 5 of 13

pos	quantity	article
-----	----------	---------

6 1 weinor Opal Design II LED

Family room

width (cm) : 751 cm
 Number of panels : 2-pads
 type of joining : Jockey cover
 Width of section 1 [cm] : 375,5 cm
 Width of section 2 [cm] : 375,5 cm
 Projection [cm] : 290 cm
 Base colour : WT029/70786 Sparkling Iron Effect
 version tilting arm : Arm with LongLife technology and high-tech belt
 Number of lamps (total) : 12 Piece
 no. of arms : 4 arms
 bracket type 1 : wall fixing 150 mm Opal Design II
 number of brackets 1 : 4 Piece
 bracket position left 1st array : 16,5 cm
 bracket position right 1st array : 44,1 cm
 bracket position left 2nd array : 44,1 cm
 bracket position right 2nd array : 16,5 cm
 type of control : engine
 side of control : right
 With remote control BiConnectWith : **Yes! Please remind the separate order!**
 remote control BiConnect

Information on BiConnect : The BiConnect has been done in 201895692 position 8!
 electrical engine connection : **Motor kabel 1300 Stab 3 C-Plug**
 Info Agido : Agido is not compatible to BiConnect.
 light receiver : with remote-controlled receiver for lighting
 type of motor : Motor L80/11 C PS+ f. 78erWe OHNE Kabel
 real-design : WE4-208 br.grey-thin yellow stripe
 Glue fabric? : no, sewn fabric
 Cardboard packaging : edges reinforcement
 weight : 154,8 kg



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 6 of 13

pos	quantity	article
-----	----------	---------

7	3	weinor Tempura
----------	----------	-----------------------

Version : Tempura 1,5 KW
 Utilisation : for type Opal
 width : 50 cm
 With remote control BiConnectWith remote control BiConnect : **Yes! Please remind the separate order!**

Information on BiConnect handling access : The BiConnect has been done in 201895692 position 8!
 : radio control
 : Hirschmann plug (ext. Radio receiver for heater)
 Base colour : WT029/70786 Sparkling Iron Effect
 colour cover cap BiConnect : WT029/70786 Sparkling Iron Effect
 Colour of plastic small parts : grey, white, mottled
 weight : 2,00 kg

8	1	weinor BiConnect
----------	----------	-------------------------

deliver BiConnect separate? shipment info : No; supply receiver and handheld remote control with awning
 : The pre set receivers (except LED) and the handset will be packed with contract number 201895692 pos 6!
 Receiver for motor/light receiver for tempura control : 1 BiRec MLED, basic
 : 3 BiRec HD, basic
 : BiConnect BiEasy 5M (silver version)
 learned on channel 1 : BiRec MLED, basic for order 201895692/6: Opal Design II LED engine right
 learned on channel 2 : BiRec MLED, basic for order 201895692/6: Opal Design II LED
 learned on channel 3 : BiRec HD, basic for order 201895692/7
 learned on channel 4 : BiRec HD, basic for order 201895692/7
 learned on channel 5 : BiRec HD, basic for order 201895692/7

Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 7 of 13

pos	quantity	article
-----	----------	---------

9	1	weinor Opal Design II
----------	----------	------------------------------

Master

width (cm) : 650 cm
 Projection [cm] : 250 cm
 Base colour : WT029/70786 Sparkling Iron Effect
 version tilting arm : Arm with LongLife technology and high-tech belt
 no. of arms : 2 arms
 bracket type 1 : wall fixing 150 mm Opal Design II
 number of brackets 1 : 3 Piece
 bracket position left 1st array : 54,4 cm
 bracket position centre 1st array : 325 cm
 bracket position right 1st array : 54,4 cm
 type of control : engine
 side of control : right
 With remote control BiConnectWith remote control BiConnect : **Yes! Please remind the separate order!**

Information on BiConnect : The BiConnect has been done in 201895692 position 10!
 lead cable : ~~motor cable 1300 Stas3C plug~~
 type of motor : Motor L50/17 C PS+ for 78 shaft -without cable
 real-design : WE4-208 br.grey-thin yellow stripe
 Cardboard packaging : edges reinforcement
 weight : 108,88 kg

10	1	weinor BiConnect
-----------	----------	-------------------------

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning
 shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 201895692 pos 9!
 Receiver for motor : 1 BiRec MA, basic
 control : BiConnect BiEasy 1M (silver version)
 learned on channel 1 : BiRec MA-K, basic for order 201895692/9: Opal Design II engine right



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 8 of 13

pos	quantity	article
-----	----------	---------

11	1	weinor Opal Design II
----	---	-----------------------

Guest 1

width (cm) : 540 cm
 Projection [cm] : 350 cm
 Base colour : WT029/70786 Sparkling Iron Effect
 version tilting arm : Arm with LongLife technology and high-tech belt
 no. of arms : 2 arms
 bracket type 1 : wall fixing 150 mm Opal Design II
 number of brackets 1 : 3 Piece
 bracket position left 1st array : 40,2 cm
 bracket position centre 1st array : 270 cm
 bracket position right 1st array : 40,2 cm
 type of control : engine
 side of control : right
 With remote control BiConnectWith remote control BiConnect : **Yes! Please remind the separate order!**

Information on BiConnect : The BiConnect has been done in 201895692 position 12!
 lead cable : ~~motor cable 1300 Stas3C plug~~
 type of motor : Motor L50/17 C PS+ for 78 shaft -without cable
 real-design : WE4-208 br.grey-thin yellow stripe
 Cardboard packaging : edges reinforcement
 weight : 118,8 kg

12	1	weinor BiConnect
----	---	------------------

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning
 shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 201895692 pos 11!
 Receiver for motor : 1 BiRec MA, basic
 control : BiConnect BiEasy 1M (silver version)
 learned on channel 1 : BiRec MA-K, basic for order 201895692/11: Opal Design II engine right



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 9 of 13

pos	quantity	article
-----	----------	---------

13	1	weinor Opal Design II
-----------	----------	------------------------------

Guest2

width (cm) : 400 cm
 Projection [cm] : 350 cm
 Base colour : WT029/70786 Sparkling Iron Effect
 version tilting arm : Arm with LongLife technology and high-tech belt
 no. of arms : 2 arms
 bracket type 1 : wall fixing 150 mm Opal Design II
 number of brackets 1 : 2 Piece
 bracket position left 1st array : 15,9 cm
 bracket position right 1st array : 15,9 cm
 type of control : engine
 side of control : Left
 With remote control BiConnectWith remote control BiConnect : **Yes! Please remind the separate order!**

Information on BiConnect : The BiConnect has been done in 201895692 position 14!
 Info Agido : Agido is not compatible to BiConnect.
 lead cable : ~~motor cable 1300 Stas3C plug~~
 type of motor : Motor L50/17 C PS+ for 78 shaft -without cable
 real-design : WE4-208 br.grey-thin yellow stripe
 Cardboard packaging : edges reinforcement
 weight : 75,8 kg

14	1	weinor BiConnect
-----------	----------	-------------------------

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning
 shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 201895692 pos 13!
 Receiver for motor : 1 BiRec MA, basic
 control : BiConnect BiEasy 1M (silver version)
 learned on channel 1 : BiRec MA-K, basic for order 201895692/13: Opal Design II engine left



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 10 of 13

pos	quantity	article
-----	----------	---------

15	1	weinor Opal Design II
-----------	----------	------------------------------

Guest 3

width (cm) : 530 cm
 Projection [cm] : 350 cm
 Base colour : WT029/70786 Sparkling Iron Effect
 version tilting arm : Arm with LongLife technology and high-tech belt
 no. of arms : 2 arms
 bracket type 1 : wall fixing 150 mm Opal Design II
 number of brackets 1 : 3 Piece
 bracket position left 1st array : 38,7 cm
 bracket position centre 1st array : 265 cm
 bracket position right 1st array : 38,7 cm
 type of control : engine
 side of control : Left
 With remote control BiConnectWith remote control BiConnect : **Yes! Please remind the separate order!**

Information on BiConnect : The BiConnect has been done in 201895692 position 16!
 lead cable : ~~motor cable 1300 Stas3C plug~~
 type of motor : Motor L50/17 C PS+ for 78 shaft -without cable
 real-design : WE4-208 br.grey-thin yellow stripe
 Cardboard packaging : edges reinforcement
 weight : 91,92 kg

16	1	weinor BiConnect
-----------	----------	-------------------------

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning
 shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 201895692 pos 15!
 Receiver for motor : 1 BiRec MA, basic
 control : BiConnect BiEasy 1M (silver version)
 learned on channel 1 : BiRec MA-K, basic for order 201895692/15: Opal Design II engine left



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie Page 11 of 13

pos	quantity	article
-----	----------	---------

17	1	weinor Aruba Marquisolette
-----------	----------	-----------------------------------

Study

Version : Aruba round
 total width of cassette : 140 cm
 height [cm] : 207 cm
 Base colour : WT029/70786 Sparkling Iron Effect
 arm length : 60 arm length 60cm
 angle of reflection : 150 degree
 number of punching in the guide rail : 8 Installation points per section of unit
 number of box attachment : 2 Piece
 type of control : Hard wired motor
 With remote control BiConnectWith remote control BiConnect : Yes! Please remind the separate order!

Information on BiConnect : The BiConnect has been done in 201895692 position 18!
 side of control : Left
 lead cable : Hirschmann plug not assembled
 type of motor : Becker motor
 real-design : WE4-208 br.grey-thin yellow stripe
 cloth type : longitudinal seam
 no. of panel : 2
 Info Bahnanzahl : For cover widths of more than the web width of the cover seams will be applied.

Cardboard packaging : edges reinforcement
 weight : 24,94 kg

18	1	weinor BiConnect
-----------	----------	-------------------------

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning
 shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 201895692 pos 17!
 Receiver for motor : 1 BiRec MA, basic
 control : BiConnect BiEasy 1M (silver version)
 learned on channel 1 : BiRec MA, basic for order 201895692/17: Aruba Markisolette engine left



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 12 of 13

pos	quantity	article
-----	----------	---------

19	1	weinor Aruba Marquisolette
-----------	----------	-----------------------------------

Master ensuite

Version	: Aruba round
total width of cassette	: 140 cm
height [cm]	: 207 cm
Base colour	: WT029/70786 Sparkling Iron Effect
arm length	: 60 arm length 60cm
angle of reflection	: 150 degree
number of punching in the guide rail	: 8 Installation points per section of unit
number of box attachment	: 2 Piece
type of control	: Hard wired motor
With remote control BiConnect	: Yes! Please remind the separate order!
remote control BiConnect	
Information on BiConnect	: The BiConnect has been done in 201895692 position 20!
side of control	: Left
lead cable	: Hirschmann plug not assembled
type of motor	: Becker motor
real-design	: WE4-208 br.grey-thin yellow stripe
cloth type	: longitudinal seam
no. of panel	: 2
Info Bahnanzahl	: For cover widths of more than the web width of the cover seams will be applied.
Cardboard packaging	: edges reinforcement
weight	: 26,84 kg

20	1	weinor BiConnect
-----------	----------	-------------------------

deliver BiConnect separate?	: No; supply receiver and handheld remote control with awning
shipment info	: The pre set receivers (except LED) and the handset will be packed with contract number 201895692 pos 19!
Receiver for motor	: 1 BiRec MA, basic
control	: BiConnect BiEasy 1M (silver version)
learned on channel 1	: BiRec MA, basic for order 201895692/19: Aruba Markisolette engine left



Configuration details

weinor GmbH & Co. KG Postfach 301473 50784 Köln

customer: 165708 reference: Mackie

Page 13 of 13

pos	quantity	article
-----	----------	---------

21	1	weinor Aruba Marquisolette
-----------	----------	-----------------------------------

TOP flr bed

Version : Aruba round
 total width of cassette : 140 cm
 height [cm] : 207 cm
 Base colour : WT029/70786 Sparkling Iron Effect
 arm length : 60 arm length 60cm
 angle of reflection : 150 degree
 number of punching in the guide rail : 8 Installation points per section of unit
 number of box attachment : 2 Piece
 type of control : Hard wired motor
 With remote control BiConnectWith remote control BiConnect : Yes! Please remind the separate order!

Information on BiConnect : The BiConnect has been done in 201895692 position 22!
 side of control : Left
 lead cable : Hirschmann plug not assembled
 type of motor : Becker motor
 real-design : WE4-208 br.grey-thin yellow stripe
 cloth type : longitudinal seam
 no. of panel : 2
 Info Bahnanzahl : For cover widths of more than the web width of the cover seams will be applied.

Cardboard packaging : edges reinforcement
 weight : 23,48 kg

22	1	weinor BiConnect
-----------	----------	-------------------------

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning
 shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 201895692 pos 21!
 Receiver for motor : 1 BiRec MA, basic
 control : BiConnect BiEasy 1M (silver version)
 learned on channel 1 : BiRec MA, basic for order 201895692/21: Aruba Markisolette engine left