

23-1.25

TROPICAL

S016097 Miller

7 x boxes (1 x 6 l inch)

S016230 Saudin (2 x box  
3 x 6 l inch)

S016296 Summer 047

2 x 6 l inch (Mates study (Drogs recm)  
(1 x box)

S016327 Mcgoerz - 2 x box (2 x 6 l inch)

Studio - w1, w2

S016337 Fledand - 1 x

box, 1 x 6 l inch

RECEIVED

23 JAN 2004

SCANNED

**Tropical Blinds Ltd**

Unit 6 and 7 Five Arches Business Est  
off Maidstone Road  
Sidcup  
Kent DA14 5AE  
T: 020 8269 6400  
F: 020 8269 6401

**Order Acknowledgement**

Cust Order No : **SO16337 THELLAND**  
Order Date : 03/01/2025  
Order No : 945260  
Account Ref : CPS007  
Despatch method : DHL Economy  
Delivery Date : 21/01/2025  
Carriage Type : DHL Economy Select

**Order to :**

C.P Interiors  
Rue Des Pres Trading Estate  
St. Saviour  
Jersey  
Channel Islands  
JE2 7QN

**Deliver to :**

C.P Interiors 2  
Rue Des Pres Trading Estate  
St Saviour  
Jersey  
Channel Islands  
JE2 7QN

Type	Colour	Width	Drop	Quantity	Unit Price	Disc %	Net
50mm Elements Wood with Braid	White	870	1345	1	243.79	60	97.52
Standard Pelmet Required, Dual Lock, Not Required, Classic End Fix Brackets - White , Not Required, No Cut Out Required					0.00		
Standard, No Handset Required, Not Required, None Required, Not Required, Not Required					0.00		
Measurement: Blind Size Spec. Ins:							
Install Height: Not Specified Location: Stairs							

If a Premium carriage service is requested (Pre Noon, Pre 10.30, Saturday or Saturday Pre Noon) the relevant charge will be applied to your invoice. Goods delivered to the following areas: Cornwall, Dyfed, Powys, Anglesey, Gwynedd, Scotland, Isle of Wight, Isle of Man, Isle of Scilly, Channel Isles, Northern Ireland and Republic of Ireland will be subject to a carriage charge as detailed on Page 2 of our trade price list. These carriage charges may not appear on your Proforma invoice or Order acknowledgement but will be applied to your invoice

Net Price :	£97.52
VAT :	£0.00
Total :	£97.52

# THE ROMO GROUP

Romo Ltd.  
Oddicroft Lane  
Sutton-in-Ashfield  
Nottingham NG17 5FB

EORI No. GB116619866000  
VAT Reg No. 116619866  
Tel No. 00 44 1623 727016

## ORDER CONFIRMATION

### Invoice Address

CARPET PROTECTION (CI) LIMITED  
T/A CP INTERIORS  
RUE DES PRES TRADING ESTATE  
ST SAVIOUR  
JERSEY  
JE2 7QN

### Delivery Address

TROPICAL BLINDS  
UNITS 6-7 FIVE ARCHES BUSINESS EST  
OFF MAIDSTONE ROAD  
SIDCUP KENT  
DA14 5AQ

PAGE

1

Account	Invoice Date	Order No.	Carrier	Parcels	Your Order No.	Currency
57744	09/12/24	EX316165	UPS UK Standard		SQ16230Q1 GAUDIN	STERLING

Quantity	Description	Price	%	Value
2.0	<p>METRES RF 7714/01 LEANDER ORCHID Commodity Code: 5309290000 53% Linen 35% Cotton 12% Nylon This fabric has been dyed using reactive dyes. Do not apply any treatments to the face of the cloth as this may affect the colour</p>	37.75		75.50
6.0	<p>METRES VN V3513/03 ARWEN SAPPHIRE Commodity Code: 5209510099 100% Cotton</p> <p>We note these goods are being sent to an address that differs from the accounting address. It is particularly important you check visually that the goods physically correspond with the sample from which the order was placed. i.e. correct design, colour, shade etc.</p> <p>All supplies are made subject to the Romo Terms and Conditions of Sale (as amended), copies of which are available on request in our Trade Price List or on the trade section of our website at <a href="http://www.romo.com">www.romo.com</a>.</p>	18.25		109.50

THIS IS AN ORDER CONFIRMATION  
PLEASE DO NOT PAY. A VAT INVOICE WILL FOLLOW.

VAT Summary		
Code	Goods	VAT
S 20.00%		37.00

Goods	185.00
VAT	37.00
<b>Total</b>	<b>222.00</b>

\_index\_OC175779

1

5. Cust Own Roman ~~✓~~ Customer's Own Fabric *control side?* ~~✓~~ *NEED*  
 Waterfall (Standard), Lining - Bonded BLACKOUT (with Fleece 400g EB), No Pelmet Req, Evans Left Hand Control (Breakaway), Continuous Metal Chain Chrome, N/A, None *✓*  
 Required, No Handset Required, No Power Supply Required, Not Required, Not Required, No Hub Required, Roman Breakaway Chain Mechanism, Not Applicable  
 Measurement: Recess Size Spec. Ins: 2m of Romo Leander Orchid 7714/01  
 Location: Lola's Bedroom Fitting Ins: Chain Length: 700 10 144.86

6. Cust Own Roman ~~✓~~ Customer's Own Fabric *control side? Right confirmed by Adrian in office*  
 Waterfall (Standard), Lining - Bonded BLACKOUT (with Fleece 400g EB), No Pelmet Req, Evans Left Hand Control (Breakaway), Continuous Metal Chain Chrome, N/A, None *✓*  
 Required, No Handset Required, No Power Supply Required, Not Required, Not Required, No Hub Required, Roman Breakaway Chain Mechanism, Not Applicable  
 Measurement: Recess Size Spec. Ins: 6m of Villa Nova Arwen Sapphire V3513/03 for both blinds in same room. Please pattern match within same blind.  
 Location: Bedroom 3 W1 Fitting Ins: Chain Length: 800 10 173.38

7. Cust Own Roman ~~✓~~ Customer's Own Fabric *control side? Right confirmed by Adrian in office*  
 Waterfall (Standard), Lining - Bonded BLACKOUT (with Fleece 400g EB), No Pelmet Req, Evans Left Hand Control (Breakaway), Continuous Metal Chain Chrome, N/A, None *✓*  
 Required, No Handset Required, No Power Supply Required, Not Required, Not Required, No Hub Required, Roman Breakaway Chain Mechanism, Not Applicable  
 Measurement: Recess Size Spec. Ins: 6m of Villa Nova Arwen Sapphire V3513/03 for both blinds in same room.  
 Location: Bedroom 3 W2 Fitting Ins: Chain Length: 700 10 144.86

Net Total: 956.08  
 VAT: 0.00  
 Total: 956.08

**Tropical Blinds Ltd**

Unit 6 and 7 Five Arches Business Est  
 off Maidstone Road  
 Sidcup  
 Kent  
 DA14 5AE  
 Tel: 020 8269 6400 Fax: 020 8269 6401

Vat No: 324 0532 02

Cust Order No: **BO16327 MCGARRY**

Order Date: 02/12/2024

Order No: 4832474

Cust Ref:

Account Ref: CPS007

Despatch Method: DHL Economy

**Order To:**  
 C.P Interiors  
 Rue Des Pres Trading Estate  
 St Saviour  
 Jersey  
 Channel Islands  
 JE2 7QN

*RB checked  
 05/12*

**Deliver To:**  
 C.P Interiors  
 Rue Des Pres Trading Estate  
 St Saviour  
 Jersey  
 Channel Islands  
 JE2 7QN

Type	Colour	Width	Drop	Q
1. Cust Own Roman	Customer's Own Fabric	1440	2150	
Waterfall (Standard), Lining - Bonded BLACKOUT (with Fleece 400g EB), Pelmet Required, Evans Left Hand Control (Breakaway), Continuous Metal Chain Chrome, N/A, None Required, No Handset Required, No Power Supply Required, Not Required, No Hub Required, Roman Breakaway Chain Mechanism, Not Applicable				
Measurement: Blind Size Spec. ins: Top fix. 2000mm chain due to fitting height. 1xroll of Hot Madison fabric arriving from CP Interiors. Please return any leftover fabric over a metre.				
Location: Studio W1 Fitting ins: Chain				
2. Cust Own Roman	Customer's Own Fabric	1550	2150	
Waterfall (Standard), Lining - Bonded BLACKOUT (with Fleece 400g EB), Pelmet Required, Evans Left Hand Control (Breakaway), Continuous Metal Chain Chrome, N/A, None Required, No Handset Required, No Power Supply Required, Not Required, No Hub Required, Roman Breakaway Chain Mechanism, Not Applicable				
Measurement: Blind Size Spec. ins: Top fix. 2000mm chain due to fitting height. 1xroll of Hot Madison fabric arriving from CP Interiors. Please return any leftover fabric over a metre.				
Location: Studio W2 Fitting ins: Chain				

*Tropical won't always send an order confirmation, but showing as work in progress on daily report.*

5m - White, No Scallop, No Braid Required, No Pole, No Final, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Blind Size  
 Spec. ins:  
 Fitting ins:  
 Location: Living Room

9. Roller - Sonesse Ultra 30 RTS/Zigbee LI-10NUniview 3000 DO FR Cool Grey R/Fab 1.83m (D)965 2300  
 Sonesse Ultra 30 WF RTS 2m LI ION Motor, Not Required, No Handset Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Final, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Blind Size  
 Spec. ins:  
 Fitting ins:  
 Location: Dining Area

10. Roller - Sonesse Ultra 30 RTS/Zigbee LI-10NUniview 3000 DO FR Cool Grey R/Fab 1.83m (D)950 2200  
 Sonesse Ultra 30 WF RTS 2m LI ION Motor, Not Required, No Handset Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Final, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Blind Size  
 Spec. ins:  
 Fitting ins:  
 Location: Dining Area

11. Roller - Sonesse Ultra 30 RTS/Zigbee LI-10NUniview 3000 DO FR Cool Grey R/Fab 1.83m (D)950 2300  
 Sonesse Ultra 30 WF RTS 2m LI ION Motor, Not Required, No Handset Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Final, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Blind Size  
 Spec. ins:  
 Fitting ins:  
 Location: Dining Area

12. Roller - Sonesse Ultra 30 RTS/Zigbee LI-10NUniview 3000 DO FR Cool Grey R/Fab 1.83m (D)1000 3000  
 Sonesse Ultra 30 WF RTS 2m LI ION Motor, Not Required, No Handset Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Final, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Blind Size  
 Spec. ins:  
 Fitting ins:  
 Location: Dining Area

13. Roller - Sonesse Ultra 30 RTS/Zigbee LI-10NUniview 3000 DO FR Cool Grey R/Fab 1.83m (D)850 2000  
 Sonesse Ultra 30 WF RTS 2m LI ION Motor, Not Required, No Handset Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Final, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Blind Size  
 Spec. ins:  
 Fitting ins:  
 Location: Bedroom 1

14. Roller - Sonesse Ultra 30 RTS/Zigbee LI-10NUniview 3000 DO FR Cool Grey R/Fab 1.83m (D)1670 2000  
 Sonesse Ultra 30 WF RTS 2m LI ION Motor, Not Required, No Handset Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Final, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Blind Size  
 Spec. ins:  
 Fitting ins:  
 Location: Bedroom 1

15. Roller - Sonesse Ultra 30 RTS/Zigbee LI-10NUniview 3000 DO FR Cool Grey R/Fab 1.83m (D)1230 1230  
 Sonesse Ultra 30 WF RTS 2m LI ION Motor, Not Required, No Handset Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Final, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Blind Size  
 Spec. ins:  
 Fitting ins:  
 Location: Bedroom 1

16. Roller - Sonesse Ultra 30 RTS/Zigbee LI-10NUniview 3000 DO FR Cool Grey R/Fab 1.83m (D)1265 1990  
 Sonesse Ultra 30 WF RTS 2m LI ION Motor, Not Required, No Handset Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Final, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Blind Size  
 Spec. ins:  
 Fitting ins:  
 Location: Bedroom 1

17. Roller - Sonesse Ultra 30 RTS/Zigbee LI-10NUniview 3000 DO FR Cool Grey R/Fab 1.83m (D)1490 2000  
 Sonesse Ultra 30 WF RTS 2m LI ION Motor, Not Required, No Handset Required, No Hub Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, No Scallop, No Braid Required, No Pole, No Final, No Eyelets Required, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels  
 Measurement: Blind Size  
 Spec. ins:  
 Fitting ins:  
 Location: Spare Room

REMOTE

REMOTE

