

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

reference: POLLARD SO16492
Your order no.: SO16492
weinor customernumber: 165708
creation Date: 12.02.2025
weinor pers. in charge: William Abbott
phone / fax number: +49-221-59709-472
representat.: Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article	price
1	1	weinor Terrazza Pure	10.738,00
		Product use : private house	
		Permissible snow-bearing load : 750 N/m ²	
		External dimensions : 4500mm x 3385mm Depth: wall connection profile up to INSIDE edge of post	6.912,00
		Bottom edge gutter (mm) : 2085,5 mm	
		Bottom edge connection to wall (mm) : 2180 mm	
		Top edge connection to wall (mm) : 2408 mm	
		Basic colour : WT029/90147 Approx. RAL 9007 Metallic	
		Covering : prepared for 10mm LSG	
		Seals : silicone-containing seals	
		Connection to wall left? : No wall connection on left	
		Connection to wall right? : No wall connection on right	
		Number of roof rafter : 6 Piece	
		rafter 205 open : 2 Piece	
		rafter 205 closed : 2 Piece	
		Axial dimension rafter : 887 mm	
		Execution : Version 2021	
		Steel reinforcement for roof gutter : 1 * Galvanised flat steel	432,00
		Maximum spacing for posts when gutter has 1 x steel : 4900 mm for 1 x steel in gutter	
		Number of posts : 2	
		Post type left : External post	
		Post position on the left : 57,5 mm	
		Post type right : External post	
		Post position on the right : 57,5 mm	

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Földner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: POLLARD SO16492 Page 2 of 12

pos	quantity	article	price
		Length of post : 2600 mm	
		Drain on left side? : Drain through the left post	
		Drain on right side? : Drain through the right post	
		Aluminium base plate for post : 2 Piece	
		No. Complete drainage through square outside post : 2 incl. downspout and 87° elbow	144,00
		Doubling under left side roof support (locking bar)? : yes	342,00
		Left locking bar version : 163x50 locking bar option under side rafter up until wall connection profile	
		Doubling under right side roof support (locking bar)? : yes	342,00
		Right locking bar version : 163x50 locking bar option under side rafter up until wall connection profile	
		mounting plates Sottezza II left rafter : Standard 66.5 DTS mounting plate	108,00
		mounting plates Sottezza II right rafter : Standard 66.5 DTS mounting plate	108,00
		Distance from Sottezza to the wall : 20 mm	
		Distance from Sottezza to the gutter : 20 mm	
		projection of WGM TOP : 0 mm	
		Left-hand wall : 90x50 rectangular pipe	98,00
		Right-hand wall : 90x50 rectangular pipe	98,00
		Preparation for mains connection (connection products, inside) : 1 x in wall bracket and guttering, centred	107,00
		Preparation for mains connection in wall bracket : 1 x power cord	
		Power cord in guttering : 1 x power cord	
		Operation type : Remote control Somfy IO	
		Side mains connection (230 V) : Left	
		Terrazza Pure lighting : Atmospheric (coloured)	
		LED strip in roof supports : 2 x colour LED strip	1.273,00
		Control unit Somfy RGBW including power supply pack 24 V 240W : 1 Piece	607,00
		control : hand transmitter Situo 5 io Variation A/M II by weinor	167,00
		With remote control BiConnect : no	

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: POLLARD SO16492

Page 3 of 12

pos	quantity	article	price
-----	----------	---------	-------

Tension rod in outer left roof panel? : yes

Tension rod in outer right roof panel? : yes

Number of tension rods : 2 Piece

Weight [kg] : 197,125 kg

value of goods	discount amount / %	net
10.738,00	4.295,20 / 40,00	6.442,80

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: POLLARD SO16492 Page 4 of 12

pos	quantity	article	price
-----	----------	---------	-------

2	1	weinor w17 easy - the full glass sliding door	3.686,00
---	---	---	----------

Product use	: private house	
Width of element [mm]	: 3325 X 2086	2.828,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Installation side (as seen from inside)	: 0	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	93,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	66,00
wall connection profile right	: yes	66,00
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	117,00
with mounting blocks?	: Mounting blocks 4 track standard (30 pieces; free of charge)	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 2 x wooden pallet	516,00
weight	: 190 kg	

value of goods	discount amount / %	net
3.686,00	1.474,40 / 40,00	2.211,60

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: POLLARD SO16492 Page 5 of 12

pos	quantity	article	price
-----	----------	---------	-------

3	1	weinor w17 easy - the full glass sliding door	3.170,00
---	---	---	----------

Product use	: private house	
Width of element [mm]	: 3325 X 2086	2.828,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Installation side (as seen from inside)	: 0	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	93,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	66,00
wall connection profile right	: yes	66,00
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	117,00
with mounting blocks?	: Mounting blocks 4 track standard (30 pieces; free of charge)	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 190 kg	

value of goods	discount amount / %	net
3.170,00	1.268,00 / 40,00	1.902,00

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: POLLARD SO16492 Page 6 of 12

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor w17 easy - the full glass sliding door	3.888,00
---	---	---	----------

Product use	: private house	
Width of element [mm]	: 4270 X 2086	3.507,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Installation side (as seen from inside)	: 0	
Selection of leaves + tracks	: 5-track with 5 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Standard Damper	
handling	: cup pull handle with A4 stainless steel attachment	93,00
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob from bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	66,00
wall connection profile right	: yes	66,00
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm	156,00
with mounting blocks?	: Mounting blocks 5 track standard (30 pieces; free of charge)	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 244 kg	

value of goods	discount amount / %	net
3.888,00	1.555,20 / 40,00	2.332,80

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Földner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: POLLARD SO16492 Page 7 of 12

pos	quantity	article	price
-----	----------	---------	-------

6	1	weinor Sottezza Pure Optistretch	3.158,00
----------	----------	---	-----------------

Product use	: private house	
Sales order Terrazza	: 504127970	
Posn. of the sales order for Terrazza	: 1	
Number of units	: 1 Field System	
width Terrazza [mm]	: 4500 mm	
Distance centre to centre	: 4278 mm	
Width of cassette total [mm]	: 4314 mm	
Projection [mm]	: 3295 mm	2.913,00
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
Cable clips along the back of the cassette	: without cable clips along the back of the cassette	
type of control	: Remote-controlled motor IO Homecontrol	137,00
Side of control (seen from the front)	: Left	
control	: hand transmitter Situio 5 io II by weinor	108,00
Type of engine	:	
Side channel bracket	: 4 Piece	
brackets top plate	: 2 Piece	
Colour, cassette	:	
colour front rail	:	
Colour, side channel	:	
colour of guide rail end caps	:	
colour of guide bar brackets	:	
real-design	: WE3-501	
colour of thread Saba	: light beige	
Cardboard container	: edges reinforcement	
weight	: 70 kg	

value of goods	discount amount / %	net
----------------	---------------------	-----

3.158,00	1.263,20 / 40,00	1.894,80
----------	------------------	----------

value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP
24.640,00	9.856,00	14.784,00	0,00	14.784,00

weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10
International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X



Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: POLLARD SO16492

Page 8 of 12

isometric view



top view



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X




Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London


customer: 165708 reference: POLLARD SO16492

Page 9 of 12


front view



side view left



side view right







Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: POLLARD SO16492

Page 10 of 12



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X





Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: POLLARD SO16492

Page 11 of 12



weinor Ltd
73 Cornhill
GB-EC3V 3QQ London
weinor.com

Managing Director:
Tim Fuldner
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: 335 2381 16
Company no.: 12193066
UTR no.: 33431 24084
EORI no.: GB335238116000

Domestic transfers:
Commerzbank London
Sort Code: 406201
Account Number: 307 537 10

International transfers:
Commerzbank London
IBAN: GB51 COBA 4062 0130 7537 10
Swift: MIDLGB22 a/c COBAGB2X

Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: POLLARD SO16492

Page 12 of 12

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 13.2.2025.

Glass Dimensions

Position	1	Terrazza Pure	prepared for 10mm LSG		
			Width	Height left	Height right
quantity	form				
5	rectangle		817	3339	3339