

Tropical Blinds Ltd

Unit 6 and 7 Five Arches Business Est
off Maidstone Road
Sidcup
Kent DA14 5AE
T: 020 8269 6400
F: 020 8269 6401

**Order Acknowledgement**

Cust Order No : MILLER SO16097
Order Date : 03/01/2025
Order No : 945258
Account Ref : CPS007
Despatch method : DHL Economy
Delivery Date : 21/01/2025
Carriage Type : Next Day

Order to :

C.P Interiors
Rue Des Pres Trading Estate
St. Saviour
Jersey
Channel Islands
JE2 7QN

Deliver to :

C.P Interiors 3
Rue Des Pres Trading Estate
St Saviour
Jersey
Channel Islands
JE2 7QN

Type	Colour	Width	Drop	Quantity	Unit Price	Disc %	Net
Pleated - Freehanging	Fresco Muted Sage 20mm P/Fab (L)	850	1165	1	100.33	30	70.23
P1700, White, 0.8mm Cord - Mint Green, No Unipleat Required, Cord Lock - Right Hand - White (New), N/A, Top Fix Brackets - Oval hole, Special - White , Child Safety - Breakaway Tassel-Clear Plastic					0.00		
Measurement:Blind Size		Spec. Ins:					
Install Height: Not Specified		Location: Bed 1 en suite					
Pleated - Freehanging	Fresco Muted Sage 20mm P/Fab (L)	855	1165	1	100.33	30	70.23
P1700, White, 0.8mm Cord - Mint Green, No Unipleat Required, Cord Lock - Left Hand - White (New), N/A, Top Fix Brackets - Oval hole, Special - White , Child Safety - Breakaway Tassel-Clear Plastic					0.00		
Measurement:Blind Size		Spec. Ins:					
Install Height: Not Specified		Location: bed 1 en suite					
Pleated - Freehanging	Fresco Muted Sage 20mm P/Fab (L)	840	940	1	88.96	30	62.27
P1700, White, 0.8mm Cord - Mint Green, No Unipleat Required, Cord Lock - Right Hand - White (New), N/A, Top Fix Brackets - Oval hole, Special - White , Child Safety - Breakaway Tassel-Clear Plastic					0.00		
Measurement:Blind Size		Spec. Ins:					
Install Height: Not Specified		Location: landing					
Intu Pleated	Fresco Muted Sage 20mm P/Fab (L)	630	1765	1	135.49	10	121.94
Intu Head Rail - White, No Unipleat Required, 0.8mm Cord - Mint Green, Intu Side Extrusion C XL - White, 19 - 27mm - No End Cap Spacer Req, Fascia Overhang Std (50mm), Blind is safe by design and requires no additional devices or warning labels					0.00		
Measurement:Glass Size		Spec. Ins:					
Location: Ground Floor Storage room door							

Pleated - Freehanging	Fresco Muted Sage 20mm P/Fab (L)	860	1155	1	100.33	30	70.23
P1700, White, 0.8mm Cord - Mint Green, No Unipleat Required, Cord Lock - Right Hand - White (New), N/A, Top Fix Brackets - Oval hole, Special - White, Child Safety - Breakaway Tassel-Clear Plastic					0.00		
Measurement: Blind Size Spec. Ins:							
Install Height: Not Specified Location: study							
Roller - Sonesse Ultra 30	Uniview 3000 DO FR Cool Grey R/Fab	1750	2270	1	250.32	51.92	291.21
RTS/Zigbee LI-ION							
40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					60.19		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Ultra 30 Charger Plug 4m Cable, Situo 5 RTS Pure II NE, Not Required, No Hub Required					141.92		
Measurement: Blind Size Spec. Ins:							
Install Height: Not Specified Location: Living Room							
Roller - Sonesse Ultra 30	Uniview 3000 DO FR Cool Grey R/Fab	950	2270	1	146.83	51.92	184.66
RTS/Zigbee LI-ION							
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					33.41		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Hub Required					98.00		
Measurement: Blind Size Spec. Ins:							
Install Height: Not Specified Location: Living Room							
Roller - Sonesse Ultra 30	Uniview 3000 DO FR Cool Grey R/Fab	930	2270	1	146.83	51.92	184.66
RTS/Zigbee LI-ION							
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					33.41		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Hub Required					98.00		
Measurement: Blind Size Spec. Ins:							
Install Height: Not Specified Location: Living Room							
Roller - Sonesse Ultra 30	Uniview 3000 DO FR Cool Grey R/Fab	1000	2270	1	146.83	51.92	184.66
RTS/Zigbee LI-ION							
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					33.41		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Hub Required					98.00		
Measurement: Blind Size Spec. Ins:							
Install Height: Not Specified Location: Living Room							
Roller - Sonesse Ultra 30	Uniview 3000 DO FR Cool Grey R/Fab	965	2300	1	146.83	51.92	238.03
RTS/Zigbee LI-ION							
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					33.41		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Situo 5 RTS Iron II NE, Not Required, No Hub Required					151.37		
Measurement: Blind Size Spec. Ins:							
Install Height: Not Specified Location: Dining Area							

Roller - Sonesse Ultra 30 RTS/Zigbee LI-ION	Uniview 3000 DO FR Cool Grey R/Fab	950	2300	1	146.83	51.92	184.66
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					33.41		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Hub Required					98.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Dining Area

Roller - Sonesse Ultra 30 RTS/Zigbee LI-ION	Uniview 3000 DO FR Cool Grey R/Fab	950	2300	1	146.83	51.92	184.66
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					33.41		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Hub Required					98.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Dining Area

Roller - Sonesse Ultra 30 RTS/Zigbee LI-ION	Uniview 3000 DO FR Cool Grey R/Fab	1000	3000	1	168.53	51.92	195.09
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					33.41		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Hub Required					98.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Dining Area

Roller - Sonesse Ultra 30 RTS/Zigbee LI-ION	Uniview 3000 DO FR Cool Grey R/Fab	1270	1230	1	152.74	51.92	230.14
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					46.82		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Situo 5 RTS Pure II NE, Not Required, No Hub Required					134.19		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Balcony Bedroom

Roller - Sonesse Ultra 30 RTS/Zigbee LI-ION	Uniview 3000 DO FR Cool Grey R/Fab	1265	1990	1	183.30	51.92	208.64
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					46.82		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Hub Required					98.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Balcony Bedroom

Roller - Sonesse Ultra 30 RTS/Zigbee LI-ION	Uniview 3000 DO FR Cool Grey R/Fab	1490	2000	1	206.96	51.92	245.68
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					53.48		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Situo 1 RTS Pure II NE, Not Required, No Hub Required					120.46		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Spare Room

Roller - Sonesse Ultra 30 RTS/Zigbee LI-ION	Uniview 3000 DO FR Cool Grey R/Fab	1080	2390	1	172.68	51.92	236.49
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					40.11		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Situ0 5 RTS Pure II NE, Not Required, No Hub Required					134.19		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Games Room

Roller - Sonesse Ultra 30 RTS/Zigbee LI-ION	Uniview 3000 DO FR Cool Grey R/Fab	1070	2390	1	172.68	51.92	200.30
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					40.11		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Hub Required					98.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Games Room

Roller - Sonesse Ultra 30 RTS/Zigbee LI-ION	Uniview 3000 DO FR Cool Grey R/Fab	1005	1210	1	103.46	51.92	163.80
Not Required, 40mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Blind is safe by design and requires no additional devices or warning labels					33.41		
Sonesse Ultra 30 WF RTS 2nm LI ION Motor, Not Required, No Hub Required					98.00		
Measurement:Blind Size Spec. Ins:							

Install Height: Not Specified Location: Games Room

If a Premium carriage service is requested (Pre Noon, Pre 10.30, Saturday or Saturday Pre Noon) the relevant charge will be applied to your invoice. Goods delivered to the following areas: Cornwall, Dyfed, Powys, Anglesey, Gwynedd, Scotland, Isle of Wight, Isle of Man, Isle of Scilly, Channel Isles, Northern Ireland and Republic of Ireland will be subject to a carriage charge as detailed on Page 2 of our trade price list. These carriage charges may not appear on your Proforma invoice or Order acknowledgement but will be applied to your invoice

Net Price :	£3327.58
VAT :	£0.00
Total :	£3327.58