

Unit 6 and 7 Five Arches Business Est  
off Maidstone Road  
Sidcup  
Kent  
DA14 5AE  
Tel: 020 8269 6400 Fax: 020 8269 6401

**Vat No:** 324 0532 02  
**Cust Order No:** SO16786 DANDARA  
**Order Date:** 18/06/2025  
**Order No:** 5323744  
**Cust Ref:**  
**Account Ref:** CPS007  
**Despatch Method:**DHL Economy

**Order To:**  
C.P Interiors  
Rue Des Pres Trading Estate  
St Saviour  
Jersey  
Channel Islands  
JE2 7QN

**Deliver To:**  
C.P Interiors 3  
Rue Des Pres Trading Estate  
St Saviour  
Jersey  
Channel Islands  
JE2 7QN

Type	Colour	Width	Drop	Quantity	Unit Price	Disc %	Net
1. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)700 32mm Roller Tube, No Headbox Required, No, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable Measurement: Blind Size Spec. ins: Chain Length: 1000 Location: Fitting ins:		1600		1	176.82	51.92	85.02
2. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)700 32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable Measurement: Blind Size Spec. ins: Chain Length: 1000 Location: Fitting ins:		1600		1	176.82	51.92 22.98	96.07
3. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)700 32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable Measurement: Blind Size Spec. ins: Chain Length: 1000 Location: Fitting ins:		1600		1	176.82	51.92 22.98	96.07
4. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1100 32mm Roller Tube, No Headbox Required, No, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable Measurement: Blind Size Spec. ins: Chain Length: 1000 Location: Fitting ins:		1600		1	217.35	51.92	104.50
5. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)2000 32mm Roller Tube, No Headbox Required, No, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable Measurement: Blind Size Spec. ins: Chain Length: 1000 Location: Fitting ins:		1600		1	344.47	51.92	165.62
6. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1300 32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No		1600		1	249.17	51.92 40.18	139.12

Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable  
Measurement: Blind Size Spec. ins:  
Location: Fitting ins:

Chain Length: 1000

---

7.	Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1300	1600	1	249.17	51.92	119.80
----	--	------	---	--------	-------	--------

32mm Roller Tube, No Headbox Required, No, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

---

8.	Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1300	1600	1	249.17	51.92	139.12
----	--	------	---	--------	-------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

---

9.	Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1300	1600	1	249.17	51.92	139.12
----	--	------	---	--------	-------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

---

10.	Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1150	1600	1	217.35	51.92	104.50
-----	--	------	---	--------	-------	--------

32mm Roller Tube, No Headbox Required, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

---

11.	Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1150	1600	1	217.35	51.92	121.05
-----	--	------	---	--------	-------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

---

12.	Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1150	1600	1	217.35	51.92	121.05
-----	--	------	---	--------	-------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

---

13.	Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1150	1600	1	217.35	51.92	121.05
-----	--	------	---	--------	-------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

---

14.	Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1150	1600	1	217.35	51.92	121.05
-----	--	------	---	--------	-------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10

Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

---

15. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1150	1600	1	217.35	51.92	121.05
--	------	---	--------	-------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

34.42

---

16. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1150	1600	1	217.35	51.92	121.05
--	------	---	--------	-------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

34.42

---

17. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1150	1600	1	217.35	51.92	121.05
--	------	---	--------	-------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

34.42

---

18. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)2000	1600	1	344.47	51.92	193.20
--	------	---	--------	-------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Yes, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

57.37

---

19. Roller - With Cass H/box SW/SprngPanama Pro 3% FR Linen 116116 R/F (E)1000	1600	1	185.63	51.92	89.25
--	------	---	--------	-------	-------

32mm Roller Tube, No Headbox Required, No, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, White No. 10 Plastic Operating Chain (Double Bead), No Scallop, No Braid Required, N/A, No Pole, No Finial, No Eyelets Required, No Pull Required, No Hold Down Clips Required, Reverse Roll, No Specials, No Specials, Easybreak No. 10 Chain Connector - White, Not Applicable

Measurement: Blind Size  
Location:

Spec. ins:  
Fitting ins:

Chain Length: 1000

Net Total: 2318.74

VAT: 0.00

Total: 2318.74