

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

### C P Interiors

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

reference: Galluzzi SO16905  
Your order no.: SO16905  
weinor customernumber: 165708  
creation Date: 08.07.2025  
weinor pers. in charge: William Abbott  
phone / fax number: +49-221-59709-472  
representat.: Chris Spickett  
tel (representat.): 0044 ( 0 ) 7894443907

pos	quantity	article	price
1	1	<b>weinor Terrazza Pure</b>	<b>9.759,00</b>
		Product use : private house	
		Permissible snow-bearing load : 750 N/m <sup>2</sup>	
		External dimensions : 4700mm x 3000mm Depth: wall connection profile up to INSIDE edge of post	6.397,00
		Bottom edge gutter (mm) : 2155,5 mm	
		Bottom edge connection to wall (mm) : 2250 mm	
		Top edge connection to wall (mm) : 2478 mm	
		Basic colour : WT029/90147 Approx. RAL 9007 Metallic	
		Covering : prepared for 10mm LSG	
		Seals : silicone-containing seals	
		Connection to wall left? : No wall connection on left	
		Connection to wall right? : No wall connection on right	
		Number of roof rafter : 6 Number of items	
		rafter 205 open : 2 Number of items	
		rafter 205 closed : 2 Number of items	
		Axial dimension rafter : 927 mm	
		Steel reinforcement for roof gutter : 1 * Galvanised flat steel	437,00
		Maximum spacing for posts when gutter has 1 x steel : 5200 mm for 1 x steel in gutter	
		Number of posts : 2	
		Post type left : External post	
		Post position on the left : 57,5 mm	
		Post type right : External post	
		Post position on the right : 57,5 mm	
		Length of post : 2600 mm	

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer:	165708	reference:	Galluzzi SO16905	Page 2 of 11
pos	quantity	article		price
Drain on left side?		: Drain through the left post		
Drain on right side?		: Drain through the right post		
Number of post base plates 196x196		: 2 Number of items		
No. Complete drainage through square outside post		: 2 incl. downspout and 87° elbow		146,00
Doubling under left side roof support (locking bar)?		: yes		318,00
Left locking bar version		: 163x50 locking bar option without a rectangular pipe up to the wall		
Doubling under right side roof support (locking bar)?		: yes		318,00
Right locking bar version		: 163x50 locking bar option without a rectangular pipe up to the wall		
mounting plates Sottezza II left rafter		: Standard 66.5 DTS mounting plate		108,00
mounting plates Sottezza II right rafter		: Standard 66.5 DTS mounting plate		108,00
Distance from Sottezza to the wall		: 20 mm		
Distance from Sottezza to the gutter		: 20 mm		
projection of WGM TOP		: 0 mm		
Operation type		: Remote control Somfy IO		
Side mains connection (230 V)		: left		
Terrazza Pure lighting		: Atmospheric (coloured)		
LED strip in roof supports		: 2 x colour LED strip		1.185,00
Control unit Somfy RGBW including power supply pack 24 V 240W		: 1 Number of items		614,00
control		: hand transmitter Situo 5 io Variation A/M II by weinor		128,00
With remote control BiConnect		: No		
Weight [kg]		: 192,5 kg		
		value of goods	discount amount / %	net
		9.759,00	3.903,60 / 40,00	5.855,40

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Galluzzi SO16905 Page 3 of 11

pos	quantity	article	price
-----	----------	---------	-------

2	1	weinor Sottezza Pure Optistretch	3.242,00
---	---	----------------------------------	----------

Product use	: private house		
Sales order Terrazza	: 504266142		
Posn. of the sales order for Terrazza	: 1		
Number of units	: 1 Field System		
width Terrazza [mm]	: 4700 mm		
Distance centre to centre	: 4478 mm		
Width of cassette total [mm]	: 4514 mm		
Projection [mm]	: 2910 mm		3.007,00
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
Cable clips along the back of the cassette	: without cable clips along the back of the cassette		
type of control	: Remote-controlled motor IO Homecontrol		139,00
Side of control (seen from the front)	: left		
control	: hand transmitter Situo 5 io II by weinor		96,00
Type of engine	:		
support bracket front rail	: 4 Number of items		
brackets top plate	: 2 Number of items		
Colour, cassette	:		
colour front rail	:		
Colour, side channel	:		
colour of guide rail end caps	:		
colour of guide bar brackets	:		
real-design	: WE3-501		
colour of thread Saba	: light beige		
Cardboard container	: edges reinforcement		
weight	: 71 kg		

value of goods	discount amount / %	net
3.242,00	1.296,80 / 40,00	1.945,20

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Földner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Galluzzi SO16905 Page 4 of 11

pos	quantity	article	price
-----	----------	---------	-------

3	1	weinor w17 easy - the full glass sliding door	3.408,00
---	---	---	----------

Product use	: private house		
Width of element [mm]	: 2990 X 2156		2.781,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Installation side (as seen from inside)	: 0		
Selection of leaves + tracks	: 4-track with 4 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height to middle of knob from underside of bottom track (mm)	: 1050 mm		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm		117,00
with mounting blocks?	: Mounting blocks 4 track standard (30 pieces; free of charge)		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
extra charge glass pallet	: 2 x wooden pallet		510,00
weight	: 176,1 kg		

value of goods	discount amount / %	net
3.408,00	1.363,20 / 40,00	2.044,80

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Galluzzi SO16905 Page 5 of 11

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor w17 easy - the full glass sliding door	2.898,00
---	---	---	----------

Product use	: private house		
Width of element [mm]	: 2990 X 2156		2.781,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Installation side (as seen from inside)	: 0		
Selection of leaves + tracks	: 4-track with 4 leaves		
Position of active leaf?	: left, as seen from inside		
Direction of opening	: sliding to the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height to middle of knob from underside of bottom track (mm)	: 1050 mm		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm		117,00
with mounting blocks?	: Mounting blocks 4 track standard (30 pieces; free of charge)		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 176,1 kg		

value of goods	discount amount / %	net
2.898,00	1.159,20 / 40,00	1.738,80

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Galluzzi SO16905 Page 6 of 11

pos	quantity	article	price
-----	----------	---------	-------

5	1	weinor w17 easy - the full glass sliding door	3.839,00
---	---	---	----------

Product use	: private house		
Width of element [mm]	: 4470 X 2156		3.683,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Installation side (as seen from inside)	: 0		
Selection of leaves + tracks	: 3-track with 6 leaves (faceplate design)		
Direction of opening	: sliding to the left and the right		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Standard Damper		
handling	: handle bar standard		
side of the handling	: handling inside		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
Height to middle of knob from underside of bottom track (mm)	: 1050 mm		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
wall connection profile left	: yes		
wall connection profile right	: yes		
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm		156,00
gap seal	: 2 x Gap seals for 10 mm glass, length 2800 mm		
with mounting blocks?	: Mounting blocks 3 track standard (30 pieces; free of charge)		
Cardboard container	: edges reinforcement		
packaging	: Export packaging/ glass pallet		
weight	: 263,3 kg		

	value of goods	discount amount / %	net
	3.839,00	1.535,60 / 40,00	2.303,40

value of goods GBP	discount amount	net GBP	VAT (0 %)	Total GBP
23.146,00	9.258,40	13.887,60	0,00	13.887,60

weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10  
**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



## Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: Galluzzi SO16905

Page 7 of 11

isometric view



top view



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X



## Configuration details


weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708


reference: Galluzzi SO16905

Page 8 of 11


front view



side view left



side view right



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X





# Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: Galluzzi SO16905

Page 9 of 11



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10  
**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X





## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708

reference: Galluzzi SO16905

Page 10 of 11



weinor Ltd  
73 Cornhill  
GB-EC3V 3QQ London  
weinor.com

Managing Director:  
Tim Fuldner  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: 335 2381 16  
Company no.: 12193066  
UTR no.: 33431 24084  
EORI no.: GB335238116000

**Domestic transfers:**  
Commerzbank London  
Sort Code: 406201  
Account Number: 307 537 10

**International transfers:**  
Commerzbank London  
IBAN: GB51 COBA 4062 0130 7537 10  
Swift: MIDLGB22 a/c COBAGB2X

## Configuration details

weinor Ltd 73 Cornhill EC3V 3QQ London

customer: 165708 reference: Galluzzi SO16905

Page 11 of 11

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 9.7.2025.

### Glass Dimensions

Position	1	Terrazza Pure	prepared for 10mm LSG		
			Width	Height left	Height right
quantity	form				
5	rectangle		857	2954	2954